

#### MATERIAL SAFETY DATA SHEET

## PEARL BROWN

Version Number 1.0 Revision Date 03/22/2002 Page 1 of 5 Print Date 11/4/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PEARL BROWN
Product code	:	CC10012764
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



#### MATERIAL SAFETY DATA SHEET

# PEARL BROWN

ion Number 1.0 sion Date 03/22/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
	0. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



#### MATERIAL SAFETY DATA SHEET

# PEARL BROWN

Respiratory protection       :         Eye/Face Protection       :         Hand protection       :         Kin and body protection       :         Additional Protective       :         Measures       :         General Hygiene       :         Considerations       :         Engineering measures       :         Exposure limit(s)       :         Mica       3 mg/m3         10 mg/m3       :         15 mg/m3	Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordan Wash hands before	PERSONAL I ratory protectiv h side-shields. hing. nce with good e breaks and a with appropri	PROTECTION we equipment normally industrial hygiene and t the end of workday. ate exhaust ventilation.	safety practice.
Respiratory protection       :         Eye/Face Protection       :         Hand protection       :         Skin and body protection       :         Additional Protective       :         Measures       :         General Hygiene       :         Considerations       :         Engineering measures       :         Exposure limit(s)       :         Mica       3 mg/m3         20 mppcf       :         Titanium dioxide       10 mg/m3	No personal respir Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordan Wash hands before Heat only in areas	atory protectiv h side-shields. hing. nce with good e breaks and a with appropri-	ve equipment normally industrial hygiene and t the end of workday. ate exhaust ventilation.	safety practice.
Eye/Face Protection       :         Hand protection       :         Skin and body protection       :         Skin and body protection       :         Additional Protective       :         Measures       :         General Hygiene       :         Considerations       :         Engineering measures       :         Exposure limit(s)       :         Mica       3 mg/m3         20 mppcf       :         Titanium dioxide       10 mg/m3	Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordan Wash hands before Heat only in areas	h side-shields. hing. nce with good e breaks and a with appropri	industrial hygiene and t the end of workday. ate exhaust ventilation.	safety practice.
Hand protection       :         Skin and body protection       :         Additional Protective       :         Additional Protective       :         Measures       :         General Hygiene       :         Considerations       :         Engineering measures       :         Exposure limit(s)       :         Mica       3 mg/m3         20 mppcf       :         Titanium dioxide       10 mg/m3	Protective gloves. Long sleeved cloth Safety shoes. Handle in accordan Wash hands before Heat only in areas	ning. nce with good e breaks and a with appropri	industrial hygiene and t the end of workday. ate exhaust ventilation.	
Skin and body protection       :         Additional Protective       :         Measures       :         General Hygiene       :         Considerations       :         Engineering measures       :         Exposure limit(s)       :         Mica       3 mg/m3         20 mppcf       :         Titanium dioxide       10 mg/m3	Long sleeved cloth Safety shoes. Handle in accordat Wash hands before Heat only in areas	nce with good e breaks and a with appropri-	t the end of workday. ate exhaust ventilation.	
Additional Protective       :         Measures       :         General Hygiene       :         Considerations       :         Engineering measures       :         Exposure limit(s)       :         Components       Value         Mica       3 mg/m3         20 mppcf       :         Titanium dioxide       10 mg/m3	Safety shoes. Handle in accordar Wash hands before Heat only in areas	nce with good e breaks and a with appropri-	t the end of workday. ate exhaust ventilation.	
Measures         General Hygiene         Considerations         Engineering measures         Exposure limit(s)         Components         Value         Mica         20 mppcf         Titanium dioxide         10 mg/m3	Handle in accordat Wash hands before Heat only in areas	e breaks and a with appropria	t the end of workday. ate exhaust ventilation.	
Considerations         Engineering measures       :         Exposure limit(s)         Components       Value         Mica       3 mg/m3         20 mppcf         Titanium dioxide       10 mg/m3	Wash hands before Heat only in areas	e breaks and a with appropria	t the end of workday. ate exhaust ventilation.	
Components       Value         Mica       3 mg/m3         20 mppcf         Titanium dioxide       10 mg/m3				Provide
ComponentsValueMica3 mg/m320 mppcfTitanium dioxide10 mg/m3				
Mica     3 mg/m3       20 mppcf       Titanium dioxide       10 mg/m3				
Mica     3 mg/m3       20 mppcf       Titanium dioxide     10 mg/m3	Exposure	e time	Exposure type	List:
Titanium dioxide 10 mg/m.	_	ed Average	Total dust.	ACGIH
Titanium dioxide 10 mg/m.			Total dust.	OSHA
15 mg/m			Total dust.	ACGIH
	B PEL		Total dust.	OSHA Z1
9. PHYS	ICAL AND CHE	MICAL PRO	PERTIES	
Form : So Appearance : Pe	lid lets			t applicable. t determined
11	OWN	Bulk de		t established
	ry faint		2	t applicable
	t determined	Vapor o	L	t applicable
61 6	i determineu	v apor (		t applicable
Water solubility : Ins	t applicable	pH	: No	appreduic

## 10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
-	-	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



#### MATERIAL SAFETY DATA SHEET

# PEARL BROWN

Version Number 1.0		Page 4 of 5
Revision Date 03/22/2002		Print Date 11/4/2011
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/5



### MATERIAL SAFETY DATA SHEET

# PEARL BROWN

Version Number 1.0 Revision Date 03/22/2002 Page 5 of 5 Print Date 11/4/2011

IMO / IMDG	:	Not regulated for transportation.	
	15	. REGULATORY INFORMATION	]
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.	
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
Canadian Regulations:			
WHMIS Classification	:	D2B	
WHMIS Ingredient Discl	losu	re List	
CAS-No. 12001-26-2			
DSL	:	Listed.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	
	,	16. OTHER INFORMATION	Τ

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.