

MATERIAL SAFETY DATA SHEET

# J1128 BROWN (PED C-1630)

Version Number 1.1 Revision Date 04/05/2002 Page 1 of 6 Print Date 11/4/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	J1128 BROWN (PED C-1630)
Product code	:	CC10013119
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	1 - 5

# **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>		
Chronic exposure Medical Conditions	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>		
Aggravated by Exposure:			



MATERIAL SAFETY DATA SHEET

# J1128 BROWN (PED C-1630)

Version Number 1.1 Revision Date 04/05/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET

# J1128 BROWN (PED C-1630)

Version Number 1.1 Revision Date 04/05/2002 Page 3 of 6 Print Date 11/4/2011

	-	nd contamination. Keep in a c		
8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields	s.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and		afety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
	25 / 2		Total dust. as carbon	
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	black	ACGIH
Carbon black Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA): PEL:		ACGIH OSHA Z1
	-	(TWA): PEL: Time Weighted Average	black Total dust. as carbon	
Carbon black	3.5 mg/m3	(TWA): PEL:	black Total dust. as carbon black	OSHA Z1
Carbon black Titanium dioxide	3.5 mg/m3 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA): PEL:	black Total dust. as carbon black Total dust. Total dust.	OSHA Z1 ACGIH
Carbon black Titanium dioxide Titanium dioxide	3.5 mg/m3 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	black Total dust. as carbon black Total dust. Total dust. DPERTIES	OSHA Z1 ACGIH OSHA Z1
Carbon black Titanium dioxide Titanium dioxide	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	black Total dust. as carbon black Total dust. Total dust. Total dust. DPERTIES ration rate : Not	OSHA Z1 ACGIH OSHA Z1 applicable.
Carbon black Titanium dioxide Titanium dioxide Form Appearance	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR( Evapo ts Specifi	black Total dust. as carbon black Total dust. Total dust. DPERTIES ration rate : Not ic Gravity : Not	OSHA Z1 ACGIH OSHA Z1 applicable. determined
Carbon black Titanium dioxide Titanium dioxide Form Appearance Color	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BRC	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo the Specific Speci	black Total dust. as carbon black Total dust. Total dust. Total dust. DPERTIES Tration rate : Not fic Gravity : Not lensity : Not	OSHA Z1 ACGIH OSHA Z1 applicable. determined established
Carbon black Titanium dioxide Titanium dioxide Form Appearance Color Odor	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BRC : Very	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         ets       Specif         WN       Bulk of Yaint	black         Total dust. as carbon         black         Total dust.         Total dust.         Total dust.         OPERTIES         ration rate       : Not         Tic Gravity       : Not         Insity       : Not         Pressure       : Not	OSHA Z1 ACGIH OSHA Z1 applicable. determined established applicable
Carbon black Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BRC : Very : Not of	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo         ets       Specif         WN       Bulk over the second over t	black Total dust. as carbon black Total dust. Total dust. Total dust. Total dust. Total dust. DPERTIES Tation rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not density : Not	OSHA Z1 ACGIH OSHA Z1 applicable. determined established applicable applicable
Carbon black Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BRC : Very : Not c : Not a	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         d       Evapo         ets       Specification         WN       Bulk of faint         Vapor         determined       Vapor         applicable       pH	black Total dust. as carbon black Total dust. Total dust. Total dust. Total dust. Total dust. DPERTIES Tation rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not density : Not	OSHA Z1 ACGIH OSHA Z1 applicable. determined established applicable
Carbon black Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BRC : Very : Not of	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         d       Evapo         ets       Specification         WN       Bulk of faint         Vapor         determined       Vapor         applicable       pH	black Total dust. as carbon black Total dust. Total dust. Total dust. Total dust. Total dust. DPERTIES Tation rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not density : Not	OSHA Z1 ACGIH OSHA Z1 applicable. determined established applicable applicable
Carbon black Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BRC : Very : Not a : Insol	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         d       Evapo         ets       Specification         WN       Bulk of faint         Vapor         determined       Vapor         applicable       pH	black Total dust. as carbon black Total dust. Total dust. Total dust. DPERTIES Tration rate : Not fic Gravity : Not lensity : Not pressure : Not c density : Not i Not	OSHA Z1 ACGIH OSHA Z1 applicable. determined established applicable applicable
Carbon black Titanium dioxide	3.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : BRC : Very : Not c : Not a : Insol	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PR( d         Evapo ets         Specif         WN         Bulk of faint         Vapor         determined         applicable         pH	black Total dust. as carbon black Total dust. Total dust. Total dust. DPERTIES Tration rate : Not fic Gravity : Not lensity : Not pressure : Not c density : Not i Not	OSHA Z1 ACGIH OSHA Z1 applicable. determined established applicable applicable



#### MATERIAL SAFETY DATA SHEET

# J1128 BROWN (PED C-1630)

 Version Number 1.1
 Page 4 of 6

 Revision Date 04/05/2002
 Print Date 11/4/2011

 decomposition, do not overheat.
 decomposition, do not overheat.

 Incompatible Materials
 : Incompatible with strong acids and oxidizing agents.

 Hazardous decomposition products
 : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

# 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET

# J1128 BROWN (PED C-1630)

Version Number 1.1 Revision Date 04/05/2002 Page 5 of 6 Print Date 11/4/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Environmental Toxicity       : Chemicals are not readily available as they are bour of the polymer.         Bioaccumulation Potential       : Chemicals are not readily available as they are bour of the polymer.         Additional advice       : No data available.         Image: Product       : Like most thermoplastics the product can be recycling is preferred to disposal or incin generator of waste material has the responsibility f classification, transportation and disposal in accord applicable federal, state/provincial and local regulation and disposal in accord and local regulations.         U.S. D.O.T. / CA T.D.G.       : Not regulated for transportation.	ud within the matri
of the polymer.         Additional advice       : No data available. <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastics the product can be recyclopossible, recycling is preferred to disposal or incingenerator of waste material has the responsibility for classification, transportation and disposal in accord applicable federal, state/provincial and local regulations         Contaminated packaging       : Recycling is preferred when possible. The generation and disposal in accord applicable federal, state/provincial and local regulations. <b>14. TRANSPORT INFORMATION</b>	
<b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastics the product can be recycling is preferred to disposal or incing generator of waste material has the responsibility for classification, transportation and disposal in accord applicable federal, state/provincial and local regulations         Contaminated packaging       : Recycling is preferred when possible. The generate has the responsibility for proper waste classificatio and disposal in accordance with applicable federal, and local regulations. <b>14. TRANSPORT INFORMATION</b>	nd within the matri
Product       : Like most thermoplastics the product can be recycling is preferred to disposal or incining generator of waste material has the responsibility for classification, transportation and disposal in accord applicable federal, state/provincial and local regulation         Contaminated packaging       : Recycling is preferred when possible. The generator has the responsibility for proper waste classification and disposal in accordance with applicable federal, and local regulations.         14. TRANSPORT INFORMATION	
possible, recycling is preferred to disposal or incingenerator of waste material has the responsibility for classification, transportation and disposal in accord applicable federal, state/provincial and local regulations         Contaminated packaging       : Recycling is preferred when possible. The generate has the responsibility for proper waste classification and disposal in accordance with applicable federal, and local regulations.         14. TRANSPORT INFORMATION	
has the responsibility for proper waste classificatio and disposal in accordance with applicable federal and local regulations. 14. TRANSPORT INFORMATION	eration. The or proper waste lance with
	n, transportation
U.S. D.O.T. / CA T.D.G. : Not regulated for transportation.	
Classification (Non-bulk ground)	
ICAO/IATA : Not regulated for transportation.	
IMO / IMDG : Not regulated for transportation.	
15. REGULATORY INFORMATION	
US Regulations:	



# MATERIAL SAFETY DATA SHEET

# J1128 BROWN (PED C-1630)

OSHA Status       : Classified as hazardous based on components.         TSCA Status       : All components of this product are listed on the TSCA inventory or	
TSCA Status : All components of this product are listed on the TSCA inventory or	
1 1	
exempt.	<i>5</i> 5.
California Proposition : This product does not contain a substance listed by California Prop 65	
Canadian Regulations:	
WHMIS Classification : D2B	
WHMIS Ingredient Disclosure List	
CAS-No. 1333-86-4	
DSL : Listed.	
National Inventories:	
Australia AICS : Listed.	
China IECS : Listed.	
Europe EINECS : Not determined.	
Japan ENCS : Not determined.	
Korea KECI : Listed.	
Philippines PICCS : Listed.	
16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.