

MATERIAL SAFETY DATA SHEET

J1128 GRAY (PED C-1633)

Version Number 1.0 Revision Date 04/03/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	J1128 GRAY (PED C-1633)
Product code	:	CC10013124
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

J1128 GRAY (PED C-1633)

Version Number 1.0 Revision Date 04/03/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

J1128 GRAY (PED C-1633)

Version Number 1.0 Revision Date 04/03/2002 Page 3 of 6 Print Date 11/4/2011

0 1	VDAGUDE	CONTROLS / PERSONAL	DDATECTION	
ð. I	LAPUSURE	CUNTRULS / PERSUNAL	ROIECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields	5.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and		afety practice.
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
Carbon black	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES	
	G 1:			
F	: Solic			applicable.
Form		to Croait		determined
Appearance	: Pelle	-		established
Appearance Color	: Pelle : GRE	EY Bulk of		ampliachta
Appearance Color Odor	: Pelle : GRE : Very	EY Bulk of v faint Vapor	r pressure : Not	applicable
Appearance Color Odor Melting point/range	: Pelle : GRE : Very : Not	EYBulk of7 faintVapordeterminedVapor	r pressure : Not r density : Not	applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : GRE : Very : Not : Not	EYBulk of7 faintVapordeterminedVaporapplicablepH	r pressure : Not r density : Not	
Appearance Color Odor Melting point/range	: Pelle : GRE : Very : Not	EYBulk of7 faintVapordeterminedVaporapplicablepH	r pressure : Not r density : Not	applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : GRE : Very : Not : Not	EYBulk of7 faintVapordeterminedVaporapplicablepH	r pressure : Not r density : Not : Not	applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : GRE : Very : Not : Not : Insol	EY Bulk of faint v faint Vapor determined Vapor applicable pH luble	r pressure : Not r density : Not : Not	applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : GRE : Very : Not : Not : Insol 10. \$: S	EY Bulk of faint a faint Vapor determined Vapor applicable pH luble STABILITY AND REACTION	r pressure : Not r density : Not : Not	applicable



MATERIAL SAFETY DATA SHEET

J1128 GRAY (PED C-1633)

 Version Number 1.0
 Page 4 of 6

 Revision Date 04/03/2002
 Print Date 11/4/2011

 decomposition, do not overheat.
 Incompatible Materials

 Incompatible Materials
 : Incompatible with strong acids and oxidizing agents.

 Hazardous decomposition products
 : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET

J1128 GRAY (PED C-1633)

Version Number 1.0 Revision Date 04/03/2002 Page 5 of 6 Print Date 11/4/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Environmental Toxicity : Chemicals are not readily available as they are bound with of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound with of the polymer. Additional advice : No data available. Image: Comparison of the polymer. : No data available. Product : Like most thermoplastics the product can be recycled. A possible, recycling is preferred to disposal or incineration generator of waste material has the responsibility for proclassification, transportation and disposal in accordance applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of whas the responsibility for proper waste classification, transportation and disposal in accordance applicable federal, state, and local regulations. U.S. D.O.T. / CA T.D.G. : Not regulated for transportation.	
of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. V possible, recycling is preferred to disposal or incineration generator of waste material has the responsibility for pro classification, transportation and disposal in accordance applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of v has the responsibility for proper waste classification, transportation, transportation, transportation. U.S. D.O.T. / CA T.D.G. : Not regulated for transportation.	hin the matri
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Y possible, recycling is preferred to disposal or incineration generator of waste material has the responsibility for proclassification, transportation and disposal in accordance applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of y has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state, and local regulations. U.S. D.O.T. / CA T.D.G. : Not regulated for transportation.	
Product : Like most thermoplastics the product can be recycled. V possible, recycling is preferred to disposal or incineration generator of waste material has the responsibility for pro classification, transportation and disposal in accordance applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste has the responsibility for proper waste classification, transportation, transportation and disposal in accordance with applicable federal, state/and local regulations. U.S. D.O.T. / CA T.D.G. : Not regulated for transportation.	
possible, recycling is preferred to disposal or incineration generator of waste material has the responsibility for proclassification, transportation and disposal in accordance applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of whas the responsibility for proper waste classification, transportation, transportation and disposal in accordance with applicable federal, state/and local regulations. U.S. D.O.T. / CA T.D.G. : Not regulated for transportation.	
has the responsibility for proper waste classification, tran and disposal in accordance with applicable federal, state, and local regulations. 14. TRANSPORT INFORMATION U.S. D.O.T. / CA T.D.G. : Not regulated for transportation.	n. The oper waste with
U.S. D.O.T. / CA T.D.G. : Not regulated for transportation.	nsportation
5 1	
ground)	
ICAO/IATA : Not regulated for transportation.	
IMO / IMDG : Not regulated for transportation.	
15. REGULATORY INFORMATION	
US Regulations:	



MATERIAL SAFETY DATA SHEET

J1128 GRAY (PED C-1633)

Version Number 1.0 Revision Date 04/03/2	2002	Page 6 of 6 Print Date 11/4/2011
OSHA Stat	us :	Classified as hazardous based on components.
TSCA Statu	18 :	All components of this product are listed on the TSCA inventory or are exempt.
California I 65	Proposition :	This product does not contain a substance listed by California Prop 65.
Canadian Regulation	ons:	
WHMIS CI	assification :	D2B
WHMIS Ing	gredient Disclosu	ire List
	S-No. 33-86-4	
DSL	:	Listed.
National Inventorie	es:	
Australia A	ICS :	Listed.
China IECS	:	Listed.
Europe EIN	IECS :	Not determined.
Japan ENC	S :	Not determined.
Korea KEC	I :	Listed.
Philippines	PICCS :	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.