

MATERIAL SAFETY DATA SHEET

ROYAL BLUE

Version Number 1.0 Revision Date 03/28/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ROYAL BLUE
Product code	:	CC10013366
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

ROYAL BLUE

ion Number 1.0 sion Date 03/28/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





ROYAL BLUE

SURE : N : S : P : L : S : H : H : H : H : H	Vo personal respin bafety glasses wit Protective gloves. Long sleeved cloth bafety shoes. Handle in accorda Vash hands befor Heat only in areas ppropriate exhau	PERSONAL ratory protecti h side-shields hing. nce with good re breaks and a s with appropri- st ventilation a	PROTECTION ve equipment normally industrial hygiene and s at the end of workday. iate exhaust ventilation.	safety practice
: N : S : P : L : S : H W : H aj	Vo personal respin bafety glasses wit Protective gloves. Long sleeved cloth bafety shoes. Handle in accorda Vash hands befor Heat only in areas ppropriate exhau	ratory protecti h side-shields. hing. nce with good e breaks and a s with appropri- st ventilation a	ve equipment normally industrial hygiene and s at the end of workday. iate exhaust ventilation. at machinery.	safety practice Provide
: S : P : L : S : H W : H aj	Cafety glasses with Protective gloves. Long sleeved cloth Cafety shoes. Handle in accorda Vash hands befor Heat only in areas ppropriate exhau	h side-shields, hing. nce with good e breaks and a s with appropri st ventilation a	industrial hygiene and s at the end of workday. iate exhaust ventilation. at machinery.	safety practice Provide
: P : L : S : H W : H aj	Protective gloves. Long sleeved cloth Bafety shoes. Handle in accorda Vash hands befor Heat only in areas ppropriate exhau	hing. nce with good re breaks and a s with appropri- st ventilation a	industrial hygiene and s at the end of workday. iate exhaust ventilation. at machinery.	Provide
: L : S : H W : H ay	Long sleeved cloth Gafety shoes. Handle in accorda Vash hands befor Heat only in areas ppropriate exhau	hing. nce with good e breaks and a s with appropri- st ventilation a	at the end of workday. iate exhaust ventilation. at machinery.	Provide
: S : H W : H aj	afety shoes. Handle in accorda Vash hands befor Heat only in areas ppropriate exhau Exposure	nce with good e breaks and a s with appropri st ventilation a	at the end of workday. iate exhaust ventilation. at machinery.	Provide
: H V : H aj	Handle in accorda Vash hands befor Heat only in areas ppropriate exhau Exposure	e breaks and a with appropri- st ventilation a	at the end of workday. iate exhaust ventilation. at machinery.	Provide
W : H aj alue	Vash hands befor Ieat only in areas ppropriate exhau Exposure	e breaks and a with appropri- st ventilation a	at the end of workday. iate exhaust ventilation. at machinery.	Provide
aj alue	ppropriate exhau Exposure	st ventilation a	at machinery.	
		e time	Exposure type	List:
		e time	Exposure type	List:
		e time	Exposure type	List:
ng/m3	Time Weight			
e	(TW)	ed Average A):	Total dust.	ACGIH
ng/m3	PEI	_:	Total dust.	OSHA ZI
PHYSIC	CAL AND CHE	MICAL PRO	PERTIES	
G . 1'	1	F		· · · · · · · · · · · · · · · · · · ·
				t applicable. t determined
				t established
				t applicable
		-		
: Not applicable pH : Not applicab				t applicable
: Insol	luble			
10. 5	STABILITY AN	D REACTIV	VITY	
: S	table.			
: W	Vill not occur.			
				avoid thermal
: Iı	ncompatible with	strong acids a	and oxidizing agents.	
	: Pelle : BLU : Very : Not : Not : Inso 10. § : S : V : K d	 Stable. Will not occur. Keep away from o decomposition, do 	 Pellets Specifi BLUE Bulk d Very faint Vapor Not determined Vapor Not applicable pH Insoluble 10. STABILITY AND REACTIV Stable. Will not occur. Keep away from oxidizing agen decomposition, do not overheat. 	 Pellets Specific Gravity : No BLUE Bulk density : No Very faint Vapor pressure : No Not determined Vapor density : No Not applicable pH : No Insoluble 10. STABILITY AND REACTIVITY Stable. Will not occur. Keep away from oxidizing agents and open flame. To a decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

ROYAL BLUE

Version Number 1.0 Revision Date 03/28/2002 Page 4 of 5 Print Date 11/4/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity		 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. 				
Bioaccumulation Poten						
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagir	possible, recy generator of v classification applicable fec g : Recycling is p has the respon and disposal i	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. State/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)	U	for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
		ORY INFORMATION	T			

MATERIAL SAFETY DATA SHEET



ROYAL BLUE		
Version Number 1.0 Revision Date 03/28/2002		Page 5 of 5 Print Date 11/4/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.