

MATERIAL SAFETY DATA SHEET

PATCH BLUE PEARL

Version Number 1.0 Revision Date 03/29/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	: Product Stewardship (770) 271-5902		
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	PATCH BLUE PEARL	
Product code	:	CC10013623	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	5 - 10
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.		
Aggravated by Exposure:			



MATERIAL SAFETY DATA SHEET

PATCH BLUE PEARL

Version Number 1.0 Revision Date 03/29/2002 Page 2 of 5 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PATCH BLUE PEARL

Version Number 1.0 Revision Date 03/29/2002

Page 3 of 5 Print Date 11/4/2011 and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Handle in accordance with good industrial hygiene and safety practice. General Hygiene Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.		
Appearance	: Pellets	Specific Gravity	: Not determined		
Color	: BLUE	Bulk density	: Not established		
Odor	: Very faint	Vapor pressure	: Not applicable		
Melting point/range	: Not determined	Vapor density	: Not applicable		
Boiling Point:	: Not applicable	pH	: Not applicable		
Water solubility	: Insoluble				
10. STABILITY AND REACTIVITY					
Stability	: Stable.				
-					
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open f	lame. To avoid thermal		



MATERIAL SAFETY DATA SHEET

PATCH BLUE PEARL

ion Number 1.0 sion Date 03/29/2	2002		Page / Print Date 11/4/
Incompatible Mater	rials : Inc	mpatible with strong acids	and oxidizing agents.
Hazardous decomp products			monoxide (CO), oxides of nitrogen als, and smoke are all possible.
	11. TOX	COLOGICAL INFORM	ATION
health data for the i	ndividual component	which comprise the mixtu	exposure effects listed are based on ex re. form have the following characteristi
CAS-No.	Chemical	Vame Effect	Target Organ
12001-26-2	Mica	Systemic effe	· · ·
13463-67-7	Titanium dioxid		
Persistence and deg		OLOGICAL INFORMA	ΓΙΟΝ
Environmental Tox	icity : Che		able as they are bound within the matr
Bioaccumulation P		micals are not readily availane polymer.	able as they are bound within the matr
Additional advice	: No	data available.	
	13. DI	SPOSAL CONSIDERAT	IONS
Product	pos gen clas	sible, recycling is preferred erator of waste material has	broduct can be recycled. Where to disposal or incineration. The the responsibility for proper waste d disposal in accordance with cial and local regulations.
Contaminated pack			ssible. The generator of waste materi r waste classification, transportation

14. TRANSPORT INFORMATION

U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

PATCH BLUE PEARL

Version Number 1.0 Revision Date 03/29/2002 Page 5 of 5 Print Date 11/4/2011

	IMO / IMDG	:	Not regulated for transportation.	
			15. REGULATORY INFORMATION	
	US Regulations:			
	OSHA Status	:	Classified as hazardous based on components.	
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.	
	California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
	Canadian Regulations:			
	WHMIS Classification	:	D2B	
	WHMIS Ingredient Disc	losu	re List	
CAS-No. 12001-26-2				
	DSL	:	Listed.	
	National Inventories:			
	Australia AICS	:	Not determined.	
	China IECS	:	Listed.	
	Europe EINECS	:	Not determined.	
	Japan ENCS	:	Not determined.	
	Korea KECI	:	Not determined.	
	Philippines PICCS	:	Listed.	
			16. OTHER INFORMATION	1

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.