

MATERIAL SAFETY DATA SHEET

SKIN BRIGHT PEARL TURQUOISE

Version Number 1.0 Revision Date 04/03/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SKIN BRIGHT PEARL TURQUOISE
Product code	:	CC10013765
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT PEARL TURQUOISE

Version Number 1.0 Revision Date 04/03/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5	. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. AC	CIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	,	7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	·	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT PEARL TURQUOISE

Version Number 1.0 Revision Date 04/03/2002 Page 3 of 6 Print Date 11/4/2011

	a	nd contamination. Keep in a d	lry, cool place.		
8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P:	: Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Commente	Value	European time	European forme	List	
Components Mice	Value	Exposure time	Exposure type	List:	
Components Mica	Value 3 mg/m3	Time Weighted Average	Exposure type Total dust.	List: ACGIH	
	3 mg/m3				
Mica		Time Weighted Average (TWA): PEL: Time Weighted Average	Total dust.	ACGIH	
Mica Mica	3 mg/m3 20 mppcf	Time Weighted Average (TWA): PEL:	Total dust. Total dust.	ACGIH OSHA	
Mica Mica Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Total dust. Total dust. Total dust. Total dust.	ACGIH OSHA ACGIH	
Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. Total dust. Total dust. DPERTIES	ACGIH OSHA ACGIH OSHA Z1	
Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not	ACGIH OSHA ACGIH OSHA Z1	
Mica Mica Titanium dioxide Titanium dioxide Form Appearance	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity : Not	ACGIH OSHA ACGIH OSHA Z1	
Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif EN Bulk d	Total dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established	
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif EN Bulk d faint Vapor	Total dust. Total dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not To Gravity : Not lensity : Not pressure : Not	ACGIH OSHA ACGIH OSHA Z1	
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif EN Bulk d faint Vapor	Total dust. Total dust. Total dust. Total dust. Total dust. OPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable	
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXAMPLE Specifies EN Bulk d faint Vapor letermined Vapor applicable pH	Total dust. Total dust. Total dust. Total dust. Total dust. OPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable	
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol	Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXAMPLE Specifies EN Bulk d faint Vapor letermined Vapor applicable pH	Total dust. Total dust. Total dust. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not density : Not : Not	ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable	

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT PEARL TURQUOISE

Version Number 1.0 Revision Date 04/03/2002 Page 4 of 6 Print Date 11/4/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT PEARL TURQUOISE

Version Number 1.0 Revision Date 04/03/2002 Page 5 of 6 Print Date 11/4/2011

IN	IO / IMDG	:	Not regulated for transportation.		
		15	S. REGULATORY INFORMATION		
US	US Regulations:				
	OSHA Status	:	Classified as hazardous based on components.		
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
	California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Ca	anadian Regulations:				
	WHMIS Classification	:	D2B		
	WHMIS Ingredient Disclosure List				
	CAS-No. 7429-90-5 12001-26-2 18282-10-5				
	DSL	:	Listed.		
Na	ational Inventories:				
	Australia AICS	:	Listed.		
	China IECS	:	Listed.		
	Europe EINECS	:	Not determined.		
	Japan ENCS	:	Not determined.		
	Korea KECI	:	Listed.		
	Philippines PICCS	:	Listed.		

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT PEARL TURQUOISE

Version Number 1.0 Revision Date 04/03/2002 Page 6 of 6 Print Date 11/4/2011