

MATERIAL SAFETY DATA SHEET

# **STYLING VIOLET 2715**

Version Number 1.0 Revision Date 04/08/2002 Page 1 of 5 Print Date 11/4/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STYLING VIOLET 2715
Product code	:	CC10013856
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous ingredients in this product.

# 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



# MATERIAL SAFETY DATA SHEET

# STYLING VIOLET 2715

sion Date 04/08/2002	Page 2 Print Date 11/4/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

# **STYLING VIOLET 2715**

Version Number 1.0 Revision Date 04/08/2002 Page 3 of 5 Print Date 11/4/2011

8. EXP	OSURE CONTROLS / 1	PERSONAL PROTECTION				
Respiratory protection	: No personal respir	ratory protective equipment normally requi	ired.			
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clot	Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
There are no known hazardou	is ingredients in this produ	ict.				
0	PHYSICAL AND CHE	MICAL PROPERTIES				
).	THISICAL AND CHE					
Form	: Solid	Evaporation rate : Not appl	licable.			
Appearance	: Pellets	Specific Gravity : Not dete	rmined			
Color	: PURPLE	Bulk density : Not esta	blished			
Odor	: Very faint	Vapor pressure : Not appl				
Melting point/range	: Not determined	Vapor density : Not appl	licable			
Boiling Point:	: Not applicable	pH : Not appl	licable			
Water solubility	: Insoluble					
	10. STABILITY AN	D REACTIVITY				
Stability	: Stable.					
Stability Hazardous Polymerization						
·	: Stable. : Will not occur.	oxidizing agents and open flame. To avoid o not overheat.	thermal			
Hazardous Polymerization	<ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from o decomposition, do</li> </ul>		thermal			
Hazardous Polymerization Conditions to avoid	<ol> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from of decomposition, do</li> <li>Incompatible with</li> <li>Carbon dioxide (O)</li> </ol>	o not overheat.	rogen			



MATERIAL SAFETY DATA SHEET

# **STYLING VIOLET 2715**

Version Number 1.0 Revision Date 04/08/2002 Page 4 of 5 Print Date 11/4/2011

There are no known hazardous ingredients in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Product is non-hazardous
TSCA Status	: All components of this product are listed on the TSCA inventory or ar exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations:	



### MATERIAL SAFETY DATA SHEET

# **STYLING VIOLET 2715**

Version Number 1.0 Revision Date 04/08/2002 Page 5 of 5 Print Date 11/4/2011

W	HMIS Classification	:	Not controlled.	
DS	SL	:	Listed.	
National I	nventories:			
Au	ıstralia AICS	:	Listed.	
Ch	nina IECS	:	Listed.	
Eu	rope EINECS	:	Not determined.	
Jap	pan ENCS	:	Listed.	
Ko	orea KECI	:	Listed.	
Ph	ilippines PICCS	:	Listed.	
			16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.