

MATERIAL SAFETY DATA SHEET

4995C MAUVE

Version Number 1.0 Revision Date 04/05/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	4995C MAUVE
Product code	:	CC10013891
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

4995C MAUVE

ion Number 1.0 sion Date 04/05/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

4995C MAUVE

RE (Notes Sa Pr Lo Sa Ha W Ho ap	lo personal respin afety glasses wit rotective gloves. ong sleeved clot afety shoes. landle in accorda Vash hands befor leat only in areas ppropriate exhau Exposur Time Weighta (TW)	PERSONAL ratory protection h side-shields hing. nce with good e breaks and a with approprist ventilation	PROTECTION we equipment norr I industrial hygiene at the end of workd	and safety pra lay. ation. Provide
No Sa Pr Lc Sa Ha W Ho ap	lo personal respin afety glasses wit rotective gloves. ong sleeved clot afety shoes. landle in accorda Vash hands befor leat only in areas ppropriate exhau Exposur Time Weighta (TW)	ratory protecti h side-shields hing. nce with good e breaks and a with appropr st ventilation <u>e time</u> ed Average A):	ve equipment norr l industrial hygiene at the end of workd iate exhaust ventila at machinery. Exposure typ Total dust.	and safety pra lay. ation. Provide <u>e Lis</u> ACC
Sa Pr Lc Sa Ha W Ha ap	afety glasses wit rotective gloves. ong sleeved clot afety shoes. (andle in accorda Vash hands befor (eat only in areas ppropriate exhau <u>Exposur</u> Time Weighte (TW2 PEI	h side-shields hing. nce with good e breaks and a with appropr st ventilation <u>e time</u> ed Average A):	l industrial hygiene at the end of workd iate exhaust ventila at machinery. Exposure typ Total dust.	and safety pra lay. ation. Provide <u>e Lis</u> ACC
Pr Lo Sa Ha W Ho ap	rotective gloves. ong sleeved clot afety shoes. (andle in accorda Vash hands befor (eat only in areas ppropriate exhau <u>Exposur</u> Time Weighta (TWA PEI	hing. nce with good e breaks and a with appropr st ventilation <u>e time</u> ed Average A):	l industrial hygiene at the end of workd iate exhaust ventila at machinery. Exposure typ Total dust.	ay. ation. Provide <u>e Lis</u> ACC
Lo Sa Ha W Ho ap	ong sleeved clot afety shoes. (andle in accorda Vash hands befor (eat only in areas ppropriate exhau <u>Exposur</u> Time Weight (TWA PEI	hing. nce with good e breaks and a with appropr st ventilation <u>e time</u> ed Average A):	at the end of workd iate exhaust ventila at machinery. Exposure typ Total dust.	ay. ation. Provide <u>e Lis</u> ACC
Sa Ha W Ha ap	afety shoes. Iandle in accorda Vash hands befor Ieat only in areas ppropriate exhau Exposur Time Weighta (TWA PEI	nce with good e breaks and a with appropr st ventilation e time ed Average A):	at the end of workd iate exhaust ventila at machinery. Exposure typ Total dust.	ay. ation. Provide <u>e Lis</u> ACC
Ha W Ha ap n3 n3	landle in accorda Vash hands befor leat only in areas ppropriate exhau <u>Exposur</u> Time Weight (TWA PEI	e breaks and a with appropr st ventilation e time ed Average A):	at the end of workd iate exhaust ventila at machinery. Exposure typ Total dust.	ay. ation. Provide <u>e Lis</u> ACC
W He ap n3 n3	Vash hands befor leat only in areas ppropriate exhau Exposur Time Weight (TW2 PEI	e breaks and a with appropr st ventilation e time ed Average A):	at the end of workd iate exhaust ventila at machinery. Exposure typ Total dust.	ay. ation. Provide <u>e Lis</u> ACC
ap n3 n3	ppropriate exhau Exposur Time Weight (TW) PEI	st ventilation e time ed Average A):	at machinery. Exposure typ Total dust.	e Lis ACC
n3 n3	Time Weighte (TW) PEI	ed Average A):	Total dust.	ACC
n3 n3	Time Weighte (TW) PEI	ed Average A):	Total dust.	ACC
n3 n3	Time Weighte (TW) PEI	ed Average A):	Total dust.	ACC
n3	(TW) PEI	A):		
			Total dust.	OSHA
7010				
	CAL AND CHE	MICAL PRO	PERTIES	
: Solid		Evapo	ration rate :	Not applicab
Pellet	ets		ic Gravity :	Not determin
PINK	X	Bulk d		Not establish
	faint			Not applicab
	determined		Vapor density : Not applicable	
: Not applicable		pH		Not applicab
: Insoluble				
l0. S	STABILITY AN	D REACTIV	ITY	
St	table.			
W	Vill not occur.			
				To avoid the
In			and oxidizing ager	its.
	<mark>10. S</mark> S W K	10. STABILITY AN Stable. Will not occur. Keep away from o decomposition, do	 10. STABILITY AND REACTIV Stable. Will not occur. Keep away from oxidizing ager decomposition, do not overheat 	10. STABILITY AND REACTIVITY Stable.



MATERIAL SAFETY DATA SHEET

4995C MAUVE

Version Number 1.0 Revision Date 04/05/2002

Page 4 of 5 Print Date 11/4/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect	Target Organ			
13463-67-7	I itanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	1			
Persistence and degrad	ability : Not readily b	viodegradable.				
Environmental Toxicit		 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. 				
Bioaccumulation Poter						
Additional advice	: No data avail	lable.				
	13. DISPOSAL	CONSIDERATIONS	•			
Product Contaminated packagi	ng : Recycling is has the respo and disposal	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bu ground)	e	Not regulated for transportation.				
ICAO/IATA	: Not regulated	d for transportation.				
IMO / IMDG	: Not regulated	d for transportation.				
	15 REGULAT	ORY INFORMATION	N			

MATERIAL SAFETY DATA SHEET



4995C MAUVE Version Number 1.0 Page 5 of 5 Print Date 11/4/2011 Revision Date 04/05/2002 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 1333-86-4 DSL : Listed. National Inventories: Australia AICS Listed. • China IECS Listed. • Europe EINECS Not determined. Japan ENCS Not determined. : Korea KECI : Listed. **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.