

MATERIAL SAFETY DATA SHEET

LIME GREEN

Version Number 1.0 Revision Date 04/17/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LIME GREEN
Product code	:	CC10013892
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

LIME GREEN

sion Number 1.0 ision Date 04/17/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

LIME GREEN

ision Date 04/17/2002				Print I	Page 3 Date 11/4/2
	a	nd contamination. Keep	in a dry, cool place.		
8. H	EXPOSURE	CONTROLS / PERSO	NAL PROTECTIO	DN	
Respiratory protection	: N	lo personal respiratory pr	otective equipment	normally r	equired.
Eye/Face Protection	: S	afety glasses with side-sh	nields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with Vash hands before breaks			afety practice
Engineering measures		leat only in areas with ap ppropriate exhaust ventile		entilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure	e type	List:
Silica, amorphous	20 mppcf	PEL:	Total d	ust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total d	ust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ige Total d	ust.	ACGIH
	15 mg/m3	PEL:	Total d	ust.	OSHA Z1
Titanium dioxide					
Titanium dioxide	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Titanium dioxide	9. PHYSIC				
Form	: Solid	l E	vaporation rate		applicable.
Form Appearance	: Solic : Pelle	l E sts S	evaporation rate pecific Gravity	: Not	determined
Form Appearance Color	: Solic : Pelle : GRE	l E ets S EN B	Evaporation rate pecific Gravity Bulk density	: Not : Not	determined established
Form Appearance Color Odor	: Solic : Pelle : GRE : Very	l E ets S EEN E faint V	evaporation rate pecific Gravity sulk density apor pressure	: Not : Not : Not	determined established applicable
Form Appearance Color Odor Melting point/range	: Solic : Pelle : GRE : Very : Not o	l E ets S EEN E faint V determined V	Evaporation rate pecific Gravity sulk density Vapor pressure Vapor density	: Not : Not : Not : Not	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not c : Not a	l E ets S EN E faint V determined V applicable p	evaporation rate pecific Gravity sulk density apor pressure	: Not : Not : Not : Not	determined established applicable
Form Appearance Color Odor Melting point/range	: Solic : Pelle : GRE : Very : Not o	l E ets S EN E faint V determined V applicable p	Evaporation rate pecific Gravity sulk density Vapor pressure Vapor density	: Not : Not : Not : Not	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not c : Not a : Insol	l E ets S EN E faint V determined V applicable p	Evaporation rate pecific Gravity Bulk density Vapor pressure Vapor density H	: Not : Not : Not : Not	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S	l E ets S EEN E faint V determined V applicable p luble	Evaporation rate pecific Gravity Bulk density Vapor pressure Vapor density H	: Not : Not : Not : Not	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S : S	l E ets S EEN E 7 faint V determined V applicable p luble STABILITY AND REA	Evaporation rate pecific Gravity Bulk density Vapor pressure Vapor density H	: Not : Not : Not : Not	determined established applicable applicable



MATERIAL SAFETY DATA SHEET

on Number 1.0 ion Date 04/17/2002 ncompatible Materials Hazardous decomposition products	: Carbon dioxid (NOx), other h	with strong acids and o e (CO2), carbon mono	Page 4 o Print Date 11/4/20 xidizing agents.
Hazardous decomposition products	: Carbon dioxid (NOx), other h	-	xidizing agents.
products	(NOx), other h	e (CO2), carbon mono	
1	11. TOXICOLOGI		xide (CO), oxides of nitrogen d smoke are all possible.
		ICAL INFORMATIC	DN
This mixture has not been evalue ealth data for the individual cost			re effects listed are based on exist
<u>Coxicity Overview</u> This product contains the follow	ving components wh	nich in their pure form	have the following characteristics
	hemical Name	Effect	Target Organ
	amorphous m dioxide	Irritant Systemic effects	Eyes, Respiratory system. Respiratory system.
13403-07-7 I Italiiu		Systemic effects	Respiratory system.
	12. ECOLOGIC	AL INFORMATION	
Persistence and degradability	of the polymer	not readily available as	s they are bound within the matrix
Bioaccumulation Potential	of the polymer	r.	s they are bound within the matrix
	: No data availa	ble.	
	13. DISPOSAL	CONSIDERATIONS	
Product	possible, recyc generator of w classification,	cling is preferred to dis vaste material has the re	et can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packaging	has the respon	sibility for proper wast accordance with appl	. The generator of waste material te classification, transportation icable federal, state/provincial
	14. TRANSPOR	RT INFORMATION	
J.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	for transportation.	
CAO/IATA	: Not regulated	for transportation.	



MATERIAL SAFETY DATA SHEET

LIME GREEN

sion Number 1.0 ision Date 04/17/2002	Pa Print Date 1	age 5 11/4/2
IMO / IMDG	Not regulated for transportation.	
	5. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	Classified as hazardous based on components.	
TSCA Status	All components of this product are listed on the TSCA inventory exempt.	or ar
California Proposition 65	This product does not contain a substance listed by California Pr	op 6:
Canadian Regulations:		
WHMIS Classification	D2B	
WHMIS Ingredient Disc	sure List	
CAS-No. 7631-86-9		
DSL	Listed.	
National Inventories:		
Australia AICS	Listed.	
China IECS	Listed.	
Europe EINECS	Not determined.	
Japan ENCS	Listed.	
Korea KECI	Listed.	
Philippines PICCS	Listed.	
	16. OTHER INFORMATION	—

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.