

MATERIAL SAFETY DATA SHEET

STD. YELLOW

Version Number 1.0 Revision Date 04/18/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STD. YELLOW
Product code	:	CC10013894
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

STD. YELLOW

ion Number 1.0 sion Date 04/18/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
F 1	
Flammable Limits	. Not applicable
Upper explosion limit	: Not applicable : Not applicable
Lower explosion limit Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
Tiocedules	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

STD. YELLOW

ion Number 1.0 sion Date 04/18/2002				Print	Page 3 Date 11/4/2
	a	nd contamination. Keep	in a dry, cool place		
8. 1	EXPOSURE	CONTROLS / PERSO	NAL PROTECTI	ON	
Respiratory protection	: N	lo personal respiratory pr	otective equipment	normally	required.
Eye/Face Protection	: S	afety glasses with side-sl	hields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with Vash hands before breaks			afety practice
Engineering measures		leat only in areas with ap ppropriate exhaust ventil		entilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposur		List:
Silica, amorphous	20 mppcf	PEL:	Total o		OSHA
Silica, amorphous	20 mppcf	PEL:	Total o		Z3
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age Total o	dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total o	dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
F	0.1	1 T	7	NL	
Form	: Solic : Pelle		Evaporation rate Specific Gravity		applicable. determined
Appearance Color			Bulk density		established
Odor			apor pressure		applicable
Melting point/range			apor density		applicable
Boiling Point:			oH		applicable
Water solubility	: Insol			. 100	upphousie
	10. 8	STABILITY AND REA	СТІVІТҮ		
Stability	: S	table.			
Hazardous Polymerizatio	n : W	Vill not occur.			
	T	keep away from oxidizing		ama To a	void thormal



MATERIAL SAFETY DATA SHEET

STD. YELLOW

sion Number 1.0 ision Date 04/18/20	02			Page / Print Date 11/4/
Incompatible Materia	ıls : Inc	ompatible v	vith strong acids and o	oxidizing agents.
Hazardous decompos products				oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOX	ICOLOGI	CAL INFORMATIO	ON
This mixture has not health data for the ind <u>Toxicity Overview</u>				ure effects listed are based on ex
	the following con	ponents wh	ich in their pure form	have the following characteristi
CAS-No.	Chemical	Name	Effect	Target Organ
7631-86-9	Silica, amorpho		Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxid		Systemic effects	Respiratory system.
			~j~~~~~~	
	12. EC	COLOGIC	AL INFORMATION	I
Persistence and degra	udability : No	t readily bio	odegradable.	
Environmental Toxic		: Chemicals are not readily available as they are bound within the matrix of the polymer.		
Bioaccumulation Pot		emicals are the polymer	•	as they are bound within the matr
Additional advice	: No	data availa	ble.	
	13. D)	ISPOSAL (CONSIDERATIONS	5
Product		: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packag	has	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. T	RANSPOR	T INFORMATION	
U.S. D.O.T. / CA T.I Classification (Non-b ground)		t regulated t	for transportation.	
ICAO/IATA	: No	t regulated t	for transportation.	
			4/5	



MATERIAL SAFETY DATA SHEET

STD. YELLOW

	Page 5 Print Date 11/4/2
: Not regulated for transpo	ortation.
15. REGULATORY INFO	DRMATION
: Classified as hazardous b	based on components.
: All components of this prevent.	product are listed on the TSCA inventory or ar
: This product does not co	ontain a substance listed by California Prop 65
: D2B	
losure List	
_	
: Listed.	
: Not determined.	
: Listed.	
: Not determined.	
: Not determined.	
: Listed.	
: Listed.	
cl	15. REGULATORY INFO : Classified as hazardous I : All components of this p exempt. : : This product does not co : D2B : D2B : Listed. : Listed. : Not determined. : Listed. : Not determined. : Listed.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.