

MATERIAL SAFETY DATA SHEET

YELLOW NP CPP 120C

Version Number 1.0 Revision Date 04/08/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW NP CPP 120C
Product code	:	CC10013923
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

YELLOW NP CPP 120C

Version Number 1.0 Revision Date 04/08/2002 Page 2 of 5 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	•	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

YELLOW NP CPP 120C

Version Number 1.0 Revision Date 04/08/2002 Page 3 of 5 Print Date 11/4/2011

~ ~	WDOGUE		DDOTDOTTON	
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	No personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.		
General Hygiene Considerations		Handle in accordance with good Wash hands before breaks and		safety practice
Engineering measures		Heat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	0 DHVSI	CAL AND CHEMICAL PRO	ADEDTIES	
	9.11150	CAL AND CHEMICAL FRO	UTERTIES	
Form	: Solid	d Evapo	oration rate : Not	applicable.
Appearance	: Pelle			t determined
Color				t established
Odor	: Very faint Vapor pressure : Not applicable			t applicable
Melting point/range	: Not determined Vapor density : Not applicable			
Boiling Point:		applicable pH	: Not	t applicable
Water solubility	: Inso	luble		
	10. 5	STABILITY AND REACTI	VITY	
	: S	stable.		
Stability				
Stability Hazardous Polymerization	n : V	Will not occur.		



MATERIAL SAFETY DATA SHEET

YELLOW NP CPP 120C

sion Number 1.0 ision Date 04/08/20	002		Page 4 c Print Date 11/4/20
Incompatible Materia	als : Incompatib	le with strong acids and	oxidizing agents.
Hazardous decompos products			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOXICOLO	GICAL INFORMATI	ON
health data for the ind Toxicity Overview	dividual components which	comprise the mixture.	ure effects listed are based on exist have the following characteristics
CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
	Titanium dioxide		
13463-67-7	1 itanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOG	ICAL INFORMATION	N
Persistence and degra	adability : Not readily	biodegradable.	
i ensistence una aegit	inducting . Thereadily	olouogiuduolo.	
Environmental Toxic	eity : Chemicals of the polyn		as they are bound within the matrix
Bioaccumulation Pot	ential : Chemicals of the polyn		as they are bound within the matrix
Additional advice	: No data ava	ailable.	
	13. DISPOSA	L CONSIDERATIONS	5
Product	possible, re generator o classificatio	cycling is preferred to di f waste material has the	act can be recycled. Where sposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.
Contaminated packag	has the resp	ponsibility for proper was al in accordance with app	e. The generator of waste material ste classification, transportation blicable federal, state/provincial
	14. TRANSP	ORT INFORMATION	
U.S. D.O.T. / CA T.I Classification (Non-b ground)	e	ed for transportation.	
ICAO/IATA	: Not regulat	ed for transportation.	



MATERIAL SAFETY DATA SHEET

YELLOW NP CPP 120C

sion Number 1.0 ision Date 04/08/2002		Page 5 Print Date 11/4/2
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	lost	ure List
CAS-No. 7631-86-9		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
<u> </u>	—	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.