

MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.1 Revision Date 02/03/2004

Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	WHITE	
Product code	:	CC10014072	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.1 Revision Date 02/03/2004 Page 2 of 6 Print Date 11/13/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **WHITE**

Version Number 1.1 Revision Date 02/03/2004

Storage

Page 3 of 6 Print Date 11/13/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity:	: Not determined
Color	: WHITE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pН	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
-			



MATERIAL SAFETY DATA SHEET WHITE

sion Date 02/03/2	2004			Print Date 11/13/
		decompositio	n, do not overheat.	
Incompatible Mater	ials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo products	osition			oxide (CO), oxides of nitrogen nd smoke are all possible.
	1	1. TOXICOLOG	ICAL INFORMATIO	DN
health data for the in	ndividual cor	nponents which co	omprise the mixture.	ure effects listed are based on ex have the following characteristi
-			-	-
CAS-No. 7631-86-9		nemical Name morphous	Effect Irritant	Target OrganEyes, Respiratory system.
13463-67-7		n dioxide	Systemic effects	Respiratory system.
		12. ECOLOGIC	CAL INFORMATION	N
Environmental Toxi Bioaccumulation Po	·	of the polyme	r.	
	·	of the polyme	r. e not readily available a r.	
Bioaccumulation Po	·	of the polymeChemicals are of the polymeNo data avail	r. e not readily available a r.	s they are bound within the matr
Bioaccumulation Po	·	 of the polyme Chemicals are of the polyme No data availation 13. DISPOSAL Like most the possible recycle generator of vectors of vectors of the classification. 	r. e not readily available a r. able CONSIDERATIONS rmoplastic plastics the cling is preferred to dis vaste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation Po	otential	 of the polyme Chemicals are of the polyme No data availation of the polyme No data availation of the possible recycle generator of the classification, applicable feed Recycling is phas the response 	r. e not readily available a r. able CONSIDERATIONS rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible nsibility for proper was n accordance with app	s they are bound within the matr product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Bioaccumulation Po Additional advice Product	otential	 of the polyme Chemicals are of the polyme No data availe 13. DISPOSAL Like most the possible recycly generator of v classification, applicable feed Recycling is p has the responsant disposal i and local regularies 	r. e not readily available a r. able CONSIDERATIONS rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible nsibility for proper was n accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Bioaccumulation Po Additional advice Product	aging	 of the polyme Chemicals are of the polyme No data availation of the polyme No data availation of the possible recycle generator of versible recycle generator of versible recycles in the responsant disposal i and local regunation of the responsant disposal disposal disposal disposal disposant disposal disposal disposant disposant	r. e not readily available a or. able CONSIDERATIONS rmoplastic plastics the cling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a preferred when possible nsibility for proper was n accordance with app ilations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.



MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.1 Revision Date 02/03/2004 Page 5 of 6 Print Date 11/13/2011

	15 DECKI A BODY DECODY A BOOM
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Propositio 65	n : This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 I	Extremely Hazardous Substance
Not applicable	
SARA Title III Section 313	Toxic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Re	lease Inventory (NPRI)
National Pollutant Re Not applicable	lease Inventory (NPRI)
Not applicable	on : D2B
Not applicable WHMIS Classificatio	on : D2B
Not applicable WHMIS Classificatio WHMIS Ingredient D CAS-No.	on : D2B
Not applicable WHMIS Classificatio WHMIS Ingredient D CAS-No. 7631-86-9	on : D2B Disclosure List
Not applicable WHMIS Classificatio WHMIS Ingredient D CAS-No. 7631-86-9 DSL	on : D2B Disclosure List



MATERIAL SAFETY DATA SHEET WHITE

Version Number 1.1 Revision Date 02/03/2004

Page 6 of 6 Print Date *11/13/2011*

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.