

MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 04/12/2002

Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY : TELEPHONE		Product Stewardship (770) 271-5902	
Emergency telephone : number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	YELLOW	
Product code	:	CC10014105	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous ingredients in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
	4. FIRST AID MEASURES		

MATERIAL SAFETY DATA SHEET



ion Number 1.0 sion Date 04/12/2002	Page 2 Print Date 11/4/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit	Not applicableNot applicable
Lower explosion limit Autoignition temperature	: Not applicable : Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 04/12/2002 Page 3 of 5 Print Date 11/4/2011

o. EAI	OSURE CONTROLS / P	ERSONAL PROTECTION		
Respiratory protection	: No personal respira	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with	: Safety glasses with side-shields.		
Hand protection	: Protective gloves.	Protective gloves.		
Skin and body protection	: Long sleeved clothi	Long sleeved clothing.		
Additional Protective Measures	: Safety shoes.	Safety shoes.		
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Those are no known horordou	a in ano dianta in this ano day			
There are no known hazardou	is ingredients in this produc	ct.		
9.	PHYSICAL AND CHEM	IICAL PROPERTIES		
Form	: Solid	Evaporation rate : Not applicable.		
Appearance	: Pellets	Specific Gravity : Not determined		
Color	: YELLOW	Bulk density : Not established		
Odor	: Very faint	Vapor pressure : Not applicable		
Melting point/range	: Not determined	Vapor density : Not applicable		
Boiling Point:	: Not applicable	pH : Not applicable		
Water solubility	: Insoluble			
	10. STABILITY ANI	D REACTIVITY		
	: Stable.			
Stability				
Stability Hazardous Polymerization	: Will not occur.			
		idizing agents and open flame. To avoid thermal not overheat.		
Hazardous Polymerization	: Keep away from ox decomposition, do			
Hazardous Polymerization Conditions to avoid	 Keep away from ox decomposition, do Incompatible with s Carbon dioxide (CO 	not overheat.		



MATERIAL SAFETY DATA SHEET

YELLOW

TT1	ter en 11 augusta fan de la compañía de
There are no known hazardous	ingredients in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matr of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Product is non-hazardous
TSCA Status	: All components of this product are listed on the TSCA inventory or a exempt.
California Proposition 65	: WARNING! This product contains a chemical known in the State of California to cause cancer.



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 04/12/2002			Print [Page 5 of 5 Date 11/4/2011
Chemical Name		CAS-No.	Weight %	
C.I. SOLVENT Y	ELLOW 14	842-07-9	4.85	

Canadian Regulations:

WHMIS Class	sification :	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AIC	S :	Listed.
China IECS	:	Listed.
Europe EINE	CS :	Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Not determined.
Philippines PI	CCS :	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.