

# MATERIAL SAFETY DATA SHEET

### Almond VCP 21490

Version Number 1.2 Revision Date 02/03/2004 Page 1 of 6 Print Date 11/13/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Elephone Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Almond VCP 21490
Product code	:	CC10014183
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	60 - 100

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



### MATERIAL SAFETY DATA SHEET Almond VCP 21490

Version Number 1.2 Revision Date 02/03/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET Almond VCP 21490

sion Date 02/03/2004			Print I	Page 3 Date 11/13/2
Handling		ake measures to prevent the bundle of the bu		harge Heat
Storage		eep containers dry and tightly nd contamination. Keep in a d		re absorption
8. F	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		safety practic
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s) Components Titanium dioxide	Value	Exposure time	Exposure type	List:
	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Components		Time Weighted Average	Exposure type Total dust.	ACGIH
Components	10 mg/m3 15 mg/m3	Time Weighted Average (TWA):	Total dust.	
Components	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TAN : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor the Specific Bulk d faint Vapor determined Vapou applicable pH	Total dust. <b>DPERTIES</b> ration rate       :       No         ac Gravity:       :       No         ensity       :       No         pressure       :       No         r density       :       No         r density       :       No	ACGIH
Components Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TAN : Very : Not a : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor the Specific Bulk d faint Vapor determined Vapou applicable pH	Total dust. <b>PERTIES</b> ration rate : No ic Gravity: : No ensity : No pressure : No r density : No : No	ACGIH OSHA ZI t applicable t determined t established t applicable t applicable
Components Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TAN : Very : Not c : Insol 10. §	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ELE CAL AND CHEMICAL PRO ELE ELE ELE ELE ELE ELE ELE ELE ELE EL	Total dust. <b>PERTIES</b> ration rate : No ic Gravity: : No ensity : No pressure : No r density : No : No	ACGIH OSHA ZI t applicable t determined t established t applicable t applicable
Components Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : TAN : Very : Not c : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exaport the Evaport s Specific faint Vapor determined Vapou applicable pH uble	Total dust. <b>PERTIES</b> ration rate : No ic Gravity: : No ensity : No pressure : No r density : No : No	ACGIH OSHA ZI t applicable t determined t established t applicable t applicable



# MATERIAL SAFETY DATA SHEET Almond VCP 21490

sion Number 1.2 vision Date 02/03/2004			Page 4 c Print Date 11/13/20	
	decomposition	, do not overheat.		
Incompatible Materials	acetal copolyn processing. A destructive and mechanically o quantities of th	Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks.		
Hazardous decomposition products	(NOx), hydrog smoke are all j or more) abov °C) may result	en chloride (HCl), oth possible. Prolonged he e 392 °F (200 °C) or si	oxide (CO), oxides of nitrogen her hazardous materials, and eating (approximately 30 minutes hort term heating at 482 °F (250 ition and evolution of carbon	
	11. TOXICOLOG	CAL INFORMATIO	ON	
health data for the individ <u>Toxicity Overview</u> This product contains the	dual components which co e following components wh	mprise the mixture.	have the following characteristics	
health data for the individ <u>Toxicity Overview</u> This product contains the <u>CAS-No.</u>	dual components which co	mprise the mixture.		
health data for the individ <u>Toxicity Overview</u> This product contains the <u>CAS-No.</u>	dual components which co e following components wh Chemical Name Titanium dioxide	mprise the mixture. hich in their pure form Effect Systemic effects	have the following characteristics Target Organ Respiratory system.	
health data for the individ <u>Toxicity Overview</u> This product contains the <u>CAS-No.</u>	dual components which co e following components wh Chemical Name Titanium dioxide	mprise the mixture.	have the following characteristics Target Organ Respiratory system.	
health data for the individ <u>Toxicity Overview</u> This product contains the <u>CAS-No.</u>	dual components which co e following components wh Chemical Name Titanium dioxide <b>12. ECOLOGIC</b>	mprise the mixture. hich in their pure form Effect Systemic effects AL INFORMATION	have the following characteristics Target Organ Respiratory system.	
health data for the individ <u>Toxicity Overview</u> This product contains the <u>CAS-No.</u> 13463-67-7	dual components which co e following components wh Chemical Name Titanium dioxide <b>12. ECOLOGIC</b> pility : Not readily bio	mprise the mixture. ich in their pure form Effect Systemic effects AL INFORMATION odegradable. not readily available a	have the following characteristics Target Organ Respiratory system.	

# Additional advice : No data available

# 13. DISPOSAL CONSIDERATIONS

Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation



### MATERIAL SAFETY DATA SHEET Almond VCP 21490

Version Number 1.2 Revision Date 02/03/2004 Page 5 of 6 Print Date 11/13/2011

14. TRANSPORT INFORMATION				
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA (air)	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardou	is Substances (40 CFR 302)			
Not applicable				
Not applicable				
Not applicable				
Not applicable California Proposition 65	<ul> <li>WARNING! This product contains a chemical known to the State of California to cause cancer.</li> </ul>			
California Proposition 65				
California Proposition 65	California to cause cancer.			
California Proposition 65 SARA Title III Section 302 E	California to cause cancer.			
California Proposition 65 SARA Title III Section 302 E Not applicable	California to cause cancer.			
California Proposition 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable	California to cause cancer. Extremely Hazardous Substance Poxic Chemicals:			
California Proposition 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations:	California to cause cancer. Extremely Hazardous Substance Foxic Chemicals: ease Inventory (NPRI)			



### MATERIAL SAFETY DATA SHEET Almond VCP 21490

Version Number 1.2 Revision Date 02/03/2004

Page 6 of 6 Print Date *11/13/2011* 

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.