

MATERIAL SAFETY DATA SHEET

## **METALLIC CHARCOAL M5603**

Version Number 1.0 Revision Date 04/13/2002 Page 1 of 6 Print Date 11/4/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	METALLIC CHARCOAL M5603
Product code	:	CC10014258
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	5 - 10
Aluminum	7429-90-5	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# **METALLIC CHARCOAL M5603**

Version Number 1.0 Revision Date 04/13/2002 Page 2 of 6 Print Date 11/4/2011

	4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accidental inhalation overheating or combustion. When symptoms per doubt seek medical advice.	
Ingestion	Do not induce vomiting without medical advice. persist or in all cases of doubt seek medical advice	
Eyes	Rinse immediately with plenty of water, also und least 15 minutes. If eye irritation persists, seek m	
Skin	Wash off with soap and plenty of water. If skin in medical attention.	ritation persists seek
	5. FIRE-FIGHTING MEASURES	
Flash point	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder	, foam.
Special Fire Fighting Procedures	Fullface self-contained breathing apparatus (SCB pressure mode should be worn to prevent inhalati contaminants.	
Unusual Fire/Explosion Hazards	None	
	CCIDENTAL RELEASE MEASURES	
Personal precautions	Wear appropriate personal protection during clear impervious gloves, boots and coveralls.	nup, such as
Environmental precautions	Should not be released into the environment. The be allowed to enter drains, water courses or the so	
Methods for cleaning up	Clean up promptly by sweeping or vacuum. Pack plastic, cardboard or metal containers for disposal of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	Take measures to prevent the build up of electros only in areas with appropriate exhaust ventilation	
Storage	Keep containers dry and tightly closed to avoid m	oisture absorption



MATERIAL SAFETY DATA SHEET

## **METALLIC CHARCOAL M5603**

Version Number 1.0 Revision Date 04/13/2002 Page 3 of 6 Print Date 11/4/2011

8. EXPOSURE CONTROLS / PERSONAL PROTECTION				
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields.		
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clothing.		
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average	Dust.	ACGIH
	C	(TWA):		
	5 mg/m3	Time Weighted Average	Welding fume. as Al	ACGIH
	_	(TWA):		
Aluminum	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
Carbon black	3.5 mg/m3	Time Weighted Average	Total dust. as carbon	ACGIH
		(TWA):	black	
Carbon black 3.5 mg/m3		PEL:	Total dust. as carbon	OSHA Z1
			black	

### 9. PHYSICAL AND CHEMICAL PROPERTIES

: Not applicable. Form : Solid Evaporation rate Specific Gravity : Not determined Appearance : Pellets : GREY : Not established Color Bulk density Odor : Very faint Vapor pressure : Not applicable Melting point/range : Not determined Vapor density : Not applicable Boiling Point: : Not applicable pН : Not applicable Water solubility : Insoluble

## **10. STABILITY AND REACTIVITY**

Stability

: Stable.



#### MATERIAL SAFETY DATA SHEET

## **METALLIC CHARCOAL M5603**

Version Number 1.0 Revision Date 04/13/2002		Page 4 of 6 Print Date <i>11/4/2011</i>
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

#### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

#### **Additional Health Hazard Information:**



MATERIAL SAFETY DATA SHEET

## **METALLIC CHARCOAL M5603**

Version Number 1.0 Revision Date 04/13/2002 Page 5 of 6 Print Date 11/4/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Environmental Toxicity : Bioaccumulation Potential : Additional advice :	
	Chemicals are not readily available as they are bound within the matrix
Additional advice :	of the polymer.
	No data available.
13	3. DISPOSAL CONSIDERATIONS
Product :	Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging :	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
1	4. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. : Classification (Non-bulk ground)	Not regulated for transportation.
ICAO/IATA :	Not regulated for transportation.
IMO / IMDG :	Not regulated for transportation.
15	. REGULATORY INFORMATION
US Regulations:	



## MATERIAL SAFETY DATA SHEET

## **METALLIC CHARCOAL M5603**

Version Number 1.0 Revision Date 04/13/2002			Print	Page 6 of 6 Date 11/4/2011
OSHA Status TSCA Status	<ul> <li>Classified as hat</li> <li>All components exempt.</li> </ul>		omponents. listed on the TSCA in	iventory or are
California Proposition 65	: This product do	es not contain a sub	stance listed by Calif	Fornia Prop 65.
SARA Title III Section 313 To	xic Chemicals:			
Chemical Name	9	CAS-No.	Weight %	
	FUME OR DUST)	7429-90-5	15.87	
Canadian Regulations: WHMIS Classification WHMIS Ingredient Disc CAS-No. 7429-90-5 1333-86-4 DSL	: D2B closure List			
DSL	. Listed.			
National Inventories:				
Australia AICS	: Listed.			
China IECS	: Listed.			
Europe EINECS	: Not determined			
Japan ENCS	: Not determined			
Korea KECI	: Listed.			
Philippines PICCS	: Listed.			
	16. OTHER I	NFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.