

## MATERIAL SAFETY DATA SHEET

# **YELLOW**

Version Number 1.0 Revision Date 04/15/2002 Page 1 of 5 Print Date 11/4/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW
Product code	:	CC10014362
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	1 - 5

## **3. HAZARDS IDENTIFICATION**

## **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# YELLOW

ion Number 1.0 sion Date 04/15/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
	4. FIK51 AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
Tiocedures	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# YELLOW

sion Number 1.0 ision Date 04/15/2002			Print	Page 3 Date 11/4/2
	aı	nd contamination. Keep in a d	lry, cool place.	
8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields.	i.	
Hand protection	: P:	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and a		afety practice
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:	Respirable dust.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	<b>DPERTIES</b>	
Form	: Solid	Evapo	ration rate : Not	t applicable.
Appearance	: Pelle			t determined
Color		LOW Bulk d	lensity : Not	t established
Odor				t applicable
Melting point/range				t applicable
Boiling Point:	: Not a : Insol	applicable pH	: IN01	t applicable
Water solubility	: Insoi	uble		
	10. 5	STABILITY AND REACTIV	VITY	
Stability	: S	table.		
Stability Hazardous Polymerization		table. Vill not occur.		



# MATERIAL SAFETY DATA SHEET

	2002			Page / Print Date 11/4/
		decompositio	on, do not overheat.	
Incompatible Mate	rials	: Incompatible	with strong acids and o	oxidizing agents.
-		-	-	
Hazardous decomp products	oosition			oxide (CO), oxides of nitrogen nd smoke are all possible.
	1	1. TOXICOLOC	GICAL INFORMATIO	ON
health data for the i	individual con	nponents which c	omprise the mixture.	ure effects listed are based on ex
I his product conta	ins the followi	ing components w	vnich in their pure form	have the following characteristic
CAS-No.		emical Name	Effect	Target Organ
1317-65-3	Calcium	carbonate	Irritant	Eyes, Skin.
12462 67 7	<b>T</b> ' · ·	. 1 1.	Systemic effects	Eyes, Skin, Respiratory system
13463-67-7	Titaniun	n dioxide	Systemic effects	Respiratory system.
Environmental Tox	kicity	: Chemicals ar		s they are bound within the matr
Bioaccumulation P	-	: Chemicals ar of the polymo	e not readily available a er. e not readily available a er.	
Bioaccumulation P	-	<ul> <li>Chemicals ar of the polymory</li> <li>Chemicals ar of the polymory</li> <li>No data avail</li> </ul>	e not readily available a er. e not readily available a er.	s they are bound within the matr
Environmental Tox Bioaccumulation P Additional advice Product	-	<ul> <li>Chemicals ar of the polymo</li> <li>Chemicals ar of the polymo</li> <li>No data avail</li> <li>13. DISPOSAL</li> <li>Like most the possible, recy generator of classification</li> </ul>	e not readily available a er. e not readily available a er. able. <b>CONSIDERATIONS</b> ermoplastics the producy cling is preferred to dis waste material has the r	ts they are bound within the matr ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation P Additional advice Product	otential	<ul> <li>Chemicals ar of the polyme</li> <li>Chemicals ar of the polyme</li> <li>No data avail</li> <li>13. DISPOSAL</li> <li>Like most the possible, recy generator of classification applicable fee</li> <li>Recycling is has the responsible</li> </ul>	e not readily available a er. e not readily available a er. able. <b>CONSIDERATIONS</b> ermoplastics the producy cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ts they are bound within the matr ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Bioaccumulation P Additional advice	otential	<ul> <li>Chemicals ar of the polyme</li> <li>Chemicals ar of the polyme</li> <li>No data avail</li> <li>13. DISPOSAL</li> <li>Like most the possible, recy generator of classification applicable fee</li> <li>Recycling is has the respo and disposal and local reg</li> </ul>	e not readily available a er. e not readily available a er. able. <b>CONSIDERATIONS</b> ermoplastics the producy cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materi te classification, transportation





## YELLOW Version Number 1.0 Page 5 of 5 Print Date 11/4/2011 Revision Date 04/15/2002 ICAO/IATA : Not regulated for transportation. IMO / IMDG Not regulated for transportation. : **15. REGULATORY INFORMATION** US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** : All components of this product are listed on the TSCA inventory or are exempt. : This product does not contain a substance listed by California Prop 65. California Proposition 65 Canadian Regulations: WHMIS Classification : D2A DSL : Listed. National Inventories: Australia AICS : Listed. China IECS · Listed. Europe EINECS : Not determined. Japan ENCS Not determined. : Korea KECI : Listed. **Philippines PICCS** : Listed. **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.