

MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 04/15/2002

Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	RED	
Product code	:	CC10014416	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

: Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Benzoic acid,	15782-06-6	5 - 10
2-[(2-hydroxy-3,6-disulfo-1-naphthalenyl)az		
o]-, barium salt (2:3)		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

RED

ision Date 04/15/2002	Print Date 11/4/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazarus	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



RED Page 3 of 6 Version Number 1.0 Print Date 11/4/2011 Revision Date 04/15/2002 Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : **Eye/Face Protection** Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Benzoic acid, 0.5 mg/m3 Time Weighted Average ACGIH as Ba 2-[(2-hydroxy-3,6-disu (TWA): lfo-1-naphthalenyl)azo]-, barium salt (2:3) Benzoic acid, 0.5 mg/m3 PEL: as Ba OSHA Z1 2-[(2-hydroxy-3,6-disu lfo-1-naphthalenyl)azo]-, barium salt (2:3) Titanium dioxide 10 mg/m3 Time Weighted Average Total dust. ACGIH (TWA): Titanium dioxide 15 mg/m3 PEL: Total dust. OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- : Solid Pellets RED Very faint : Not determined : Not applicable : Insoluble

:

:

:

- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН
- Not applicable. : Not determined : Not established : : Not applicable : Not applicable : Not applicable
- **10. STABILITY AND REACTIVITY**

PolyOne.

MATERIAL SAFETY DATA SHEET

RED

Γ

Version Number 1.0 Revision Date 04/15/2002	Page 4 of Print Date
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	11. TOXICOLOGICAL INFORMATION
	ated as a whole for health effects. Exposure effects listed are based on existi mponents which comprise the mixture.
<u>Toxicity Overview</u> This product contains the foll	ving components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
15782-06-6	Benzoic acid, 2-[(2-hydroxy-3,6-disulfo- 1-naphthalenyl)azo]-, barium salt (2:3)	Irritant	Eyes, Skin.

12. ECOLOGICAL INFORMATION

Persistence and degradability	Not readily biodegradable.	
Environmental Toxicity	Chemicals are not readily available as they are bound within the of the polymer.	e matrix
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the of the polymer.	e matrix
Additional advice	: No data available.	
	13. DISPOSAL CONSIDERATIONS	
Product	Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The	
	generator of waste material has the responsibility for proper wa classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	



MATERIAL SAFETY DATA SHEET

RED

sion Date 04/15/2002			Print Date 11/	
	and disposal and local reg		licable federal, state/provincia	
	14. TRANSPO	RT INFORMATION		
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	l for transportation.		
ICAO/IATA	: Not regulated	l for transportation.		
IMO / IMDG	: Not regulated	: Not regulated for transportation.		
	15. REGULAT	ORY INFORMATIO	N	
US Regulations:				
OSHA Status	: Classified as	hazardous based on co	mponents.	
TSCA Status	: All compone exempt.	nts of this product are l	isted on the TSCA inventory or	
California Proposition 65	n : This product	does not contain a subs	stance listed by California Prop	
SARA Title III Section 313	Foxic Chemicals:			
Chemical Nar	ne	CAS-No	Weight %	
Chemical Nar BARIUM CO		CAS-No. 15782-06-6	Weight % 8.81	
BARIUM CO	MPOUNDS			
BARIUM CO	MPOUNDS			
BARIUM CO Canadian Regulations: WHMIS Classificatio	MPOUNDS			
BARIUM CO Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No. 15782-06-6	MPOUNDS			
BARIUM CO Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No. 15782-06-6 150-13-0 DSL	MPOUNDS on : D2B isclosure List			
BARIUM CO Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No. 15782-06-6 150-13-0 DSL	MPOUNDS on : D2B isclosure List	15782-06-6		
BARIUM CO Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No. 15782-06-6 150-13-0 DSL National Inventories:	MPOUNDS on : D2B isclosure List	15782-06-6 ed.		



MATERIAL SAFETY DATA SHEET

RED

Version Number 1.0 Revision Date 04/15/2002		Page 6 of 6 Print Date 11/4/2011
Japan ENCS	: Not determined.	
Korea KECI	: Not determined.	
Philippines PICCS	: Not determined.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.