

MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 04/16/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10014424
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	5 - 10
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BLUE

sion Date 04/16/2002	Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BLUE

sion Date 04/16/2002					Prir	Page 3 ht Date 11/4/
	a	nd contamination. Kee	p in a dr	y, cool place.		
8. H	EXPOSURE	CONTROLS / PERS	ONAL P	ROTECTIO	DN	
Respiratory protection		o personal respiratory usty conditions occur v		1 1		* 1
Eye/Face Protection	: S	afety glasses with side-	-shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance wi Vash hands before brea				d safety practic
Engineering measures		leat only in areas with a ppropriate exhaust vent			ntilatio	n. Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure	type	List:
Silica, amorphous	20 mppcf	PEL:		Total d		OSHA
Silica, amorphous	20 mppcf	PEL:		Total d		Z3
Titanium dioxide	10 mg/m3	Time Weighted Ave (TWA):	erage	Total d	ust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total d	ust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICA	L PRO	PERTIES		
Form	: Solid	1	Evapora	tion rate	: N	ot applicable.
Appearance	-	ler, granular		Gravity		ot applicable.
Color	: BLU		Bulk de			ot determined
Odor	: Very		Vapor p			lot applicable
Melting point/range		determined	Vapor d	ensity		ot applicable
Boiling Point:	: Not a : Insol	applicable	рН		: 1	lot applicable
Water solubility	: Ilisoi	uble				
	10. 8	STABILITY AND RE	ACTIVI	TY		
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				
			• , •		ont Ko	ep away from



MATERIAL SAFETY DATA SHEET

BLUE

rsion Number 1.0 vision Date 04/16/200	2		Page 4 Print Date 11/4/2		
Incompatible Material	s : Incompati	ble with strong acids an	d oxidizing agents.		
Hazardous decomposit products			pnoxide (CO), oxides of nitrogen, and smoke are all possible.		
	11. TOXICOL	OGICAL INFORMAT	ΓΙΟΝ		
	een evaluated as a whole vidual components which		osure effects listed are based on exis		
Toxicity Overview This product contains	the following component	s which in their pure fo	rm have the following characteristic		
CAS-No.	Chemical Name	Effect	Target Organ		
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLO	GICAL INFORMATI	ON		
Persistence and degrad	lability · Not readil	y biodegradable.			
-					
Environmental Toxicit	ty : Adverse e	cological impact is not l	known or expected under normal use		
Bioaccumulation Poter	ntial : Not inhere	ently biodegradable.			
Additional advice	: No data av	: No data available.			
	13. DISPOSA	AL CONSIDERATIO	NS		
Product	generator classificat	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packagi	has the res and dispos	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANS	PORT INFORMATIC	N		
U.S. D.O.T. / CA T.D. Classification (Non-bu ground)	U	: Not regulated for transportation.			
ICAO/IATA	: Not regula	ot regulated for transportation.			
IMO / IMDG	: Not regula	: Not regulated for transportation.			
		Ĩ			



MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 04/16/2002 Page 5 of 5 Print Date 11/4/2011

	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Discl	losu	re List
CAS-No. 7631-86-9		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.