

#### MATERIAL SAFETY DATA SHEET

### GRAY

Version Number 1.0 Revision Date 04/17/2002 Page 1 of 6 Print Date 11/4/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GRAY
Product code	:	CC10014547
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Chromium (III) oxide	1308-38-9	0.1 - 1
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> </ul>
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



### MATERIAL SAFETY DATA SHEET

# GRAY

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

#### MATERIAL SAFETY DATA SHEET



Not applicable

:

#### GRAY Version Number 1.0 Page 3 of 6 Print Date 11/4/2011 Revision Date 04/17/2002 Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : **Eye/Face Protection** Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Silica, amorphous 20 mppcf PEL: Total dust. **OSHA** Silica, amorphous 20 mppcf PEL: Total dust. Z3 Titanium dioxide Time Weighted Average Total dust. ACGIH 10 mg/m3 (TWA): Titanium dioxide PEL: Total dust. OSHA Z1 15 mg/m3 9. PHYSICAL AND CHEMICAL PROPERTIES Form : Solid Evaporation rate : Not applicable. : Pellets Specific Gravity Not determined Appearance : : GREY Bulk density Not established Color : : Not applicable Odor : Very faint Vapor pressure Melting point/range : Not determined Vapor density Not applicable :

### **10. STABILITY AND REACTIVITY**

pН

Keep away from oxidizing agents and open flame. To avoid thermal

- Stability : Stable.
- Hazardous Polymerization Will not occur. :
  - Conditions to avoid

**Boiling Point:** 

Water solubility

: Not applicable

: Insoluble

:

3/6



# MATERIAL SAFETY DATA SHEET

# GRAY

	002			Page 4 Print Date 11/4/2
		decompositio	n, do not overheat.	
Incompatible Materi	ials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo	sition	: Carbon dioxid	ta (CO2) carbon mono	oxide (CO), oxides of nitrogen
products	SILIOII			nd smoke are all possible.
		11. TOXICOLOG	ICAL INFORMATIO	ON
health data for the ir				ure effects listed are based on exi
<u>Toxicity Overview</u> This product contair	ns the follow	ving components w	hich in their pure form	have the following characteristic
CAS-No.	0	hemical Name	Effect	Target Organ
1308-38-9	Chrom	ium (III) oxide	Irritant	Eyes, Skin.
			sensitizer	Skin.
7631-86-9		amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titaniu	m dioxide	Systemic effects	Respiratory system.
Additional Health Chromium (III) ox dermatitis, pulmon	ide 1308-	38-9 The trivalen zation and corrosi	ve effect on eyes.	
Chromium (III) ox	ide 1308-	38-9 The trivalen zation and corrosi		r of acute toxicity but may caus
Chromium (III) ox	ide 1308- aary sensiti	38-9 The trivalen zation and corrosi	ve effect on eyes.	
Chromium (III) ox dermatitis, pulmon	ide 1308- nary sensiti	<ul> <li>38-9 The trivalen zation and corrosi</li> <li>12. ECOLOGIC</li> <li>: Not readily bi</li> </ul>	ve effect on eyes. CAL INFORMATION odegradable. e not readily available a	
Chromium (III) ox dermatitis, pulmon Persistence and degr	ide 1308- hary sensiti radability acity	<ul> <li>38-9 The trivalen zation and corrosi</li> <li>12. ECOLOGIC</li> <li>: Not readily bi</li> <li>: Chemicals are of the polyme</li> </ul>	ve effect on eyes. CAL INFORMATION odegradable. e not readily available a er. e not readily available a	J
Chromium (III) ox dermatitis, pulmon Persistence and degr Environmental Toxi	ide 1308- hary sensiti radability acity	<ul> <li>38-9 The trivalen zation and corrosi</li> <li>12. ECOLOGIC</li> <li>: Not readily bi</li> <li>: Chemicals are of the polyme</li> <li>: Chemicals are</li> </ul>	ve effect on eyes. CAL INFORMATION odegradable. e not readily available a er. e not readily available a er.	N Is they are bound within the matri
Chromium (III) ox dermatitis, pulmon Persistence and degr Environmental Toxi Bioaccumulation Po	ide 1308- hary sensiti radability acity	<ul> <li><b>38-9 The trivalen</b></li> <li><b>12. ECOLOGIC</b></li> <li>: Not readily bit</li> <li>: Chemicals are of the polyme</li> <li>: Chemicals are of the polyme</li> <li>: Chemicals are of the polyme</li> <li>: No data available</li> </ul>	ve effect on eyes. CAL INFORMATION odegradable. e not readily available a er. e not readily available a er.	s they are bound within the matrines they are bound
Chromium (III) ox dermatitis, pulmon Persistence and degr Environmental Toxi Bioaccumulation Po	ide 1308- hary sensiti radability acity	<ul> <li>38-9 The trivalen zation and corrosi</li> <li>12. ECOLOGIC</li> <li>: Not readily bi</li> <li>: Chemicals are of the polyme</li> <li>: Chemicals are of the polyme</li> <li>: Chemicals are of the polyme</li> <li>: No data availa</li> <li>13. DISPOSAL</li> <li>: Like most the possible, recy generator of v classification,</li> </ul>	ve effect on eyes. CAL INFORMATION odegradable. e not readily available a r. e not readily available a r. able. CONSIDERATIONS rmoplastics the produc cling is preferred to dis vaste material has the r	s they are bound within the matrines the sponder of



### MATERIAL SAFETY DATA SHEET

# GRAY

ion Number 1.0 sion Date 04/17/2002	Page : Print Date 11/4/
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or a exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 6
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	closure List
CAS-No. 1308-38-9 7631-86-9	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION



#### MATERIAL SAFETY DATA SHEET

# GRAY

Version Number 1.0 Revision Date 04/17/2002 Page 6 of 6 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.