

MATERIAL SAFETY DATA SHEET

NUC AGENT

Version Number 1.0 Revision Date 04/19/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NUC AGENT
Product code	:	CC10014567
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Calcium carbonate	1317-65-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some fumes may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See Sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

NUC AGENT

ion Number 1.0 sion Date 04/19/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
	TINGT AID MLASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
Tiocedules	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

MATERIAL SAFETY DATA SHEET

NUC AGENT



Page 3 of 6

Print Date 11/4/2011

Version Number 1.0 Revision Date 04/19/2002

and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Handle in accordance with good industrial hygiene and safety practice. General Hygiene Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Value Exposure time Components Exposure type List: Calcium carbonate 10 mg/m3 Time Weighted Average Total dust. ACGIH (TWA): DEI

9. PHYSICAL AND CHEMICAL PROPERTIES					
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
Calcium carbonate	5 mg/m^3	PEL:	Respirable dust.	OSHA ZI	

Form Appearance Color Odor	:	Solid Pellets NO PIGMENT Very faint	Evaporation rate Specific Gravity Bulk density Vapor pressure	: :	Not applicable. Not determined Not established Not applicable		
Melting point/range	:	Not determined	Vapor density	:	Not applicable		
Boiling Point:		Not applicable	pН	:	Not applicable		
Water solubility	:	Insoluble					
10. STABILITY AND REACTIVITY							
Stability		: Stable.					
Hazardous Polymerization		: Will not occur.					
Conditions to avoid		: Keep away from oxidizi decomposition, do not o		e.	To avoid thermal		



MATERIAL SAFETY DATA SHEET

NUC AGENT

on Number 1.0 sion Date 04/19/200	02			Page Print Date 11/-	
Incompatible Materia	ls · In	compatible	with strong acids a	nd oxidizing agents.	
-		-	-		
Hazardous decomposi products				onoxide (CO), oxides of nitrogen s, and smoke are all possible.	
	11. TO	XICOLOG	ICAL INFORMA	TION	
This mixture has not b health data for the ind				posure effects listed are based on e	
<u>Foxicity Overview</u> This product contains	the following con	mponents w	hich in their pure fo	orm have the following characteris	
CAS-No.	Chemica	l Name	Effect	Target Organ	
7631-86-9	Silica, amorph		Irritant	Eyes, Respiratory system.	
1317-65-3	Calcium carbo	nate	Irritant	Eyes, Skin.	
			Systemic effect	s Eyes, Skin, Respiratory syst	
	12. F	COLOGIC	CAL INFORMAT	ION	
	120	COLOGIC			
Persistence and degra	dability : N	ot readily bi	odegradable.		
Environmental Toxici		hemicals are the polyme		le as they are bound within the ma	
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: N	o data availa	able.		
	13. E	DISPOSAL	CONSIDERATIO	ONS	
Product	po ge cl	ossible, recy enerator of v assification,	cling is preferred to vaste material has t transportation and	oduct can be recycled. Where o disposal or incineration. The he responsibility for proper waste disposal in accordance with al and local regulations.	
Contaminated packaging		: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. 7	FRANSPO	RT INFORMATI	ON	
U.S. D.O.T. / CA T.D Classification (Non-b ground)		ot regulated	for transportation.		
Classification (Non-b		ot regulated	for transportation.		



MATERIAL SAFETY DATA SHEET

	Page 5 of
	Print Date 11/4/201
: Not regulated for transportation.	
: Not regulated for transportation.	
15. REGULATORY INFORMATION	
: Classified as hazardous based on components.	
: All components of this product are listed on the exempt.	TSCA inventory or are
: This product does not contain a substance listed	by California Prop 65.
: D2A	
osure List	
: Listed.	
: Listed.	
: Listed.	
: Not determined.	
: Not determined.	
: Listed.	
: Listed.	
	 Not regulated for transportation. 15. REGULATORY INFORMATION Classified as hazardous based on components. All components of this product are listed on the exempt. This product does not contain a substance listed D2A closure List Listed. Listed. Listed. Not determined. Not determined. Listed. Listed.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

NUC AGENT

Version Number 1.0 Revision Date 04/19/2002



Page 6 of 6 Print Date 11/4/2011