

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 04/25/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | WHITE |
| Product code | : | CC10014654 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Silica, amorphous | 7631-86-9 | 5 - 10 |
| Titanium dioxide | 13463-67-7 | 60 - 100 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes Skin | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure Medical Conditions | Refer to Section 11 for Toxicological Information.None known. |
| Aggravated by Exposure: | |



MATERIAL SAFETY DATA SHEET

WHITE

| sion Date 04/25/2002 | Print Date 11/4/2 |
|--|---|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. |
| Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |



MATERIAL SAFETY DATA SHEET

WHITE

| ion Number 1.0 sion Date 04/25/2002 | | | Print | Page 3 t Date 11/4/ | |
|--|-----------------|--|---------------------------|------------------------|--|
| | a | nd contamination. Keep in | a dry, cool place. | | |
| 8. I | EXPOSURE | CONTROLS / PERSONA | L PROTECTION | | |
| Respiratory protection | : N | o personal respiratory prote | ective equipment normally | required. | |
| Eye/Face Protection | : S | Safety glasses with side-shields. | | | |
| Hand protection | : P | rotective gloves. | | | |
| Skin and body protection | : L | Long sleeved clothing. | | | |
| Additional Protective Measures | : Safety shoes. | | | | |
| General Hygiene Considerations | | andle in accordance with go Vash hands before breaks an | | safety practic | |
| Engineering measures | | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | | |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | Exposure type | List: | |
| Silica, amorphous | 20 mppcf | PEL: | Total dust. | OSHA | |
| Silica, amorphous | 20 mppcf | PEL: | Total dust. | Z3 | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | Total dust. | ACGIH | |
| Titanium dioxide | 15 mg/m3 | PEL: | Total dust. | OSHA Z | |
| | 9. PHYSIC | CAL AND CHEMICAL P | ROPERTIES | | |
| Form | : Solid | l Eva | poration rate : No | ot applicable. | |
| Appearance | : Pelle | | * | ot determined | |
| Color | : WHI | | | ot established | |
| Odor | : Very | r faint Vap | or pressure : No | ot applicable | |
| Melting point/range | | | | ot applicable | |
| Boiling Point: | | applicable pH | : No | ot applicable | |
| Water solubility | : Insol | uble | | | |
| | 10. 8 | STABILITY AND REACT | TIVITY | | |
| | : S | table. | | | |
| Stability | | | | | |
| Stability Hazardous Polymerizatio | n : W | Vill not occur. | | | |



MATERIAL SAFETY DATA SHEET

| ision Date 04/25/200 | 2 | | Page 4 Print Date 11/4/2 | | |
|--|--|---|---|--|--|
| | <u>-</u> | | | | |
| Incompatible Materials | : Incomp | atible with strong acids | and oxidizing agents. | | |
| Hazardous decomposit products | | | monoxide (CO), oxides of nitrogen als, and smoke are all possible. | | |
| | 11. TOXICO | DLOGICAL INFORM | ATION | | |
| This mixture has not be health data for the indiv | | | Exposure effects listed are based on existence. | | |
| <u>Toxicity Overview</u> This product contains t | he following compone | ents which in their pure | form have the following characteristic | | |
| CAS-No. | Chemical Nam | ne Effect | Target Organ | | |
| 7631-86-9 | Silica, amorphous | Irritant | Eyes, Respiratory system. | | |
| 13463-67-7 | Titanium dioxide | Systemic effe | ects Respiratory system. | | |
| | 12. ECOL | OGICAL INFORMA | TION | | |
| Persistence and degrad | ability : Not read | dily biodegradable. | | | |
| Environmental Toxicit | - | als are not readily avail | able as they are bound within the matri | | |
| Bioaccumulation Poten | | : Chemicals are not readily available as they are bound within the matrix of the polymer. | | | |
| Additional advice | : No data | available. | | | |
| | 13. DISPO | SAL CONSIDERAT | IONS | | |
| Droduct | possible | e, recycling is preferred | product can be recycled. Where to disposal or incineration. The | | |
| Product | classific | cation, transportation ar | s the responsibility for proper waste ad disposal in accordance with cial and local regulations. | | |
| Contaminated packagin | classific applical ng : Recycli has the and disp | cation, transportation ar ble federal, state/provin ng is preferred when po responsibility for prope | nd disposal in accordance with | | |
| | ng : Recycli has the and disp and loca | cation, transportation ar ble federal, state/provin ng is preferred when po responsibility for prope posal in accordance wit | nd disposal in accordance with cial and local regulations. ossible. The generator of waste materia er waste classification, transportation h applicable federal, state/provincial | | |
| | classific applical ng : Recycli has the and disp and loca 14. TRAM G. : Not reg | cation, transportation ar ble federal, state/provin ng is preferred when po responsibility for prope posal in accordance wit al regulations. | nd disposal in accordance with cial and local regulations. ossible. The generator of waste materia er waste classification, transportation h applicable federal, state/provincial | | |



MATERIAL SAFETY DATA SHEET

WHITE

| rsion Number 1.0 vision Date 04/25/2002 | | Page 5 Print Date 11/4/2 |
|--|------|--|
| IMO / IMDG | : | Not regulated for transportation. |
| | 15 | 5. REGULATORY INFORMATION |
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on the TSCA inventory or are exempt. |
| California Proposition 65 | : | This product does not contain a substance listed by California Prop 65. |
| Canadian Regulations: | | |
| WHMIS Classification | : | D2B |
| WHMIS Ingredient Disc | losı | ure List |
| CAS-No. 68186-90-3 7631-86-9 | | |
| DSL | : | Listed. |
| National Inventories: | | |
| Australia AICS | : | Listed. |
| China IECS | : | Listed. |
| Europe EINECS | : | Listed. |
| Japan ENCS | : | Not determined. |
| Korea KECI | : | Listed. |
| Philippines PICCS | : | Listed. |
| | | 16. OTHER INFORMATION |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.