

MATERIAL SAFETY DATA SHEET

2 GREEN

Version Number 1.1 Revision Date 04/29/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	2 GREEN
Product code	:	CC10014932
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

2 GREEN

sion Date 04/29/2002	Print Date 11/4/2					
	4. FIRST AID MEASURES					
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.						
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.					
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.					
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.					
	5. FIRE-FIGHTING MEASURES					
Flash point	: Not applicable					
Flammable Limits						
Upper explosion limit	: Not applicable					
Lower explosion limit	: Not applicable					
Autoignition temperature	: Not relevant					
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.					
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive					
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.					
Unusual Fire/Explosion Hazards	: None					
	6. ACCIDENTAL RELEASE MEASURES					
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.					
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.					
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.					
	7. HANDLING AND STORAGE					
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.					
Storage	: Keep containers dry and tightly closed to avoid moisture absorption					



MATERIAL SAFETY DATA SHEET

2 GREEN

ion Number 1.1 sion Date 04/29/2002			Print I	Page 3 //4/2 Date 11
	aı	nd contamination. Keep in a d	lry, cool place.	
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practic
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
<u> </u>	F (2)	DEI		
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z
Zinc stearate	-	PEL: PEL:	Respirable fraction. Total dust.	
Zinc stearate Zinc stearate	5 mg/m3 15 mg/m3 10 mg/m3			OSHA Z
	15 mg/m3 10 mg/m3	PEL: Time Weighted Average	Total dust. as stearates	
Zinc stearate	15 mg/m3 10 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust. as stearates DPERTIES	
Zinc stearate	15 mg/m3 10 mg/m3 9. PHYSIC : Solic	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust. as stearates DPERTIES ration rate : Not	OSHA ZI ACGIH applicable.
Zinc stearate Form Appearance	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : Pelle	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif	Total dust. as stearates OPERTIES ration rate : Not ic Gravity : Not	OSHA Z ACGIH applicable. determined
Zinc stearate Form Appearance Color	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : Pelle : GRE	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO the Evapo the Specific Specific EN Bulk do	Total dust. as stearates OPERTIES ration rate : Not ic Gravity : Not lensity : Not	OSHA Z ACGIH applicable. determined established
Zinc stearate Form Appearance Color Odor	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO E Evapo ts Specific EN Bulk do faint Vapor	Total dust. as stearates OPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not	OSHA ZI ACGIH applicable. determined established applicable
Zinc stearate Form Appearance Color Odor Melting point/range	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not o	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PR(EXAMPLE AND	Total dust. as stearates OPERTIES ration rate : Not lensity : pressure : of density : Not density :	OSHA ZI ACGIH applicable. determined established applicable applicable
Zinc stearate Form Appearance Color Odor	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not o	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif EN Bulk d faint Vapor determined Vapor applicable pH	Total dust. as stearates OPERTIES ration rate : Not lensity : pressure : of density : Not density :	OSHA Z ACGIH applicable. determined established applicable
Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very : Not a : Insol	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO I Evapo ts Specif EN Bulk d faint Vapor determined Vapor applicable pH	Total dust. as stearates OPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not : Not	OSHA Z ACGIH applicable. determined established applicable applicable
Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO Second Evapo the	Total dust. as stearates OPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not : Not	OSHA ZI ACGIH applicable. determined established applicable applicable
Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not a : Insol 10. S : S	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO E Evapo ts Specific EN Bulk d faint Vapor determined Vapor applicable pH uble STABILITY AND REACTIVE	Total dust. as stearates OPERTIES ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not : Not	OSHA ZI ACGIH applicable. determined established applicable applicable
Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not a : Not a : Insol 10. S : S n : W : K	PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO A Evapo A Evapo	Total dust. as stearates OPERTIES ration rate : Not ic Gravity : Not pressure : Not density : Not 'ITY as and open flame. To a	OSHA Z ACGIH applicable. determined established applicable applicable



MATERIAL SAFETY DATA SHEET

2 GREEN

Version Number 1.1 Revision Date 04/29/2002 Page 4 of 6 Print Date 11/4/2011

Hazardous decomposition : products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
557-05-1	Zinc stearate	Oral LD50	> 10 gm/kg	rat

	12. ECOLOGICAL INFORMATION			
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Chemicals are not readily available as they are bound within the m of the polymer.			
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data available.			
	13. DISPOSAL CONSIDERATIONS			
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
	: Not regulated for transportation.			



MATERIAL SAFETY DATA SHEET

sion Number 1.1 ision Date 04/29/2002				Print I	Page 5 Date <u>11/4/2</u>
ground)					
ICAO/IATA	:	Not regulated for	transportation.		
IMO / IMDG	:	Not regulated for	transportation.		
	15	5. REGULATORY	INFORMATIC	DN	
US Regulations:					
OSHA Status	:	Classified as haza	ardous based on c	components.	
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.			
California Proposition 65	:	This product does	s not contain a sul	ostance listed by Califo	ornia Prop 65
SARA Title III Section 313 To:	xic (Chemicals:			
Chemical Name			CAS-No.	Weight %	
ZINC COMPOU	JND	S	557-05-1	8.00	
WHMIS Classification WHMIS Ingredient Disc CAS-No. 557-05-1	: closu				
DSL		Listed.			
National Inventories:					
Australia AICS	:	Listed.			
China IECS	:	Listed.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Listed.			
Korea KECI	:	Listed.			
Philippines PICCS	:	Listed.			
		16. OTHER IN	FORMATION		

MATERIAL SAFETY DATA SHEET



2 GREEN

Version Number 1.1 Revision Date 04/29/2002 Page 6 of 6 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.