

MATERIAL SAFETY DATA SHEET

BUDDY PINK

Version Number 1.0 Revision Date 05/01/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BUDDY PINK
Product code	:	CC10015423
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin Chronic exposure	 Experience shows no unusual dermatitis hazard from routine handling. Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BUDDY PINK

sion Number 1.0 ision Date 05/01/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BUDDY PINK

ion Number 1.0 sion Date 05/01/2002				Print	Page 3 Date 11/4/2
	a	nd contamination. Keep	in a dry, cool place	2.	
8. I	EXPOSURE	CONTROLS / PERSO	NAL PROTECTI	ON	
Respiratory protection	: N	lo personal respiratory pr	otective equipment	normally 1	required.
Eye/Face Protection	: S	afety glasses with side-sh	nields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		Iandle in accordance with Vash hands before breaks			afety practic
Engineering measures		leat only in areas with ap ppropriate exhaust ventile			Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposu	e type	List:
Silica, amorphous	20 mppcf	PEL:	Total	dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total		Z3
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ige Total	dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total	dust.	OSHA ZI
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solic	4 E	Evaporation rate	· Not	applicable.
Appearance	: Pelle		pecific Gravity		determined
Color	: PINI		Bulk density		established
Odor	: Very		apor pressure		applicable
Melting point/range			apor density		applicable
Boiling Point:	: Not a		н		applicable
Water solubility	: Insol	luble			
	10. 5	STABILITY AND REA	CTIVITY		
Stability	: S	table.			
Hazardous Polymerization	n : V	Vill not occur.			
2					



MATERIAL SAFETY DATA SHEET

VI	on Number 1.0 sion Date 05/01/2002	2			Page 4 Print Date 11/4/2
	Incompatible Materials	:	Incompatible	with strong acids and o	oxidizing agents.
	Hazardous decompositi products	on :			oxide (CO), oxides of nitrogen nd smoke are all possible.
		11.	TOXICOLOG	ICAL INFORMATIO	ON
	This mixture has not be health data for the indiv				ure effects listed are based on exis
,	Toxicity Overview				
,	This product contains the	ne following	components wh	nich in their pure form	have the following characteristic
Г	CAS-No.	Chen	nical Name	Effect	Target Organ
-	7631-86-9	Silica, amo		Irritant	Eyes, Respiratory system.
	13463-67-7	Titanium d		Systemic effects	Respiratory system.
		1	2. ECOLOGIC	AL INFORMATION	1
	Persistence and degrada		Not readily bio	-	s they are bound within the matrix
	Bioaccumulation Poten Additional advice	tial :	of the polymer Chemicals are of the polymer No data availa	not readily available a	is they are bound within the matrix
	Additional advice	·		loie.	
		1	3. DISPOSAL	CONSIDERATIONS	
	Product	:	possible, recyc generator of w classification, applicable fed	cling is preferred to dia vaste material has the r transportation and dis eral, state/provincial a	-
	Contaminated packagin	g :	has the respon	sibility for proper was accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial
]	4. TRANSPOR	RT INFORMATION	
(U.S. D.O.T. / CA T.D.C Classification (Non-bul ground)		Not regulated	for transportation.	



MATERIAL SAFETY DATA SHEET

BUDDY PINK

sion Date 05/01/2002		Print Date 11/4/
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or an exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 6.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	losu	ire List
CAS-No. 1333-86-4 7631-86-9 557-05-1		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS		Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

BUDDY PINK

Version Number 1.0 Revision Date 05/01/2002



Page 6 of 6 Print Date 11/4/2011