

MATERIAL SAFETY DATA SHEET

TRANSLUCENT GOLD

Version Number 1.0 Revision Date 05/04/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSLUCENT GOLD
Product code	:	CC10015441
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 			
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.			
Aggravated by Exposure:				



MATERIAL SAFETY DATA SHEET

TRANSLUCENT GOLD

Version Number 1.0 Revision Date 05/04/2002 Page 2 of 5 Print Date 11/4/2011

	4. FIRST AID MEASURES	_
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	ıt
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	ek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 	•
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET

TRANSLUCENT GOLD

Version Number 1.0 Revision Date 05/04/2002 Page 3 of 5 Print Date 11/4/2011

	a	nd contamination. Keep in a c	try, cool place.	
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and		safety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Form	: Solic	1 Evapo	ration rate : No	ot applicable.
Appearance	: Pelle			ot determined
Color	: YEL	LOW Bulk d	•	ot established
Odor				ot applicable
Melting point/range				ot applicable
Boiling Point:	: Not	applicable pH		ot applicable
Water solubility	: Insol			11
	10. 5	STABILITY AND REACTIV	/ITY	
Stability		table.		
Stability Hazardous Polymerization	: S	table. Vill not occur.		



MATERIAL SAFETY DATA SHEET

TRANSLUCENT GOLD

sion Number 1.0 /ision Date 05/04/200)2			Page 4 of 5 Print Date 11/4/201		
Incompatible Material Hazardous decomposi products		: Carbon dioxide		oxidizing agents. oxide (CO), oxides of nitrogen nd smoke are all possible.		
	11	. TOXICOLOGI	CAL INFORMATIC	DN		
health data for the indi	ividual com	ponents which cor	mprise the mixture.	ure effects listed are based on existin		
			-	have the following characteristics:		
CAS-No.		emical Name	Effect	Target Organ		
12001-26-2	Mica		Systemic effects	Respiratory system.		
13463-67-7	Titanium dioxide		Systemic effects	Respiratory system.		
		12. ECOLOGICA	AL INFORMATION	I		
Persistence and degrad	lability	: Not readily bio	odegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice		: No data available.				
		13. DISPOSAL (CONSIDERATIONS			
Product		: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		14. TRANSPOR	TINFORMATION			
	.G.	: Not regulated f	for transportation.			
U.S. D.O.T. / CA T.D Classification (Non-bu ground)	ılk					



MATERIAL SAFETY DATA SHEET

TRANSLUCENT GOLD

Version Number 1.0 Revision Date 05/04/2002 Page 5 of 5 Print Date 11/4/2011

	IMO / IMDG	:	Not regulated for transportation.			
		15	3. REGULATORY INFORMATION]		
US Regulations:						
	OSHA Status	:	Classified as hazardous based on components.			
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.			
	California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
	Canadian Regulations:					
	WHMIS Classification	:	D2B			
WHMIS Ingredient Disclosure List						
	CAS-No. 12001-26-2					
	DSL	:	Listed.			
	National Inventories:					
	Australia AICS	:	Not determined.			
	China IECS	:	Not determined.			
	Europe EINECS	:	Not determined.			
	Japan ENCS	:	Not determined.			
	Korea KECI	:	Not determined.			
	Philippines PICCS	:	Not determined.			
			16. OTHER INFORMATION	Т		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.