

MATERIAL SAFETY DATA SHEET

ORANGE

Version Number 1.1 Revision Date 09/09/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | ORANGE |
| Product code | : | CC10015445 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|---|-----------|----------|
| 2-Naphthalenecarboxylic acid, | 7585-41-3 | 1 - 5 |
| 4-[(5-chloro-4-methyl-2-sulfophenyl)azo]-3- | | |
| hydroxy-, barium salt (1:1) | | |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | |
|---------------------------------|--|--|--|
| Acute exposure | | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever | | |
| Skin | eyes. : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |





| ion Number 1.1 sion Date 09/09/2002 | Page Print Date 11/6 |
|--|--|
| Medical Conditions Aggravated by Exposure: | : None known. |
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists se medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media | Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : None |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |

MATERIAL SAFETY DATA SHEET



ORANGE

| Storage | : Keep containers dry and tightly closed to avoid moisture absorpt and contamination. Keep in a dry, cool place. | | | e absorption | |
|--|---|---|--------------------------------|--------------|-------------------------------|
| 8. 1 | EXPOSURE | CONTROLS / PERSO | ONAL PROTECTI | ON | |
| Respiratory protection | : N | lo personal respiratory p | rotective equipmen | t normally | required. |
| Eye/Face Protection | : S | afety glasses with side-s | shields. | | |
| Hand protection | : P | rotective gloves. | | | |
| Skin and body protection | : L | ong sleeved clothing. | | | |
| Additional Protective Measures | : S | afety shoes. | | | |
| General Hygiene Considerations | | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. | | | |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | | | |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | Exposu | | List: |
| 2-Naphthalenecarboxy lic acid, 4-[(5-chloro-4-methyl- 2-sulfophenyl)azo]-3-h ydroxy-, barium salt (1:1) | 0.5 mg/m3 | PEL: | as | Ba | OSHA Z1 |
| 2-Naphthalenecarboxy lic acid, 4-[(5-chloro-4-methyl- 2-sulfophenyl)azo]-3-h ydroxy-, barium salt (1:1) | 0.5 mg/m3 | Time Weighted Aven (TWA): | age | | ACGIH |
| | 9. PHYSIC | CAL AND CHEMICA | L PROPERTIES | | |
| | | | | | |
| Form | : Solic | | Evaporation rate | | t applicable. |
| Appearance Color | : Pelle | | Specific Gravity | | t determined t established |
| Odor | | | Bulk density Vapor pressure | | t applicable |
| | | | Vapor density | | t applicable |
| VIETING DOMI/TANGE | | | · · | | |
| Melting point/range Boiling Point: | : Not a | applicable | pH | : 100 | t applicable |



MATERIAL SAFETY DATA SHEET

ORANGE

Version Number 1.1 Revision Date 09/09/2002 Page 4 of 6 Print Date 11/6/2011

| | 10. STABILITY AND REACTIVITY | | |
|----------------------------------|--|--|--|
| Stability | : Stable. | | |
| Hazardous Polymerization | : Will not occur. | | |
| Conditions to avoid | : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. | | |
| Incompatible Materials | : Incompatible with strong acids and oxidizing agents. | | |
| Hazardous decomposition products | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | | |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|-----------|--|----------|--------------|
| 7585-41-3 | 2-Naphthalenecarboxylic acid, 4-[(5-chloro-4-methyl-2-s ulfophenyl)azo]-3-hydrox y-, barium salt (1:1) | Irritant | Eyes, Skin. |

12. ECOLOGICAL INFORMATION

| Persistence and degradability | : | Not readily biodegradable. |
|-------------------------------|---|---|
| Environmental Toxicity | : | Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : | Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : | No data available. |
| | 1 | 3. DISPOSAL CONSIDERATIONS |
| Product | : | Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The |



MATERIAL SAFETY DATA SHEET

| sion Number 1.1 /ision Date 09/09/2002 | | | | Page 5 Print Date 11/6/2 | |
|--|---|-------------------|--|-----------------------------|--|
| Contaminated packaging | has the r and disp | esponsibility for | s preferred when possible. The generator of waste materia onsibility for proper waste classification, transportation l in accordance with applicable federal, state/provincial gulations. | | |
| | 14. TRAN | SPORT INFOR | RMATION | | |
| U.S. DOT Classification | : Not regu | lated for transpo | ortation. | | |
| ICAO/IATA | : Not regu | lated for transpo | ortation. | | |
| IMO / IMDG | : Not regu | lated for transpo | ortation. | | |
| | 15. REGUL | ATORY INFO | RMATION | | |
| US Regulations: | | | | | |
| OSHA Status | : Classifie | d as hazardous l | based on components. | | |
| TSCA Status | : All comp exempt. | ponents of this p | roduct are listed on the | TSCA inventory or ar | |
| US. EPA CERCLA Hazard | lous Substances (4 | 0 CFR 302) | | | |
| Chemical Name | CAS-No. | % in Product | RQ for component | RQ for Mixture/Product | |
| 2-Naphthalenecarb oxylic acid, 4-[(5-chloro-4-met hyl-2-sulfophenyl) azo]-3-hydroxy-, barium salt (1:1) | b 7585-41-3 0.8818 1,000 lbs 113,404 LB | | | | |
| California Proposit 65 Canadian Regulations: | ion : This pro | duct does not co | ntain a substance listed | l by California Prop 65 | |
| WHMIS Classifica | tion : D2B | | | | |
| WHMIS Ingredient | Disclosure List | | | | |
| | | | | | |

MATERIAL SAFETY DATA SHEET



Version Number 1.1 Revision Date 09/09/2002 Page 6 of 6 Print Date 11/6/2011

v()ne

| DSL | : Listed. |
|-----------------------|-------------------|
| National Inventories: | |
| Australia AICS | : Listed. |
| China IECS | : Not determined. |
| Europe EINECS | : Not determined. |
| Japan ENCS | : Listed. |
| Korea KECI | : Not determined. |
| Philippines PICCS | : Listed. |
| | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.