

MATERIAL SAFETY DATA SHEET

WELLA GREEN 3255

Version Number 1.0 Revision Date 05/03/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WELLA GREEN 3255
Product code	:	CC10015458
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

WELLA GREEN 3255

Version Number 1.0 Revision Date 05/03/2002 Page 2 of 5 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards		
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WELLA GREEN 3255

URE CONTRO : No personal : : Safety glasse : Protective glasse : Long sleeved : Safety shoes. : Handle in accord Wash hands : Heat only in appropriate e ine Exp /m3 Time Work	es with side-shields oves. I clothing. cordance with good before breaks and areas with appropri- exhaust ventilation	PROTECTION ive equipment normally s. d industrial hygiene and at the end of workday. riate exhaust ventilation.	safety practice.		
 No personal Safety glasse Protective glasse Long sleeved Safety shoes. Handle in acc Wash hands Heat only in appropriate e 	respiratory protect es with side-shields oves. I clothing. cordance with good before breaks and areas with appropri- exhaust ventilation	ive equipment normally s. d industrial hygiene and at the end of workday. riate exhaust ventilation. at machinery. Exposure type	safety practice.		
 Safety glasse Protective glasse Long sleeved Safety shoes. Handle in acc Wash hands Heat only in appropriate e 	es with side-shields oves. I clothing. cordance with good before breaks and areas with appropri- exhaust ventilation <u>posure time</u> eighted Average (TWA):	d industrial hygiene and at the end of workday. riate exhaust ventilation. at machinery. Exposure type	safety practice.		
 Protective gla Long sleeved Safety shoes. Handle in acc Wash hands Heat only in appropriate e 	oves. I clothing. cordance with good before breaks and areas with appropri- exhaust ventilation	d industrial hygiene and at the end of workday. tiate exhaust ventilation. at machinery. Exposure type	Provide List:		
 Long sleeved Safety shoes. Handle in acc Wash hands Heat only in appropriate e Ie Exp /m3 Time Wash 	l clothing. cordance with good before breaks and areas with appropr exhaust ventilation <u>posure time</u> eighted Average (TWA):	at the end of workday. riate exhaust ventilation. at machinery. Exposure type	Provide List:		
 Safety shoes. Handle in acc Wash hands Heat only in appropriate e he Exp /m3 Time Wash 	cordance with good before breaks and areas with appropr exhaust ventilation <u>posure time</u> eighted Average (TWA):	at the end of workday. riate exhaust ventilation. at machinery. Exposure type	Provide List:		
 Handle in acc Wash hands Heat only in appropriate e he Exp /m3 Time Wash 	cordance with good before breaks and areas with appropr exhaust ventilation <u>posure time</u> eighted Average (TWA):	at the end of workday. riate exhaust ventilation. at machinery. Exposure type	Provide List:		
Wash hands : Heat only in appropriate e le Exp /m3 Time Wa	before breaks and a areas with appropriation exhaust ventilation bosure time eighted Average (TWA):	at the end of workday. riate exhaust ventilation. at machinery. Exposure type	Provide List:		
appropriate e le Exp /m3 Time Wo	oosure time eighted Average (TWA):	at machinery. Exposure type	List:		
/m3 Time We	eighted Average (TWA):				
/m3 Time We	eighted Average (TWA):				
/m3 Time We	eighted Average (TWA):				
· · · · · · · · · · · · · · · · · · ·	PEL:	Total dust.	OSHA Z1		
YSICAL AND	CHEMICAL PRO	OPERTIES			
Solid			t applicable.		
Pellets		2	t determined		
GREEN			t established		
: Very faint : Not determined			t applicable t applicable		
: Not applicable pH : Not applicable : Insoluble					
10. STABILITY AND REACTIVITY					
: Stable.					
: Will not occu	ır.				
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.					
: Incompatible	with strong acids	and oxidizing agents.			
	Not determined Not applicable Insoluble 10. STABILIT : Stable. : Will not occu : Keep away fi decompositio	Not determined Vapor Not applicable pH Insoluble 10. STABILITY AND REACTIVE : Stable. : Will not occur. : Keep away from oxidizing agen decomposition, do not overheat	Not determined Vapor density : No Not applicable pH : No Insoluble Insoluble . . 10. STABILITY AND REACTIVITY . . : Stable. . . : Will not occur. . . : Keep away from oxidizing agents and open flame. To decomposition, do not overheat. .		



MATERIAL SAFETY DATA SHEET

WELLA GREEN 3255

Version Number 1.0 Revision Date 05/03/2002 Page 4 of 5 Print Date 11/4/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	I			
Persistence and degrad						
Environmental Toxicity		 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. 				
Bioaccumulation Poten						
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagir	possible, recy generator of v classification applicable fea ng : Recycling is p has the respon and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)	e	l for transportation.				
ICAO/IATA	: Not regulated	l for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				
	15 RECULATO	ORY INFORMATION	J			



MATERIAL SAFETY DATA SHEET

WELLA GREEN 3255

Version Number 1.0 Revision Date 05/03/2002		Page 5 of 5 Print Date 11/4/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.