

MATERIAL SAFETY DATA SHEET

CHARCOAL

Version Number 1.0 Revision Date 05/04/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CHARCOAL
Product code	:	CC10015623
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

MATERIAL SAFETY DATA SHEET



HARCOAL	
ersion Number 1.0 evision Date 05/04/2002	Page 2 c Print Date 11/4/20
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	contaminants. : none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

CHARCOAL

Version Number 1.0 Revision Date 05/04/2002 Page 3 of 6 Print Date 11/4/2011

	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection		o personal respiratory protect usty conditions occur wear ap			
Eye/Face Protection	: safety glasses				
Hand protection	: P1	: Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations	pı	Vash hands and face before bro- roduct. Handle in accordance ractice for diagnostics.			
Engineering measures		eat only in areas with appropropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH	
Carbon black	3.5 mg/m3	PEL:	Total dust. as carbon	OSHA Z1	
			black		
	9. PHYSIC	CAL AND CHEMICAL PRO			
			OPERTIES		
	: Solid	Evapo	OPERTIES	applicable.	
Appearance	: Solid : flake	s Evapo	OPERTIES Description rate : Not fic Gravity : Not	determined	
Appearance Color	: Solid : flake : BLA	s Evapo S Specia CK Bulk	OPERTIES oration rate : Not fic Gravity : Not density : Not	determined determined	
Appearance Color Odor	: Solid : flake : BLA : Very	s Specia CK Bulk o faint Vapor	OPERTIES oration rate : Not fic Gravity : Not density : Not r pressure : Not	determined determined determined	
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : flake : BLA : Very : Great	Evapo s Specif CK Bulk o faint Vapor ter than 130 °C Vapor	OPERTIES oration rate : Not fic Gravity : Not density : Not · pressure : Not · density : Not	determined determined determined determined	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : flake : BLA : Very : Great	Evapo s Specif CK Bulk o faint Vapor ter than 130 °C Vapor upplicable pH	OPERTIES oration rate : Not fic Gravity : Not density : Not · pressure : Not · density : Not	determined determined determined	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : flake : BLA : Very : Great : Not a : Insol	Evapo s Specif CK Bulk o faint Vapor ter than 130 °C Vapor upplicable pH	OPERTIES oration rate : Not fic Gravity : Not density : Not r pressure : Not : density : Not : Not : Not	determined determined determined determined	
Appearance Color Odor	: Solid : flake : BLA : Very : Great : Not a : Insol 10. S	Evapo s Specifi CK Bulk of faint Vapor ter than 130 °C Vapor upplicable pH uble	OPERTIES oration rate : Not fic Gravity : Not density : Not r pressure : Not : density : Not : Not : Not	determined determined determined determined	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : flake : BLA : Very : Great : Not a : Insol 10. S : St	Evapo s Specif CK Bulk faint Vapor ter than 130 °C Vapor upplicable pH uble	OPERTIES oration rate : Not fic Gravity : Not density : Not r pressure : Not : density : Not : Not : Not	determined determined determined determined	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solid : flake : BLA : Very : Great : Not a : Insol 10. S : St n : W	Evapo s Specif CK Bulk of faint Vapor ter than 130 °C Vapor upplicable pH uble TABILITY AND REACTIF table.	OPERTIES oration rate : Not fic Gravity : Not density : Not • pressure : Not • density : Not • density : Not • VITY • VITY	determined determined determined determined	



MATERIAL SAFETY DATA SHEET

CHARCOAL

Version Number 1.0 Revision Date 05/04/2002 Page 4 of 6 Print Date 11/4/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



MATERIAL SAFETY DATA SHEET

CHARCOAL

ion Number 1.0 sion Date 05/04/2002	Page : Print Date 11/4/
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the matr of the polymer.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or a exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 6
Canadian Regulations:	
WHMIS Classification	: Not controlled.

MATERIAL SAFETY DATA SHEET



PolyOne.

Version Number 1.0		Page 6 of 6
Revision Date 05/04/2002		Print Date 11/4/2011
WHMIS Ingredient Disclosu CAS-No. 1333-86-4	ire List	
DSL :	Listed.	
National Inventories:		
Australia AICS :	Not determined.	
China IECS :	Not determined.	
Europe EINECS :	Not determined.	
Japan ENCS :	Not determined.	
Korea KECI :	Not determined.	
Philippines PICCS :	Not determined.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.