

MATERIAL SAFETY DATA SHEET **GREEN** 

Version Number 1.1 Revision Date 09/08/2003

Page 1 of 6 Print Date 11/12/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10015698
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



### MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.1 Revision Date 09/08/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



### MATERIAL SAFETY DATA SHEET **GREEN**

### Version Number 1.1 Revision Date 09/08/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: GREEN	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pН	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
-			
	: Will not occur.		
Hazardous Polymerization			



## MATERIAL SAFETY DATA SHEET **GREEN**

ion Numeron 4 4			Dogo 4
ion Number 1.1 sion Date 09/08/20	03		Page 4 Print Date 11/12/2
	decom	position, do not overheat.	
Incompatible Materia	als : Incomp	patible with strong acids an	d oxidizing agents.
Hazardous decompos products			noxide (CO), oxides of nitrogen and smoke are all possible.
	11. TOXICO	OLOGICAL INFORMAT	TION
health data for the inc <u>Toxicity Overview</u>	dividual components w	hich comprise the mixture.	osure effects listed are based on exi
-	<b>- - -</b>	-	m have the following characteristic
CAS-No. 7631-86-9	Chemical Nan Silica, amorphous	ne Effect Irritant	Target OrganEyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	
-	ity : Chemic	adily biodegradable. cals are not readily available polymer.	e as they are bound within the matri:
-	ity : Chemic of the p ential : Chemic of the p	cals are not readily available polymer.	e as they are bound within the matrix e as they are bound within the matrix
	ity : Chemic of the p ential : Chemic of the p : No data	cals are not readily available polymer. cals are not readily available polymer.	e as they are bound within the matrix
Environmental Toxic Bioaccumulation Pote	ity : Chemic of the p ential : Chemic of the p : No data <b>13. DISPO</b> : Like m possibl generat classifi	cals are not readily available polymer. cals are not readily available polymer. a available. <b>OSAL CONSIDERATIO</b> nost thermoplastics the prod le, recycling is preferred to	e as they are bound within the matrix NS duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with
Environmental Toxic Bioaccumulation Pote Additional advice	ity : Chemic of the p ential : Chemic of the p : No data 13. DISPO : Like m possibl generat classifi applica ging : Recycl has the and dis	cals are not readily available polymer. cals are not readily available polymer. a available. <b>OSAL CONSIDERATION</b> nost thermoplastics the pro- le, recycling is preferred to tor of waste material has the cation, transportation and c able federal, state/provincial ing is preferred when possi e responsibility for proper w	e as they are bound within the matrix NS duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with
Environmental Toxic Bioaccumulation Pote Additional advice Product	ity : Chemic of the p ential : Chemic of the p : No data <b>13. DISPO</b> : Like m possibl generat classifi applica ging : Recycl has the and dis and loc	cals are not readily available polymer. cals are not readily available polymer. a available. <b>OSAL CONSIDERATION</b> nost thermoplastics the pro- le, recycling is preferred to tor of waste material has the cation, transportation and c able federal, state/provincia ing is preferred when possi responsibility for proper w sposal in accordance with a	e as they are bound within the matrix <b>NS</b> duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations. ble. The generator of waste materia vaste classification, transportation oplicable federal, state/provincial
Environmental Toxic Bioaccumulation Pote Additional advice Product	ity : Chemic of the p ential : Chemic of the p : No data 13. DISPO : Like m possibl generat classifi applica ging : Recycl has the and dis and loc 14. TRAI	cals are not readily available polymer. cals are not readily available polymer. a available. <b>OSAL CONSIDERATION</b> nost thermoplastics the product the recycling is preferred to tor of waste material has the cation, transportation and ca ble federal, state/provincial ing is preferred when possi responsibility for proper w sposal in accordance with a cal regulations.	e as they are bound within the matrix <b>NS</b> duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations. ble. The generator of waste materia vaste classification, transportation oplicable federal, state/provincial
Environmental Toxic Bioaccumulation Pote Additional advice Product Contaminated packag	ity : Chemic of the p ential : Chemic of the p : No data 13. DISP( : Like m possibl generat classifi applica ging : Recycl: has the and dis and loc 14. TRAI	cals are not readily available polymer. cals are not readily available polymer. a available. <b>OSAL CONSIDERATION</b> nost thermoplastics the pro- le, recycling is preferred to tor of waste material has the cation, transportation and c able federal, state/provincia ing is preferred when possi responsibility for proper w sposal in accordance with ap cal regulations.	e as they are bound within the matrix <b>NS</b> duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations. ble. The generator of waste materia vaste classification, transportation oplicable federal, state/provincial



### MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.1 Revision Date 09/08/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG	: Refer to specific regulation.
]	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Su	ubstances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extrem	mely Hazardous Substance
Not applicable	
SARA Title III Section 313 Toxic	Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Release	Inventory (NPRI)
Not applicable	
WHMIS Classification	: D2B
WHMIS Ingredient Disclos	sure List
CAS-No. 7631-86-9	]
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.

POLYO	ONE CORPORA	PolyOn	<u>e</u> .		
MATERIA	L SAFETY DATA S	неет			
GREEN	1				
Version Nu Revision D	umber 1.1 9ate 09/08/2003			Print Date	Page 6 of 6 11/12/2011
	Europe EINECS	:	Not determined.		
	Japan ENCS	:	Listed.		
	Korea KECI	:	Listed.		
	Philippines PICCS	:	Listed.		

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.