

MATERIAL SAFETY DATA SHEET

## ANEW LUMINOSITY ULTRA

Version Number 1.0 Revision Date 05/07/2002 Page 1 of 5 Print Date 11/4/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ANEW LUMINOSITY ULTRA
Product code	:	CC10015711
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to avoid</li> </ul>			
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

# ANEW LUMINOSITY ULTRA

Version Number 1.0 Revision Date 05/07/2002 Page 2 of 5 Print Date 11/4/2011

		4. FIRST AID MEASURES			
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all ca doubt seek medical advice.					
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None			
Hazards					
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage		Keep containers dry and tightly closed to avoid moisture absorption			



MATERIAL SAFETY DATA SHEET

# ANEW LUMINOSITY ULTRA

Version Number 1.0 Revision Date 05/07/2002 Page 3 of 5 Print Date 11/4/2011 place.

8.1	EXPOSURE	CONTROLS / PER	SONAL I	PROTECTION	
Respiratory protection	: N	No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Mica	3 mg/m3	Time Weighted A (TWA):	verage	Total dust.	ACGIH
Mica	20 mppcf	PEL:		Total dust.	OSHA
	9. PHYSIC	CAL AND CHEMIC	CAL PRO	PERTIES	
Form	: Solid	1	Evenor	ation rata · No	t applicable
Appearance	: Pelle		Evaporation rate : Not applicable. Specific Gravity : Not determined		
Color		NSPARENT	Bulk de	~	t established
Odor	: Very			•	
Melting point/range		determined			t applicable
Boiling Point:					t applicable
Water solubility		applicable	pН	. INO	t applicable
water solubility	: Insol	uble			
	10.8	STABILITY AND R	EACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerizatio	n : W	Vill not occur.			
Conditions to avoid		eep away from oxidi ecomposition, do not		s and open flame. To	avoid thermal
				nd oxidizing agents.	



#### MATERIAL SAFETY DATA SHEET

# ANEW LUMINOSITY ULTRA

Version Number 1.0 Revision Date 05/07/2002 Page 4 of 5 Print Date 11/4/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
12001-26-2 Mica		Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	I			
Persistence and degrada						
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data availa	: No data available.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagir	possible, recy generator of v classification, applicable fed ag : Recycling is p has the respor and disposal i	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.</li> </ul>				
	14. TRANSPO	<b>RT INFORMATION</b>				
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)		gulated for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
	15 DECULATO	ORY INFORMATION	J			



#### MATERIAL SAFETY DATA SHEET

# ANEW LUMINOSITY ULTRA

Version Number 1.0 Revision Date 05/07/2002		Page 5 of 5 Print Date 11/4/2011
US Regulations:		
OSHA Status	: Cl	assified as hazardous based on components.
TSCA Status		l components of this product are listed on the TSCA inventory or are empt.
California Proposition 65	: Tł	his product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	: N	ot controlled.
WHMIS Ingredient Disc	losure I	List
CAS-No. 12001-26-2 18282-10-5		
DSL	: Li	sted.
National Inventories:		
Australia AICS	: Li	sted.
China IECS	: Li	sted.
Europe EINECS	: N	ot determined.
Japan ENCS	: N	ot determined.
Korea KECI	: Li	sted.
Philippines PICCS	: Li	sted.
	1	6. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.