

MATERIAL SAFETY DATA SHEET

RED 7033

Version Number 1.0 Revision Date 05/08/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone : CHEMTREC 1-80 number or accident).		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED 7033
Product code	:	CC10015826
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				



MATERIAL SAFETY DATA SHEET

RED 7033

ion Number 1.0 sion Date 05/08/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RED 7033

ion Number 1.0 sion Date 05/08/2002			Print I	Page Date 11/4/		
	a	nd contamination. Keep in a c	lry, cool place.			
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally r	equired.		
Eye/Face Protection	: S	afety glasses with side-shields	5.			
Hand protection	: Protective gloves.					
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and		afety practic		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH		
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not o : Not a : Insol	IlletsSpecific Gravity: Not determinedEDBulk density: Not establishedery faintVapor pressure: Not applicableot determinedVapor density: Not applicableot applicablepH: Not applicablesoluble				
	10. 8	STABILITY AND REACTIV	VITY			
Stability	: S	table.				
	: V	Vill not occur.				
Hazardous Polymerization			1 7 5			
Hazardous Polymerization Conditions to avoid		Leep away from oxidizing agen ecomposition, do not overhead		void therma		
-	d			void therma		



MATERIAL SAFETY DATA SHEET

RED 7033

Version Number 1.0 Revision Date 05/08/2002

Page 4 of 6 Print Date 11/4/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical	Name	Effect	Target Organ		
1309-37-1	Iron oxide		Systemic effects	Respiratory system.		
	12 E(AL INFORMATION	J		
	12, E(
Persistence and degrad	lability : No	t readily bio	degradable.			
Environmental Toxici		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Pote		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No	: No data available.				
	13. D	ISPOSAL C	CONSIDERATIONS	5		
Product		Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packag	has	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. T	RANSPOR	T INFORMATION			
U.S. D.O.T. / CA T.D.G. : Not regulated for transportation. Classification (Non-bulk ground)						
ICAO/IATA : Not regulated for transportation.						
IMO / IMDG	: No	Not regulated for transportation.				
	15 RF		RY INFORMATIO	NI		

MATERIAL SAFETY DATA SHEET



RED 7033				
Version Number 1.0 Revision Date 05/08/2002			Print D	Page 5 of 6 pate 11/4/2011
US Regulations:				
OSHA Status :	Classified as haza	rdous based on cor	mponents.	
TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.			
California Proposition : 65	This product does	not contain a subs	tance listed by Califor	rnia Prop 65.
SARA Title III Section 313 Toxic	Chemicals:			
Chemical Name		CAS-No.	Weight %	7
ZINC COMPOUND	20	68187-51-9	1.65	-
WHMIS Classification : WHMIS Ingredient Disclose CAS-No. 1309-37-1 7631-86-9 DSL :				
National Inventories:				
Australia AICS :	Listed.			
China IECS :	Listed.			
Europe EINECS :	Not determined.			
Japan ENCS :	Not determined.			
Korea KECI :	Not determined.			
Philippines PICCS :	Not determined.			
	16. OTHER INF	ORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

RED 7033

Version Number 1.0 Revision Date 05/08/2002



Page 6 of 6 Print Date 11/4/2011