

MATERIAL SAFETY DATA SHEET

# **RASBERRY PET**

Version Number 1.0 Revision Date 05/13/2002 Page 1 of 5 Print Date 11/4/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RASBERRY PET
Product code	:	CC10015849
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

## **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

# RASBERRY PET

ion Number 1.0 sion Date 05/13/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
Tiocedules	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

# **RASBERRY PET**

ion Number 1.0 sion Date 05/13/2002			Prir	Page 3 ht Date 11/4/2
	a	nd contamination. Keep in a	dry, cool place.	
8. H	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	o personal respiratory protec	ctive equipment normall	y required.
Eye/Face Protection	: S	afety glasses with side-shield	ls.	
Hand protection	: Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with goo ash hands before breaks and		l safety practice
Engineering measures		eat only in areas with appropropriate exhaust ventilation		n. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES	
Form	: Solid	Evap	oration rate : N	ot applicable.
Appearance	: Pelle		ific Gravity : N	ot determined
Color	: RED		Bulk density : Not establish	
Odor	: Very		1	ot applicable
Melting point/range				ot applicable
Boiling Point: Water solubility	: Not a : Insol	applicable pH uble	: 1	ot applicable
	10. 8	TABILITY AND REACT	IVITY	
Stability	: S	table.		
Hazardous Polymerization	n : W	/ill not occur.		
Conditions to avoid		eep away from oxidizing ag ecomposition, do not overhe		avoid thermal



MATERIAL SAFETY DATA SHEET

# RASBERRY PET

sion Number 1.0 ision Date 05/13/2002	2			Page 4 Print Date 11/4/2
Incompatible Materials	:	Incompatible wi	th strong acids and	oxidizing agents.
Hazardous decompositi products	on :		· · · ·	oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. 7	FOXICOLOGIC	CAL INFORMATI	ON
This mixture has not be health data for the indiv				sure effects listed are based on ex-
•	ne following	components which	ch in their pure form	have the following characteristic
CAS-No.	Chem	nical Name	Effect	Target Organ
7631-86-9	Silica, amo		Irritant	Eyes, Respiratory system.
13463-67-7	Titanium d		Systemic effects	Respiratory system.
	12	2. ECOLOGICA	L INFORMATION	N
Persistence and degrada	ability :	Not readily biod	legradable.	
Environmental Toxicity	-		-	as they are bound within the matri
Bioaccumulation Poten	tial :	Chemicals are n of the polymer.	ot readily available a	as they are bound within the matri
Additional advice	:	No data availab	le.	
	1.	3. DISPOSAL C	ONSIDERATION	S
Product	:	possible, recycli generator of was classification, tr	ing is preferred to di ste material has the ansportation and dis	act can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.
Contaminated packagin	g :	has the responsi	bility for proper was accordance with app	e. The generator of waste materia ste classification, transportation blicable federal, state/provincial
	1	4. TRANSPORT	<b>INFORMATION</b>	
U.S. D.O.T. / CA T.D. Classification (Non-bul ground)		Not regulated for	or transportation.	
ICAO/IATA	:	Not regulated for	or transportation.	
		4	/5	



### MATERIAL SAFETY DATA SHEET

# **RASBERRY PET**

Pag Print Date 11/
: Not regulated for transportation.
15. REGULATORY INFORMATION
: Classified as hazardous based on components.
: All components of this product are listed on the TSCA inventory or exempt.
: This product does not contain a substance listed by California Prop
: D2B
osure List
: Listed.
: Not determined.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.