

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 05/17/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10015866
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 05/17/2002	Print Date 11/4/2		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

WHITE

ion Number 1.0 sion Date 05/17/2002			Prin	Page 3 t Date 11/4/
	a	nd contamination. Keep in a	a dry, cool place.	
8. I	EXPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	o personal respiratory prote	ctive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shiel	ds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with go Vash hands before breaks an		safety practic
Engineering measures		leat only in areas with appropriate exhaust ventilation		. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES	
Form	: Solid	l Eva	poration rate : No	ot applicable.
Appearance		: Pellets Specific Gravity		
Color	: WHI			ot established
Odor	: Very	: Very faint Vapor pressure : Not ap		
Melting point/range				ot applicable
Boiling Point:		applicable pH	: No	ot applicable
Water solubility	: Insol	uble		
	10. 5	STABILITY AND REACT	TVITY	
Sec.1.11.	: S	table.		
Stability				
Hazardous Polymerizatio	n : W	Vill not occur.		



MATERIAL SAFETY DATA SHEET

ision Date 05/17/2002			Page 4 Print Date 11/4/2
Incompatible Materials	: Incompatible	e with strong acids and	d oxidizing agents.
Hazardous decomposition products			noxide (CO), oxides of nitrogen and smoke are all possible.
	11. TOXICOLO	GICAL INFORMAT	ION
This mixture has not been health data for the individ			osure effects listed are based on ex-
<u>Toxicity Overview</u> This product contains the	following components v	which in their pure for	m have the following characteristic
CAS-No.	Chemical Name	Effect	Target Organ
	ilica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7 Т	itanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGI	CAL INFORMATIO	DN
Persistence and degradabi	lity : Not readily b	biodegradable.	
Environmental Toxicity		re not readily available	e as they are bound within the matri
Bioaccumulation Potentia	Chemicals as of the polym		e as they are bound within the matri
Additional advice	: No data avai	lable.	
	13. DISPOSAI	CONSIDERATION	VS
Product	possible, rec generator of classification	ycling is preferred to o waste material has the n, transportation and d	luct can be recycled. Where disposal or incineration. The e responsibility for proper waste isposal in accordance with and local regulations.
Contaminated packaging	has the respo	onsibility for proper w in accordance with ap	ble. The generator of waste materia aste classification, transportation oplicable federal, state/provincial
	14. TRANSPO	ORT INFORMATIO	N
U.S. D.O.T. / CA T.D.G.	: Not regulate	d for transportation.	
Classification (Non-bulk ground)			



MATERIAL SAFETY DATA SHEET

WHITE

sion Number 1.0 /ision Date 05/17/2002	Page 5 Print Date 11/4/2
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	losure List
CAS-No. 7631-86-9	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Listed.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.