

MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 05/13/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10015897
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BLUE

	4. FIRST AID MEASURES
Inhalation	 Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	NY
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable : Not relevant
Autoignition temperature Suitable extinguishing media	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





BLUE

sion Number 1.0 vision Date 05/13/2002			Print	Page 3 Date 11/4/2
	a	nd contamination. Keep in	a dry, cool place.	
8. H	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection		o personal respiratory prote usty conditions occur wear	· · · ·	1
Eye/Face Protection	: S	afety glasses with side-shiel	ds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with go Vash hands before breaks an		safety practice
Engineering measures		eat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
*		*		
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous Silica, amorphous	20 mppcf 20 mppcf	PEL: PEL:	Total dust. Total dust.	OSHA Z3
	* *	PEL: Time Weighted Average	Total dust.	
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Silica, amorphous Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3	PEL: Time Weighted Average (TWA):	Total dust. Total dust. Total dust.	Z3 ACGIH
Silica, amorphous Titanium dioxide Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P	Total dust. Total dust. Total dust. ROPERTIES	Z3 ACGIH OSHA Z1
Silica, amorphous Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P	Total dust. Total dust. Total dust. ROPERTIES poration rate : Not	Z3 ACGIH
Silica, amorphous Titanium dioxide Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P. I Eva ler, granular Spe E Bul	Total dust. Total dust. Total dust. ROPERTIES poration rate : Not cific Gravity : Not k density : Not	Z3 ACGIH OSHA Z1 t applicable.
Silica, amorphous Titanium dioxide Titanium dioxide Form Appearance Color Odor	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : powo : BLU : Very	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P. I Eva ler, granular Spe E Bull faint Vap	Total dust. Total dust. Total dust. Total dust. ROPERTIES poration rate : Not content in the second s	Z3 ACGIH OSHA Z1 t applicable. t applicable. t determined t applicable
Silica, amorphous Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : powo : BLU : Very : Not o	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P L Eva ler, granular Spe E Bull faint Vap determined Vap	Total dust. Total dust. Total dust. Total dust. ROPERTIES poration rate : Not content in the second s	Z3 ACGIH OSHA Z1 t applicable. t applicable. t determined t applicable t applicable
Silica, amorphous Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : BLU : Very : Not d : Not a	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P. L Eva ler, granular Spe E Bull faint Vap determined Vap applicable pH	Total dust. Total dust. Total dust. Total dust. ROPERTIES poration rate : Not content in the second s	Z3 ACGIH OSHA Z1 t applicable. t applicable. t determined t applicable
Silica, amorphous Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : powo : BLU : Very : Not o	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P. L Eva ler, granular Spe E Bull faint Vap determined Vap applicable pH	Total dust. Total dust. Total dust. Total dust. ROPERTIES poration rate : Not content in the second s	Z3 ACGIH OSHA Z1 t applicable. t applicable. t determined t applicable t applicable
Silica, amorphous Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : powc : BLU : Very : Not c : Not c : Insol	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P. L Eva ler, granular Spe E Bull faint Vap determined Vap applicable pH	Total dust. Total dust. Total dust. ROPERTIES poration rate : Not consistent or pressure ior pressure : Not consistent or density ior density : Not consistent or density	Z3 ACGIH OSHA Z1 t applicable. t applicable. t determined t applicable t applicable
Silica, amorphous Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : powc : BLU : Very : Not c : Insol 10. S	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P. I Eva ler, granular Spe E Bull faint Vap determined Vap applicable pH uble	Total dust. Total dust. Total dust. ROPERTIES poration rate : Not consistent or pressure ior pressure : Not consistent or density ior density : Not consistent or density	Z3 ACGIH OSHA Z1 t applicable. t applicable. t determined t applicable t applicable
Silica, amorphous Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : powd : BLU : Very : Not a : Insol 10. S : S	PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P. L Eva ler, granular Spe E Bull faint Vap determined Vap applicable pH uble	Total dust. Total dust. Total dust. ROPERTIES poration rate : Not consistent or pressure ior pressure : Not consistent or density ior density : Not consistent or density	Z3 ACGIH OSHA Z1 t applicable. t applicable. t determined t applicable t applicable



MATERIAL SAFETY DATA SHEET

BLUE

Incompatible Materials Hazardous decomposition products This mixture has not been health data for the individu Toxicity Overview	: Carbon dioxio (NOx), other 11. TOXICOLOG evaluated as a whole for		oxidizing agents. oxide (CO), oxides of nitrogen nd smoke are all possible.		
Hazardous decomposition products This mixture has not been the health data for the individu	: Carbon dioxio (NOx), other 11. TOXICOLOG evaluated as a whole for	le (CO2), carbon mono hazardous materials, ar	oxide (CO), oxides of nitrogen		
products This mixture has not been health data for the individu	(NOx), other 11. TOXICOLOG evaluated as a whole for	hazardous materials, ar			
health data for the individu	evaluated as a whole for	ICAL INFORMATIO			
health data for the individu			DN		
Toxicity Overview			are effects listed are based on ex		
	following components w	hich in their pure form	have the following characterist		
CAS-No.	Chemical Name	Effect	Target Organ		
	lica, amorphous	Irritant	Eyes, Respiratory system.		
13463-67-7 Ti	itanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	I		
Persistence and degradabil Environmental Toxicity		-	wn or expected under normal us		
Bioaccumulation Potential		y biodegradable.			
Additional advice	: No data availa	: No data available.			
	13. DISPOSAL	CONSIDERATIONS			
Product	generator of v classification,	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	has the respon- and disposal i	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPO	RT INFORMATION			
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	: Not regulated for transportation.			
ICAO/IATA	: Not regulated	for transportation.			
IMO / IMDG	: Not regulated	for transportation.			



MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 05/13/2002 Page 5 of 5 Print Date 11/4/2011

	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	losu	re List
CAS-No. 7631-86-9		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Listed.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.