

MATERIAL SAFETY DATA SHEET

050YE653 HMF GOLD PANTONE 1235C

Version Number 1.0 Revision Date 05/17/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	050YE653 HMF GOLD PANTONE 1235C
Product code	:	CC10015961
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin Chronic exposure	 Experience shows no unusual dermatitis hazard from routine handling. Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

050YE653 HMF GOLD PANTONE 1235C

Version Number 1.0 Revision Date 05/17/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

050YE653 HMF GOLD PANTONE 1235C

Version Number 1.0 Revision Date 05/17/2002 Page 3 of 6 Print Date 11/4/2011

8. E	XPOSURE	CONTROLS / PERSONAL	L PROTECTION	
Respiratory protection	: N	o personal respiratory protec	tive equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with side-shield	ls.	
Hand protection	: Pr	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		andle in accordance with goo ash hands before breaks and		safety practice.
Engineering measures		eat only in areas with approp	priate exhaust ventilation	. Provide
	ar	ppropriate exhaust ventilation	n at machinery.	
			-	1:4
Exposure limit(s) Components	Value	Exposure time	Exposure type	List:
Components Calcium carbonate	Value 10 mg/m3		-	List: ACGIH
Components	Value	Exposure time Time Weighted Average	Exposure type	
Components Calcium carbonate	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	ACGIH
Components Calcium carbonate	Value 10 mg/m3 5 mg/m3	Exposure time Time Weighted Average (TWA): PEL: PEL: Time Weighted Average	Exposure type Total dust. Respirable dust.	ACGIH OSHA Z1
Components Calcium carbonate Calcium carbonate	Value 10 mg/m3 5 mg/m3 15 mg/m3	Exposure time Time Weighted Average (TWA): PEL: PEL:	Exposure type Total dust. Respirable dust. Total dust.	ACGIH OSHA Z1 OSHA Z1
Components Calcium carbonate Calcium carbonate Titanium dioxide	Value 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3	Exposure time Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA):	Exposure type Total dust. Respirable dust. Total dust. Total dust. Total dust. Total dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide	Value 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	Exposure time Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR	Exposure type Total dust. Respirable dust. Total dust. Total dust. Total dust. OPERTIES	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide	Value 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Exposure time Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR	Exposure type Total dust. Respirable dust. Total dust. Total dust. Total dust. OPERTIES oration rate : No	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Form Appearance	Value 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Exposure time Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR L Evap ts Spec	Exposure type Total dust. Respirable dust. Total dust. Total dust. Total dust. OPERTIES oration rate : No ific Gravity : No	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 ot applicable.
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Form Appearance Color	Value 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL	Exposure time Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR I Evap ts Spec LOW Bulk	Exposure type Total dust. Respirable dust. Total dust. Total dust. Total dust. Total dust. OPERTIES oration rate : Notific Gravity ific Gravity : Notific Gravity ific Gravity : Notific Gravity	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Form Appearance Color Odor	Value 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very	Exposure time Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR I Evap ts Spec LOW Bulk faint Vapo	Exposure type Total dust. Respirable dust. Total dust. Total dust. Total dust. Total dust. Total dust. GOPERTIES oration rate : No ific Gravity : No density : No or pressure : No	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Form Appearance Color	Value 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very : Not c	Exposure time Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR I Evap ts Spec LOW Bulk faint Vapo	Exposure type Total dust. Respirable dust. Total dust. Total dust. Total dust. Total dust. Total dust. GOPERTIES oration rate : No ific Gravity : No or pressure : No or density : No or density : No	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1

10. STABILITY AND REACTIVITY

Stability : Stable.

Hazardous Polymerization : Will not occur.

Conditions to avoid

3/6

: Keep away from oxidizing agents and open flame. To avoid thermal



MATERIAL SAFETY DATA SHEET

050YE653 HMF GOLD PANTONE 1235C

	002			Print Date 11/4/2	
		decomposition	n, do not overheat.		
Incompatible Materia	als	: Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decompos products	sition			oxide (CO), oxides of nitrogen and smoke are all possible.	
	-	1. TOXICOLOG	ICAL INFORMATIO	ON	
This mixture has not health data for the inc				ure effects listed are based on exis	
Toxicity Overview This product contains	s the follow	ing components w	hich in their pure form	have the following characteristic	
CAS-No.		nemical Name	Effect	Target Organ	
1317-65-3	Calciur	n carbonate	Irritant	Eyes, Skin.	
12462 67 7	TD ' i	1 1	Systemic effects	Eyes, Skin, Respiratory system	
13463-67-7	Titaniu	m dioxide	Systemic effects	Respiratory system.	
			AL INFORMATION	J	
Bioaccumulation Potential Additional advice		Chemicals are not readily available as they are bound within the matrix of the polymer.No data available.			
		13. DISPOSAL	CONSIDERATIONS	9	
Product		: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
			nations.		
		14. TRANSPO	RT INFORMATION		



MATERIAL SAFETY DATA SHEET

050YE653 HMF GOLD PANTONE 1235C

ion Number 1.0 sion Date 05/17/2002	<u> </u>	Page 5 Print Date 11/4/2
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or ar exempt.
California Proposition 65	:	WARNING! This product contains a chemical known in the State of California to cause cancer.
Canadian Regulations:		
WHMIS Classification	:	D2A
WHMIS Ingredient Disc	losu	ire List
CAS-No. 5160-02-1		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

050YE653 HMF GOLD PANTONE 1235C

Version Number 1.0 Revision Date 05/17/2002 Page 6 of 6 Print Date 11/4/2011