

MATERIAL SAFETY DATA SHEET

PINOL GREEN

Version Number 1.0 Revision Date 05/17/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PINOL GREEN
Product code	:	CC10015964
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: No known effects.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PINOL GREEN

ion Number 1.0 sion Date 05/17/2002	Page 2 Print Date 11/4/
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 Deg F
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable. Not applicable. Not applicable. Carbon dioxide blanket, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PINOL GREEN

ision Date 05/17/2002				Pr	Page 3 int Date 11/4/2
	ar	nd contamination. Sto	ore in a c	ool dry place.	
8. E	XPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: U	nder normal handling	g conditio	ons a respirator is not	required.
Eye/Face Protection	: Sa	afety glasses with side	e-shields.		
Hand protection	: P1	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations		andle in accordance v ash hands before bre			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Components Carbon black	Value 3.5 mg/m3	Time Weighted Av (TWA):		Total dust. as carbo black	on ACGIH
-		Time Weighted Av		Total dust. as carbo	on ACGIH
Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Av (TWA):	verage	Total dust. as carbo black Total dust. as carbo black	on ACGIH
Carbon black Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquid	Time Weighted Av (TWA): PEL: CAL AND CHEMIC	verage EAL PRO Evapor	Total dust. as carbo black Total dust. as carbo black PERTIES ration rate : 1	on ACGIH on OSHA Z1
Carbon black Carbon black Form Appearance	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquic : visco	Time Weighted Av (TWA): PEL: CAL AND CHEMIC	verage EAL PRO Evapor Specifi	Total dust. as carbo black Total dust. as carbo black PPERTIES ration rate : 1 ic Gravity : 1	on ACGIH on OSHA Z1 Not determined Not determined
Carbon black Carbon black Form Appearance	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquid : visco : GRE	Time Weighted Av (TWA): PEL: CAL AND CHEMIC d pus, liquid EN	verage CAL PRC Evapor Specifi Bulk d	Total dust. as carbo black Total dust. as carbo black PPERTIES ration rate : I ic Gravity : I ensity : I	on ACGIH on OSHA Z1
Carbon black Carbon black Form Appearance Color	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquid : visco : GRE : Very	Time Weighted Av (TWA): PEL: CAL AND CHEMIC d pus, liquid EN	verage CAL PRC Evapor Specifi Bulk d Vapor	Total dust. as carbo black Total dust. as carbo black PPERTIES ration rate : I ensity : I pressure : I	on ACGIH on OSHA Z1 Not determined Not determined Not applicable.
Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquid : visco : GRE : Very : Not a : Not a	Time Weighted Av (TWA): PEL: CAL AND CHEMIC d bus, liquid EN faint applicable applicable	verage CAL PRC Evapor Specifi Bulk d Vapor	Total dust. as carbo black Total dust. as carbo black PPERTIES ration rate : I ensity : I pressure : I density : I	on ACGIH on OSHA Z1 Not determined Not determined Not applicable. Not determined
Carbon black Carbon black Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquid : visco : GRE : Very : Not a	Time Weighted Av (TWA): PEL: CAL AND CHEMIC d bus, liquid EN faint applicable applicable	verage EAL PRC Evapor Specifi Bulk d Vapor Vapor	Total dust. as carbo black Total dust. as carbo black PPERTIES ration rate : I ensity : I pressure : I density : I	on ACGIH on OSHA Z1 Not determined Not determined Not applicable. Not determined Not determined
Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquic : visco : GRE : Very : Not a : Not a : immi	Time Weighted Av (TWA): PEL: CAL AND CHEMIC d bus, liquid EN faint applicable applicable	Evapor Specifi Bulk d Vapor Vapor pH	Total dust. as carbo black Total dust. as carbo black DPERTIES ration rate : I ic Gravity : I pressure : I density : I	on ACGIH on OSHA Z1 Not determined Not determined Not applicable. Not determined Not determined
Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquid : visco : GRE : Very : Not a : immi 10. S	Time Weighted Av (TWA): PEL: CAL AND CHEMIC d bus, liquid EN faint applicable applicable iscible	Evapor Specifi Bulk d Vapor Vapor pH	Total dust. as carbo black Total dust. as carbo black DPERTIES ration rate : I ic Gravity : I pressure : I density : I	on ACGIH on OSHA Z1 Not determined Not determined Not applicable. Not determined Not determined
Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquid : visco : GRE : Very : Not a : Not a : immi 10. S	Time Weighted Av (TWA): PEL: CAL AND CHEMIC d ous, liquid EN faint applicable iscible STABILITY AND R	Evapor Specifi Bulk d Vapor Vapor pH	Total dust. as carbo black Total dust. as carbo black DPERTIES ration rate : I ic Gravity : I pressure : I density : I	on ACGIH on OSHA Z1 Not determined Not determined Not applicable. Not determined Not determined
Carbon black Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : liquid : visco : GRE : Very : Not a : Not a : Iiquid : stopping : Stopping : Stopping : Water : Stopping : Water : Stopping : Water : Water : Stopping : Water : Water : Water : Water : Water : Water : Stopping : Water : Water : Stopping : Water : Water : Water : Stopping : Water : Water : Water : Stopping : Water : Water : Water : Stopping : Water : Water : Water : Stopping : Water : Water : Water : Stopping : Water : Water : Water : Stopping : Water : Water : Water : Water : Water : Stopping : Water : Water	Time Weighted Av (TWA): PEL: CAL AND CHEMIC d bus, liquid EN faint applicable applicable iscible STABILITY AND R table.	verage Evapor Specifi Bulk d Vapor Vapor pH	Total dust. as carbo black Total dust. as carbo black PERTIES ration rate : I ac Gravity : I pressure : I density : I : I TTY	on ACGIH on OSHA Z1 Not determined Not determined Not applicable. Not determined Not determined



MATERIAL SAFETY DATA SHEET

PINOL GREEN

Version Number 1.0

Revision Date 05/17/2002

Page 4 of 6 Print Date 11/4/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET

PINOL GREEN

sion Number 1.0 ision Date 05/17/2002		Page 5 c Print Date 11/4/20
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	:	Does not bioaccumulate
Additional advice	:	No data available.
	13	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	:	Not regulated for transportation.
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
WHMIS Ingredient Disc	losu	re List
CAS-No.		

MATERIAL SAFETY DATA SHEET



PINOL GREEN

Version Number 1.0 Revision Date 05/17/2002 Print Date 11/4/2011 103-23-1 1333-86-4 DSL : Listed. National Inventories: Australia AICS : Listed. China IECS Listed. : Europe EINECS Listed. : Japan ENCS : Listed. : Not determined. Korea KECI **Philippines PICCS** : Listed. **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Page 6 of 6