

MATERIAL SAFETY DATA SHEET

COBALT BLUE W/ HOLOFLAKE

Version Number 1.0 Revision Date 05/13/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	COBALT BLUE W/ HOLOFLAKE
Product code	:	CC10015968
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	:	Inhalation, Ingestion, Skin contact	
Acute exposure			
Inhalation Ingestion Eyes Skin	:	Resin particles, like other inert materials, can be mechanically irritating May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	:	Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	:	None known.	
			-

4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET

COBALT BLUE W/ HOLOFLAKE

Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyclids, for a least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Skin : Not applicable Flash point : Not applicable Flammable Limits : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : none Hazards : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. T.	sion Date 05/13/2002	Print Date 11.		
Eyes : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists se medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists se medical attention. Skin : Not applicable Flash point : Not applicable Flammable Limits Upper explosion limit Upper explosion limit : Not applicable Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : none Hazards : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Handling : Take measures to prevent the build up of electrostat	Inhalation	overheating or combustion. When symptoms persist or in all case	s of	
least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists see medical attention. Flash point : Not applicable Flash point : Not applicable Flammable Limits : Not applicable Upper explosion limit : Not applicable Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : none Hazards : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	Ingestion		S	
medical attention. state in the initial initinitial initinitial initinitinitial initial initial initial initial	Eyes			
Flash point : Not applicable Flammable Limits Upper explosion limit : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : none Hazards : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	Skin		seel	
Flammable Limits Upper explosion limit : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting Procedures : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : none Hazards : Near appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		5. FIRE-FIGHTING MEASURES		
Upper explosion limit : Not applicable Lower explosion limit : Not applicable Autoignition temperature : Not relevant Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting Procedures : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion Hazards : none 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	Flash point	: Not applicable		
Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion : none Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	Upper explosion limit Lower explosion limit Autoignition temperature	Not applicableNot relevant		
Unusual Fire/Explosion : none Hazards : onne 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		pressure mode should be worn to prevent inhalation of airborne	ive	
Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		5. ACCIDENTAL RELEASE MEASURES		
Methods for cleaning up : Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	Environmental precautions		not	
 Handling Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 	Methods for cleaning up	plastic, cardboard or metal containers for disposal. Refer to Section	m 1.	
Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		7. HANDLING AND STORAGE		
and contamination. Keep in a dry, cool place.	Handling		at	
8. EXPOSURE CONTROLS / PERSONAL PROTECTION	Storage		on	
	8. EXP(SURE CONTROLS / PERSONAL PROTECTION		



MATERIAL SAFETY DATA SHEET

ersion Number 1.0 Evision Date 05/13/2002		Page Print Date 11/4/	
Respiratory protection		ory protective equipment normally required. If ur wear appropriate respiratory protection.	
Eye/Face Protection	: safety glasses		
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothin	ıg.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		before breaks and immediately after handling the coordance with good industrial hygiene and safe ics.	
Engineering measures		ith appropriate exhaust ventilation. Provide ventilation at machinery.	
Exposure limit(s)			
There are no known hazardou	s components above regulate	ory thresholds in this product.	
9.	PHYSICAL AND CHEMI	ICAL PROPERTIES	
Form	: Solid : flakes : BLUE	Evaporation rate : Not applicable. Specific Gravity : Not determined	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 BLOE Very faint Greater than 130 °C Not applicable Insoluble 	Bulk density: Not determinedVapor pressure: Not determinedVapor density: Not determinedpH: Not applicable	
Color Odor Melting point/range Boiling Point:	 Very faint Greater than 130 °C Not applicable 	Vapor pressure: Not determinedVapor density: Not determinedpH: Not applicable	
Color Odor Melting point/range Boiling Point:	 Very faint Greater than 130 °C Not applicable Insoluble 	Vapor pressure: Not determinedVapor density: Not determinedpH: Not applicable	

Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.



MATERIAL SAFETY DATA SHEET

COBALT BLUE W/ HOLOFLAKE

Version Number 1.0 Revision Date 05/13/2002 Page 4 of 5 Print Date 11/4/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the matri of the polymer.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on the TSCA inventory or ar exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations:	



MATERIAL SAFETY DATA SHEET

COBALT BLUE W/ HOLOFLAKE

Version Number 1.0 Revision Date 05/13/2002 Page 5 of 5 Print Date 11/4/2011

	WHMIS Classification	:	Not controlled.
	DSL	:	Listed.
Nation	nal Inventories:		
	Australia AICS	:	Not determined.
	China IECS	:	Not determined.
	Europe EINECS	:	Not determined.
	Japan ENCS	:	Not determined.
	Korea KECI	:	Not determined.
	Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.