

MATERIAL SAFETY DATA SHEET

RED ORANGE

Version Number 1.0 Revision Date 05/13/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED ORANGE
Product code	:	CC10015994
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



MATERIAL SAFETY DATA SHEET

RED ORANGE

sion Date 05/13/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

RED ORANGE

sion Date 05/13/2002			Print	Page: Date 11/4/	
	aı	nd contamination. Keep in a d	lry, cool place.		
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.	
Eye/Face Protection	: Sa	: Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	: Safety shoes.			
General Hygiene Considerations		andle in accordance with good /ash hands before breaks and a		safety practic	
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z	
	9. PHYSIC	CAL AND CHEMICAL PRO)PERTIES		
Form	: Solid	l Evapo	ration rate : Not	t applicable.	
Appearance	: Solid : Pelle	l Evapo ts Specif	ration rate : Not ïc Gravity : Not	t determined	
Appearance Color	: Solid : Pelle : ORA	l Evapo ts Specif NGE Bulk d	ration rate : Not ic Gravity : Not lensity : Not	t determined t established	
Appearance Color Odor	: Solid : Pelle : ORA : Very	l Evapo ts Specif NGE Bulk d faint Vapor	ration rate : Not fic Gravity : Not lensity : Not pressure : Not	t determined t established t applicable	
Appearance Color Odor Melting point/range	: Solid : Pelle : ORA : Very : Not c	l Evapo ts Specif NGE Bulk d faint Vapor letermined Vapor	ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	t determined t established t applicable t applicable	
Appearance Color Odor	: Solid : Pelle : ORA : Very : Not c	l Evapo ts Specif NGE Bulk d faint Vapor letermined Vapor applicable pH	ration rate : Not ic Gravity : Not lensity : Not pressure : Not density : Not	t determined t established t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : ORA : Very : Not c : Not a : Insol	l Evapo ts Specif NGE Bulk d faint Vapor letermined Vapor applicable pH	ration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not : Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : ORA : Very : Not c : Not a : Insol 10. S	l Evapo ts Specif NGE Bulk d faint Vapor determined Vapor applicable pH uble	ration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not : Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : ORA : Very : Not c : Not z : Insol 10. S	l Evapo ts Specif NGE Bulk d faint Vapor letermined Vapor applicable pH uble	ration rate : Not fic Gravity : Not lensity : Not pressure : Not density : Not : Not	t determined t established t applicable t applicable	



MATERIAL SAFETY DATA SHEET

RED ORANGE

Version Number 1.0	Page 4 of 6
Revision Date 05/13/2002	Print Date 11/4/2011
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

Persistence and degradability Environmental Toxicity	: Not readily biodegradable.
Environmental Toxicity	
	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



MATERIAL SAFETY DATA SHEET

RED ORANGE

Version Number 1.0 Revision Date 05/13/2002 Page 5 of 6 Print Date 11/4/2011

IMO / IMDG		:	Not regulated for transportation.
		15	REGULATORY INFORMATION
US Regulations:			
OSHA Status		:	Classified as hazardous based on components.
TSCA Status		:	All components of this product are listed on the TSCA inventory or are exempt.
California F 65	Proposition	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulation	ons:		
WHMIS CI	assification	:	D2B
WHMIS Ingredient Discl		su	re List
120 150	S-No. 001-26-2 0-13-0 282-10-5		
DSL		:	Listed.
National Inventories:			
Australia A	ICS	:	Listed.
China IECS	5	:	Listed.
Europe EIN	IECS	:	Not determined.
Japan ENC	S	:	Not determined.
Korea KEC	Ι	:	Listed.
Philippines	PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

RED ORANGE

Version Number 1.0 Revision Date 05/13/2002



Page 6 of 6 Print Date 11/4/2011