

MATERIAL SAFETY DATA SHEET

BLUE

Version Number 1.0 Revision Date 05/20/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10016118
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

BLUE

ision Date 05/20/2002	Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	contaminants. : None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BLUE

ion Number 1.0 sion Date 05/20/2002			Print	Page 3 Date 11/4/2
	a	nd contamination. Keep in a d	ry, cool place.	
8. F	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practic
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
Form	: Solid	l Evapor	ration rate : Not	applicable.
Appearance	: Pelle			determined
Color	: BLU			established
Odor	: Very			applicable
Melting point/range				applicable
Boiling Point:		applicable pH	: Not	applicable
Water solubility	: Insol	uble		
			TTY	
	10. 5	STABILITY AND REACTIV		
Stability		TABILITY AND REACTIV		
Stability Hazardous Polymerization	: S			



MATERIAL SAFETY DATA SHEET

BLUE

ersion Number 1.0 evision Date 05/20/2002			Page 4 o Print Date <i>11/4/20</i>
Incompatible Materials	: Incompatible w	ith strong acids an	d oxidizing agents.
Hazardous decomposition products			pnoxide (CO), oxides of nitrogen and smoke are all possible.
	11. TOXICOLOGIO	CAL INFORMAT	TION
health data for the indivi Toxicity Overview	dual components which com	prise the mixture.	osure effects listed are based on existing the state of t
CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	
	12. ECOLOGICA	I INFORMATIO)N
Persistence and degrada	bility : Not readily biod	legradable.	
Environmental Toxicity	: Chemicals are n of the polymer.	ot readily availabl	e as they are bound within the matrix
Bioaccumulation Potent	ial : Chemicals are n of the polymer.	ot readily availabl	e as they are bound within the matrix
Additional advice	: No data availab	le.	
	13. DISPOSAL C	ONSIDERATIO	NS
Product	possible, recycl generator of wa classification, tr	ing is preferred to ste material has th cansportation and c	duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations.
Contaminated packaging	has the responsi	bility for proper w accordance with a	ble. The generator of waste material vaste classification, transportation pplicable federal, state/provincial
	14. TRANSPORT	Γ INFORMATIO	N
U.S. D.O.T. / CA T.D.G Classification (Non-bulk ground)		or transportation.	
ICAO/IATA	: Not regulated for	or transportation.	



MATERIAL SAFETY DATA SHEET

BLUE

rsion Number 1.0 vision Date 05/20/2002	Page 5 o Print Date 11/4/20
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	osure List
CAS-No. 7631-86-9	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Listed.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.