

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 05/16/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	::	WHITE CC10016175 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to avoid
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 05/16/2002	Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WHITE

				Print	Date 11/4/2	
	a	nd contamination. Keep	in a dry, coo	ol place.		
8. I	EXPOSURE	CONTROLS / PERSO	NAL PROT	TECTION		
Respiratory protection	: N	lo personal respiratory pr	otective equ	ipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-s	h side-shields.			
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	E	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):		Total dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA Z1	
			DDODED	LIES		
	9. PHYSIC	CAL AND CHEMICAI	PROPER			
Form	9. PHYSIC		Evaporation		t applicable.	
Appearance		l H	Evaporation Specific Grav	rate : No vity : No	t applicable. t determined	
	: Solic	l H	Evaporation	rate : No vity : No		
Appearance	: Solic : Pelle : WHI : Very	l F ets S TE F faint V	Evaporation Specific Grav Bulk density Vapor pressu	rate : No vity : No : No ire : No	ot determined ot established ot applicable	
Appearance Color Odor Melting point/range	: Solic : Pelle : WHI : Very : Not o	I I ets S TE I faint V determined V	Evaporation Specific Grav Bulk density	rate : No vity : No : No ire : No y : No	ot determined ot established ot applicable ot applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : WHI : Very : Not c : Not a	I I I I I I I I I I I I I I I I I I I	Evaporation Specific Grav Bulk density Vapor pressu	rate : No vity : No : No ire : No y : No	ot determined ot established ot applicable	
Appearance Color Odor Melting point/range	: Solic : Pelle : WHI : Very : Not o	I I I I I I I I I I I I I I I I I I I	Evaporation Specific Gra Bulk density Japor pressu Japor densit	rate : No vity : No : No ire : No y : No	ot determined ot established ot applicable ot applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : WHI : Very : Not d : Not a : Insol	I I I I I I I I I I I I I I I I I I I	Evaporation Specific Grav Bulk density Vapor pressu Vapor densit	rate : No vity : No : No ire : No y : No	ot determined ot established ot applicable ot applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : WHI : Very : Not c : Not a : Insol 10. S	d H ets S TE H faint V determined V applicable p luble	Evaporation Specific Grav Bulk density Vapor pressu Vapor densit	rate : No vity : No : No ire : No y : No	ot determined ot established ot applicable ot applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : WHI : Very : Not d : Not d : Insol 10. S : S	I I ts S TE F faint V determined V applicable F uble STABILITY AND REA	Evaporation Specific Grav Bulk density Vapor pressu Vapor densit	rate : No vity : No : No ire : No y : No	ot determined ot established ot applicable ot applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solid : Pelle : WHI : Very : Not a : Not a : Insol 10. S : S n : W : K	I H ets S TE H faint V determined V applicable H uble STABILITY AND REA table.	Evaporation Specific Grav Bulk density /apor pressu /apor densit H CTIVITY	rate : No vity : No ire : No y : No : No	at determined at established at applicable at applicable at applicable	



MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 05/16/2002 Page 4 of 5 Print Date 11/4/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	I			
Persistence and degrada	bility : Not readily bi	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	generator of v classification, applicable fec g : Recycling is p has the respon	rcling is preferred to dis waste material has the r , transportation and disp deral, state/provincial a preferred when possible nsibility for proper was	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation licable federal, state/provincial			
	and local regu					
	14. TRANSPO	RT INFORMATION				
U.S. D.O.T. / CA T.D.C Classification (Non-bul ground)	e	: Not regulated for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
	15 DECULATO	DRY INFORMATION	T			

MATERIAL SAFETY DATA SHEET



WHITE Version Number 1.0 Page 5 of 5 Print Date 11/4/2011 Revision Date 05/16/2002 US Regulations: **OSHA Status** Classified as hazardous based on components. : **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 1333-86-4 1309-37-1 DSL : Listed. National Inventories: Australia AICS Listed. • China IECS Listed. Europe EINECS Not determined. : Japan ENCS : Not determined. Korea KECI · Listed. **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.