

MATERIAL SAFETY DATA SHEET

ULTRA LINER SILVER PEARL

Version Number 1.0 Revision Date 05/18/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ULTRA LINER SILVER PEARL
Product code	:	CC10016186
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

ULTRA LINER SILVER PEARL

Version Number 1.0 Revision Date 05/18/2002 Page 2 of 6 Print Date 11/4/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

ULTRA LINER SILVER PEARL

Version Number 1.0 Revision Date 05/18/2002 Page 3 of 6 Print Date 11/4/2011

		nd contamination. Keep in a			
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protect	tive equipment normally	required.	
Eye/Face Protection : Safety glasses with side-shields.					
Hand protection	: P:	rotective gloves.			
Skin and body protection : Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with goo Vash hands before breaks and		safety practice	
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
	aj				
Exposure limit(s)	-	ppropriate exhaust ventilation	at machinery.		
Components	Value	ppropriate exhaust ventilation Exposure time	at machinery.	List:	
	Value 3 mg/m3	ppropriate exhaust ventilation Exposure time Time Weighted Average (TWA):	at machinery.	List: ACGIH	
Components	Value	ppropriate exhaust ventilation Exposure time Time Weighted Average	at machinery.	List:	
Components Mica	Value 3 mg/m3	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average	at machinery. Exposure type Total dust.	List: ACGIH	
Components Mica Mica	Value 3 mg/m3 20 mppcf	Exposure time Time Weighted Average (TWA): PEL:	at machinery. Exposure type Total dust. Total dust.	List: ACGIH OSHA	
Components Mica Mica Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	at machinery. Exposure type Total dust. Total dust. Total dust. Total dust. Total dust.	List: ACGIH OSHA ACGIH	
Components Mica Mica Titanium dioxide Titanium dioxide	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	at machinery. Exposure type Total dust. Total dust. Total dust. OPERTIES oration rate : No	List: ACGIH OSHA ACGIH OSHA Z1	
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evaports Speci	at machinery. Exposure type Total dust. Total dust. Total dust. OPERTIES Dration rate : No fic Gravity : No	List: ACGIH OSHA ACGIH OSHA Z1	
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRON L Evaports Speci Y Bulk	at machinery. Exposure type Total dust. Total dust. Total dust. Total dust. OPERTIES Dration rate : No fic Gravity : No density : No	List: ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established	
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRON L Evaports Speci Y Bulk faint Vapo	at machinery. Exposure type Total dust. Total dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No	List: ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established t applicable	
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color	Value 3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRON L Evaports Speci Y Bulk faint Vapo	at machinery. Exposure type Total dust. Total dust. Total dust. Total dust. OPERTIES Oration rate : No fic Gravity : No r pressure : No r density : No r density : No	List: ACGIH OSHA ACGIH OSHA Z1 t applicable. t determined t established	

10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

ULTRA LINER SILVER PEARL

Version Number 1.0 Revision Date 05/18/2002

Page 4 of 6 Print Date 11/4/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



MATERIAL SAFETY DATA SHEET

ULTRA LINER SILVER PEARL

Version Number 1.0 Revision Date 05/18/2002 Page 5 of 6 Print Date 11/4/2011

IMO	D / IMDG	:	Not regulated for transportation.
		15	5. REGULATORY INFORMATION
US			
	OSHA Status	:	Classified as hazardous based on components.
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
	California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Can	adian Regulations:		
	WHMIS Classification	:	D2B
	WHMIS Ingredient Discl	losu	ıre List
	CAS-No. 1333-86-4 12001-26-2 18282-10-5		
	DSL	:	Listed.
Nati	ional Inventories:		
	Australia AICS	:	Listed.
	China IECS	:	Listed.
	Europe EINECS	:	Not determined.
	Japan ENCS	:	Not determined.
	Korea KECI	:	Listed.
	Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

ULTRA LINER SILVER PEARL

Version Number 1.0 Revision Date 05/18/2002 Page 6 of 6 Print Date 11/4/2011