

MATERIAL SAFETY DATA SHEET

TEAL

Version Number 1.0 Revision Date 05/22/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TEAL
Product code	:	CC10016226
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

TEAL

sion Date 05/22/2002	Print Date 11/4/2			
4. FIRST AID MEASURES				
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits				
Upper explosion limit	: Not applicable			
Lower explosion limit	: Not applicable			
Autoignition temperature	: Not relevant			
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.			
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive			
Procedures	pressure mode should be worn to prevent inhalation of airborne			
	contaminants.			
Unusual Fire/Explosion Hazards	: None			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption			



MATERIAL SAFETY DATA SHEET

TEAL

sion Number 1.0 ision Date 05/22/2002			Print	Page 3 Date 11/4/2
	aı	nd contamination. Keep in a d	ry, cool place.	
8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	Safety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective : Safety shoes. Measures				
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.				
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
Form	: Solid			applicable.
Appearance	: Pelle	1	5	t determined
Color	: GRE			testablished
Odor	: Very			applicable
Melting point/range		1		applicable
Boiling Point:		pplicable pH	: Not	applicable
Water solubility	: Insol	uble		
	10. S	TABILITY AND REACTIV	ITY	
Stability	: S	table.		
Hazardous Polymerization	n : W	/ill not occur.		
			ts and open flame. To a	



MATERIAL SAFETY DATA SHEET

TEAL

sion Date 05/22/200)2		Print Date 11/4/		
Incompatible Material	s : Incompatible	e with strong acids and o	oxidizing agents.		
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. TOXICOLO	GICAL INFORMATIO	DN		
health data for the ind	been evaluated as a whole for ividual components which o		are effects listed are based on ex		
<u>Toxicity Overview</u> This product contains	the following components	which in their pure form	have the following characteristi		
CAS-No.	Chemical Name	Effect	Target Organ		
12001-26-2	Mica	Systemic effects	Respiratory system.		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
Persistence and degrad	dability : Not readily	CAL INFORMATION	s they are bound within the matr		
Bioaccumulation Pote	of the polym	ner. re not readily available a	s they are bound within the matr		
Additional advice	: No data avai	ilable.			
	13. DISPOSAL	L CONSIDERATIONS			
Product	possible, rec generator of classification	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packagi	has the response and disposal	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			

U.S. D.O.T. / CA T.D.G.: Not regulated for transportation.Classification (Non-bulk
ground): Not regulated for transportation.ICAO/IATA: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

TEAL

Version Number 1.0 Revision Date 05/22/2002 Page 5 of 6 Print Date 11/4/2011

	IMO / IMDG	:	Not regulated for transportation.
			5. REGULATORY INFORMATION
	US Regulations:		
	OSHA Status	:	Classified as hazardous based on components.
	TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
	California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
	Canadian Regulations:		
	WHMIS Classification	:	D2B
WHMIS Ingredient Disclosure List		re List	
	CAS-No. 12001-26-2 18282-10-5		
	DSL	:	Listed.
	National Inventories:		
	Australia AICS	:	Listed.
	China IECS	:	Listed.
	Europe EINECS	:	Not determined.
	Japan ENCS	:	Not determined.
	Korea KECI	:	Listed.
	Philippines PICCS	:	Listed.
			16 OTHED INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

TEAL

Version Number 1.0 Revision Date 05/22/2002



Page 6 of 6 Print Date 11/4/2011