

MATERIAL SAFETY DATA SHEET YELLOW V2

Version Number 1.1 Revision Date 09/08/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW V2
Product code	:	CC10016349
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET YELLOW V2

Version Number 1.1 Revision Date 09/08/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET YELLOW V2

Version Number 1.1 Revision Date 09/08/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: YELLOW	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	DREACTIVITY	
Stability	: Stable.		
Stability			
·	· Will not occur		
Hazardous Polymerization	: Will not occur.		



MATERIAL SAFETY DATA SHEET YELLOW V2

vision Date 09/08/2	2003			Page 4 Print Date 11/12/2
		decompositio	on, do not overheat.	
Incompatible Materials : Incomp			with strong acids and o	oxidizing agents.
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11.	TOXICOLOG	GICAL INFORMATIO	ON
health data for the in Toxicity Overview	ndividual comp	onents which co	omprise the mixture.	ure effects listed are based on exis
			-	have the following characteristics
CAS-No.		nical Name	Effect	Target Organ
7631-86-9 13463-67-7	Silica, amo		Irritant Systemic effects	Eyes, Respiratory system. Respiratory system.
13403-07-7	1 Itaniuni (lloxide	Systemic effects	Respiratory system.
Environmental Tox	icity :	Chemicals are of the polyme		as they are bound within the matrix
Environmental Tox Bioaccumulation Po Additional advice	otential :	of the polyme Chemicals are of the polyme No data avail	er. e not readily available a er. lable.	as they are bound within the matrix
Bioaccumulation Po	otential :	of the polyme Chemicals are of the polyme No data avail	er. e not readily available a er.	as they are bound within the matrix
Bioaccumulation Po	otential :	of the polyme Chemicals are of the polyme No data avail 3. DISPOSAL Like most the possible, recy generator of v classification	er. e not readily available a er. lable. CONSIDERATIONS ermoplastics the produ ycling is preferred to dia waste material has the r	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation Po Additional advice	otential : : <u>1</u>	of the polyme Chemicals are of the polyme No data avail 3. DISPOSAL Like most the possible, recy generator of y classification applicable fee Recycling is p has the respon	er. e not readily available a er. lable. CONSIDERATIONS ermoplastics the produ- ycling is preferred to dia waste material has the r a, transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ts they are bound within the matrix ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with
Bioaccumulation Po Additional advice Product	otential : : <u>1</u> aging :	of the polyme Chemicals are of the polyme No data avail 3. DISPOSAL Like most the possible, recy generator of v classification applicable fee Recycling is p has the respon and disposal and local reg	er. e not readily available a er. lable. CONSIDERATIONS ermoplastics the produ- ycling is preferred to dia waste material has the r a, transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ts they are bound within the matrix ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation licable federal, state/provincial
Bioaccumulation Po Additional advice Product	otential : aging :	of the polyme Chemicals are of the polyme No data avail 3. DISPOSAL Like most the possible, recy generator of y classification applicable fee Recycling is p has the respo and disposal and local regi 14. TRANSPO	er. e not readily available a er. lable. CONSIDERATIONS consideration and dis your and the second waste material has the r the transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app ulations.	ts they are bound within the matrix ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation licable federal, state/provincial



MATERIAL SAFETY DATA SHEET YELLOW V2

Version Number 1.1 Revision Date 09/08/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG	Refer to specific regulation.
1	5. REGULATORY INFORMATION
US Regulations:	
OSHA Status	Classified as hazardous based on components.
TSCA Status	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Su	bstances (40 CFR 302)
Not applicable	
California Proposition 5	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extrem	nely Hazardous Substance
Not applicable	
SARA Title III Section 313 Toxic	Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Release	Inventory (NPRI)
Not applicable	
WHMIS Classification	D2B
WHMIS Ingredient Disclos	sure List
CAS-No. 7631-86-9	
DSL	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:	
Australia AICS	Not determined.



MATERIAL SAFETY DATA SHEET YELLOW V2

Version Number 1.1 Revision Date 09/08/2003

Page 6 of 6 Print Date 11/12/2011

China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Listed.
Korea KECI	: Not determined.
Philippines PICCS	: Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.