

MATERIAL SAFETY DATA SHEET

MS CREAM

Version Number 1.0 Revision Date 05/28/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MS CREAM
Product code	:	CC10016548
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	5 - 10
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

MS CREAM

sion Date 05/28/2002	Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit	Not applicableNot applicable
Autoignition temperature Suitable extinguishing media	Not relevantCarbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

MATERIAL SAFETY DATA SHEET





Version Number 1.0 Revision Date 05/28/2002 Page 3 of 5 Print Date 11/4/2011

		nd contamination. Keep in a c	iry, coor place.	
8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection		o personal respiratory protect usty conditions occur wear app		
Eye/Face Protection	: safety glasses			
Hand protection	: P:	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	pi	Vash hands and face before bre roduct. Handle in accordance ractice for diagnostics.		
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		n. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Components Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Components Silica, amorphous Silica, amorphous	20 mppcf 20 mppcf	PEL: PEL:	Total dust. Total dust.	OSHA Z3
Exposure limit(s) Components Silica, amorphous Silica, amorphous Titanium dioxide	20 mppcf	PEL:	Total dust.	OSHA
Components Silica, amorphous Silica, amorphous Titanium dioxide	20 mppcf 20 mppcf	PEL: PEL: Time Weighted Average	Total dust. Total dust.	OSHA Z3
Components Silica, amorphous Silica, amorphous Titanium dioxide	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average (TWA):	Total dust. Total dust. Total dust. Total dust.	OSHA Z3 ACGIH
Components Silica, amorphous Silica, amorphous Titanium dioxide Titanium dioxide	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(Total dust. Total dust. Total dust. Total dust. DPERTIES	OSHA Z3 ACGIH OSHA Z1
Components Silica, amorphous Silica, amorphous Titanium dioxide Titanium dioxide	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(Evapo	Total dust. Total dust. Total dust. Total dust. DPERTIES oration rate : No	OSHA Z3 ACGIH OSHA Z1 ot applicable.
Components Silica, amorphous Silica, amorphous Titanium dioxide Titanium dioxide	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : flake	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(Evapo s Specif	Total dust. Total dust. Total dust. Total dust. Total dust. DPERTIES oration rate : No Tic Gravity : No	OSHA Z3 ACGIH OSHA Z1 ot applicable. ot determined
Components Silica, amorphous Silica, amorphous Titanium dioxide Titanium dioxide Form Appearance Color	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : flake : TAN	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo s Specif Bulk of	Total dust. Total dust. Total dust. Total dust. OPERTIES pration rate : Notes the second secon	OSHA Z3 ACGIH OSHA Z1 ot applicable. ot determined ot determined
Components Silica, amorphous Silica, amorphous Titanium dioxide Titanium dioxide Form Appearance Color Ddor	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : flake : TAN : Very	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo s Specif Bulk c faint Vapor	Total dust. Total dust. Total dust. Total dust. Total dust. OPERTIES oration rate : No Caravity : No lensity : No pressure : No	OSHA Z3 ACGIH OSHA Z1 ot applicable. ot determined ot determined ot determined
Components Silica, amorphous Silica, amorphous Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : flake : TAN : Very : Grea	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo S Specif Bulk c faint Vapor ter than 130 °C Vapor	Total dust. Total dust. Total dust. Total dust. Total dust. Total dust. OPERTIES oration rate : No cic Gravity : No ensity : No oressure : No oresity : No oresity : No oresity : No	OSHA Z3 ACGIH OSHA Z1 ot applicable. ot determined ot determined ot determined ot determined
Components Silica, amorphous Silica, amorphous Titanium dioxide Titanium dioxide Form Appearance Color Ddor	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : flake : TAN : Very : Grea	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(L Evapo s Specif Bulk c faint Vapor ter than 130 °C Vapor applicable pH	Total dust. Total dust. Total dust. Total dust. Total dust. Total dust. OPERTIES oration rate : No cic Gravity : No ensity : No oressure : No oresity : No oresity : No oresity : No	OSHA Z3 ACGIH OSHA Z1 ot applicable. ot determined ot determined ot determined
Components Silica, amorphous Silica, amorphous Titanium dioxide Titanium dioxide Titanium dioxide	20 mppcf 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : flake : TAN : Very : Grea : Not a : Insol	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(L Evapo s Specif Bulk c faint Vapor ter than 130 °C Vapor applicable pH	Total dust. Total dust. Total dust. Total dust. Total dust. OPERTIES pration rate : No cic Gravity : No pressure : No c density : No : No : No	OSHA Z3 ACGIH OSHA Z1 ot applicable. ot determined ot determined ot determined ot determined

Conditions to avoid : To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

MS CREAM

Version Number 1.0	Page 4 of 5
Revision Date 05/28/2002	Print Date 11/4/2011
Incompatible Materials	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
products	(NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the matrix of the polymer.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	1/5



MATERIAL SAFETY DATA SHEET

MS	CREAM

rsion Number 1.0 wision Date 05/28/2002	Page 5 c Print Date 11/4/20
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
California Proposition 65	: This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	losure List
CAS-No. 7631-86-9	
DSL	: Listed.
National Inventories:	
Australia AICS	: Not determined.
China IECS	: Not determined.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.
	16. OTHER INFORMATION

10. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.