

MATERIAL SAFETY DATA SHEET

NAVY BLUE

Version Number 1.0 Revision Date 05/28/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NAVY BLUE
Product code	:	CC10016640
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

NAVY BLUE Version Number 1.0

ion Number 1.0 sion Date 05/28/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

MATERIAL SAFETY DATA SHEET

NAVY BLUE



Version Number 1.0 Page 3 of 5 Print Date 11/4/2011 Revision Date 05/28/2002 and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : **Eye/Face Protection** Safety glasses with side-shields. : Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Silica, amorphous 20 mppcf PEL: Total dust. OSHA Total dust. Silica, amorphous 20 mppcf PEL: Z3 Titanium dioxide 10 mg/m3 Time Weighted Average Total dust. ACGIH (TWA): Total dust. Titanium dioxide 15 mg/m3 PEL: OSHA Z1 9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable. Form : Pellets Specific Gravity Not determined Appearance • Color : BLUE Bulk density : Not established : Very faint Vapor pressure Not applicable Odor : Melting point/range : Not determined Vapor density Not applicable : Boiling Point: Not applicable : Not applicable pН : Water solubility : Insoluble **10. STABILITY AND REACTIVITY** Stability : Stable. Hazardous Polymerization Will not occur. ·

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

NAVY BLUE			
/ersion Number 1.0 Revision Date 05/28/2002			Page 4 of 5 Print Date <u>11/4/201</u> 7
Incompatible Materials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decomposition products			oxide (CO), oxides of nitrogen nd smoke are all possible.
	11. TOXICOLOG	ICAL INFORMATIO	ON
	en evaluated as a whole for idual components which co		ure effects listed are based on existing
<u>Toxicity Overview</u> This product contains th	e following components wl	nich in their pure form	have the following characteristics:
CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIC	AL INFORMATION	N
Persistence and degrada Environmental Toxicity Bioaccumulation Potent Additional advice	 Chemicals are of the polymer ial : Chemicals are of the polymer : No data availa 	not readily available a r. not readily available a r.	as they are bound within the matrix as they are bound within the matrix
Product Contaminated packaging	g : Recycling is p has the respon	cling is preferred to div vaste material has the r transportation and dis eral, state/provincial a referred when possible sibility for proper was n accordance with app	ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material ste classification, transportation licable federal, state/provincial
	14. TRANSPOI	RT INFORMATION	
U.S. D.O.T. / CA T.D.G Classification (Non-bulk ground)	-	for transportation.	
ICAO/IATA	: Not regulated	for transportation.	

4/5



MATERIAL SAFETY DATA SHEET

NAVY BLUE

002	Print Date 1	1/4/
:	: Not regulated for transportation.	
1	15. REGULATORY INFORMATION	
3 :	: Classified as hazardous based on components.	
:	: All components of this product are listed on the TSCA inventory exempt.	or aı
oposition :	: This product does not contain a substance listed by California Pro	эр б:
15:		
ssification :	: D2B	
edient Disclos	sure List	
3-86-4		
:	: Listed.	
:		
CS :	: Not determined.	
:	: Not determined.	
ECS :	: Not determined.	
:	: Not determined.	
:	: Not determined.	
PICCS :	: Not determined.	
$\frac{1}{1}$	IS S Proposition Ins: assification redient Disclo S-No. 3-86-4 1-86-9 S S ECS	IS. REGULATORY INFORMATION is : Classified as hazardous based on components. is : All components of this product are listed on the TSCA inventory of exempt. troposition : This product does not contain a substance listed by California Product are listed by California Product are listed by California Product does not contain a substance listed by California Product Disclosure List SNo. : 3-86-4 : 1-86-9 : is: : ICS : is: : ICS : Not determined. ECS : Not determined. I : I : I : I :

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.