

MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 05/30/2002 Page 1 of 5 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10016906
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

GREEN

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

GREEN

sion Date 05/30/2002					Print Date 11,	4/2
	a	nd contamination. Kee	p in a dr	y, cool place.		
8. F	EXPOSURE	CONTROLS / PERSO	ONAL I	PROTECTION		
Respiratory protection	: N	lo personal respiratory j	protectiv	e equipment norn	nally required.	
Eye/Face Protection	: S	afety glasses with side-	shields.			
Hand protection	: Protective gloves.					
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure typ	e List	:
Titanium dioxide	10 mg/m3	Time Weighted Ave (TWA):	rage	Total dust.	ACGI	Η
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA	Z1
	9. PHYSIC	CAL AND CHEMICA	L PRO	PERTIES		
Form	: Solic	1	Evanor	ation rate :	Not applicabl	e
Appearance	: Pelle		Specific Gravity		Not determine	
Color	: GRE		Bulk de		Not establishe	
Odor	: Very			•	Not applicabl	
Melting point/range		determined	Vapor pressure : Not applica Vapor density : Not applica		Not applicabl	e
Boiling Point:			pH		Not applicabl	
Water solubility	: Insol		pm			C
	10. \$	STABILITY AND RE	ACTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : V	Vill not occur.				
	: K	Leep away from oxidizi		s and open flame.	To avoid therr	nal
Conditions to avoid	d	ecomposition, do not ov	verheat.			



Page 4 of 5

Print Date 11/4/2011

MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 05/30/2002

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	I		
Persistence and degrad	ability : Not readily bi	iodegradable.			
Environmental Toxicit	y : Chemicals are of the polyme		s they are bound within the matrix		
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data availa	able.			
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packagir	possible, recy generator of v classification, applicable fec ng : Recycling is p has the respon and disposal i	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 			
	14. TRANSPO	RT INFORMATION			
U.S. D.O.T. / CA T.D.G. : Not regulated for transp Classification (Non-bulk ground)					
ICAO/IATA	: Not regulated for transportation.				
IMO / IMDG	: Not regulated	for transportation.			
	15 DECILLATO	ORY INFORMATION	Ţ		

MATERIAL SAFETY DATA SHEET



GREEN Version Number 1.0 Page 5 of 5 Print Date 11/4/2011 Revision Date 05/30/2002 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 302 Extremely Hazardous Substance Canadian Regulations: WHMIS Classification : D2B DSL : Listed. National Inventories: Australia AICS Not determined. • China IECS Not determined. ÷ **Europe EINECS** Not determined. Japan ENCS Not determined. : Korea KECI Not determined. : **Philippines PICCS** Not determined. :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.