MATERIAL SAFETY DATA SHEET

ALL AMERICAN POLY LEAFY GREEN

Version Number 1.1 Revision Date 02/03/2004 Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ALL AMERICAN POLY LEAFY GREEN
Product code	:	CC10016955
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Chronic exposure	Experience shows no unusual dermatitis hazard from routine handling.Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET ALL AMERICAN POLY LEAFY GREEN

Version Number 1.1 Revision Date 02/03/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	3
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	L
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge Hea only in areas with appropriate exhaust ventilation.	t
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	m

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET ALL AMERICAN POLY LEAFY GREEN

Version Number 1.1 Revision Date 02/03/2004 Page 3 of 6 Print Date 11/13/2011

8. E	XPOSURE	CONTROLS / PERSO	NAL I	PROTECTION	
Respiratory protection	: N	Vo personal respiratory p	rotectiv	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-s	hields.		
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		Iandle in accordance with Vash hands before breaks			safety practice.
Engineering measures		Ieat only in areas with ap ppropriate exhaust ventil			Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age		ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	. PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not	ets S EEN I / faint V determined V applicable I	Specifi Bulk de √apor j	c Gravity: : No ensity : No pressure : No density : No	t applicable t determined t established t applicable t applicable t applicable
	10. 5	STABILITY AND REA	CTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : V	Vill not occur.			
Conditions to avoid		Keep away from oxidizing		s and open flame. To	avoid thermal
Incompatible Materials	· 1,	ncompatible with strong	acids a	nd oxidizing agents	



MATERIAL SAFETY DATA SHEET ALL AMERICAN POLY LEAFY GREEN

Version Number 1.1

Revision Date 02/03/2004

Page 4 of 6 Print Date 11/13/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	I
Persistence and degrada	ability : Not readily b	iodegradable.	
Environmental Toxicity	Chemicals are of the polyme		s they are bound within the matrix
Bioaccumulation Poten	tial : Chemicals are of the polyme		s they are bound within the matrix
Additional advice	: No data avail	able	
	13. DISPOSAL	CONSIDERATIONS	
Product Contaminated packagir	possible recy generator of v classification applicable fec g : Recycling is p has the respon	cling is preferred to dis waste material has the r , transportation and disp deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	RT INFORMATION	
U.S. DOT Classificatio	n : Not regulated	for transportation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.	
	15. REGULATO	DRY INFORMATION	V

PolyOne.

MATERIAL SAFETY DATA SHEET ALL AMERICAN POLY LEAFY GREEN

A DINA A DINA	hard d					Dogo 5 a
rsion Num	e 02/03/2004				Print Date	Page 5 c 11/13/20
US Regu	llations:					
С	OSHA Status	:	Classified as hazardous b	based on componen	ts.	
Т	SCA Status	:	All components of this p Inventory.	roduct are listed on	or exempt from	the TSCA
US. EPA	CERCLA Hazardous S	Subs	stances (40 CFR 302)			
	Not applicable					
C 6:		:	This product does not con	ntain a substance lis	sted by California	a Prop 65.
SARA T	itle III Section 302 Extra	eme	ely Hazardous Substance			
Not a	pplicable					
SARA T	itle III Section 313 Toxi	ic C	Chemicals:			
	Chemical Name			CAS-No.	Weight %	
	Chemical Name ZINC COMPOUNDS			CAS-No. 68187-51-9	Weight % 26.45	
Z		e In	nventory (NPRI)			
Z	ZINC COMPOUNDS	e In	wentory (NPRI)			
Zanadian Na	ZINC COMPOUNDS					
Z Canadian Na W	ZINC COMPOUNDS n Regulations: ational Pollutant Releas			68187-51-9 product are on the C	26.45	ic
Z Canadian Na W D	ZINC COMPOUNDS n Regulations: ational Pollutant Releas WHMIS Classification	:	D2B All components of this p	68187-51-9 product are on the C	26.45	ic
Z Canadian Na W D National	ZINC COMPOUNDS n Regulations: fational Pollutant Releas VHMIS Classification DSL	:	D2B All components of this p	68187-51-9 product are on the C	26.45	ic
Z Canadian Na W D National A	ZINC COMPOUNDS n Regulations: Tational Pollutant Releas WHMIS Classification DSL Inventories:	:	D2B All components of this p Substances List (DSL) or	68187-51-9 product are on the C	26.45	ic
Z Canadian Na W D National A C	ZINC COMPOUNDS n Regulations: fational Pollutant Releas VHMIS Classification DSL Inventories: Australia AICS	:	D2B All components of this p Substances List (DSL) or Listed	68187-51-9 product are on the C	26.45	ic
Z Canadian Na W D National A C E	ZINC COMPOUNDS n Regulations: Tational Pollutant Releas VHMIS Classification DSL Inventories: Australia AICS China IECS	: : :	D2B All components of this p Substances List (DSL) or Listed Listed	68187-51-9 product are on the C	26.45	ic
Z Canadian Na W D National A C E Ja	ZINC COMPOUNDS n Regulations: fational Pollutant Releas VHMIS Classification OSL Inventories: Australia AICS China IECS Europe EINECS	: : : :	D2B All components of this p Substances List (DSL) or Listed Listed Listed	68187-51-9 product are on the C	26.45	ic



MATERIAL SAFETY DATA SHEET ALL AMERICAN POLY LEAFY GREEN

Version Number 1.1 Revision Date 02/03/2004 Page 6 of 6 Print Date 11/13/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.