

MATERIAL SAFETY DATA SHEET

BRONZE TRANS (SAN) V1

Version Number 1.0 Revision Date 06/03/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BRONZE TRANS (SAN) V1
Product code	:	CC10017229
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Mica	12001-26-2	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



MATERIAL SAFETY DATA SHEET

BRONZE TRANS (SAN) V1

Version Number 1.0 Revision Date 06/03/2002 Page 2 of 6 Print Date 11/4/2011

		4. FIRST AID MEASURES	
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
		5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None	
	6. A	CCIDENTAL RELEASE MEASURES	
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	•	Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET

BRONZE TRANS (SAN) V1

Version Number 1.0 Revision Date 06/03/2002 Page 3 of 6 Print Date 11/4/2011

0 1	VDOGUDE	CONTROLS / PERSONAL	DDATECTION	
ð. E	LAPUSUKE	CUNTRULS / PERSUNAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally re	equired.
Eye/Face Protection	: S	afety glasses with side-shields	3.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and		fety practice
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
		CAL AND CHEMICAL PRO	ADEDTIES	
	9. 11130	CAL AND CHEMICAL PRO	JPERILS	
Form	: Solic			applicable.
Appearance	: Pelle		2	determined
	: TAN			established
	: Very			applicable
Color Odor Malting point/gange		applicable pH		applicable applicable
Odor Melting point/range	• Not	applicable pli	. 100	applicable
Odor Melting point/range Boiling Point:	: Not a : Insol	luble		
	: Insol			
Odor Melting point/range Boiling Point:	: Insol	luble STABILITY AND REACTIV	VITY	
Odor Melting point/range Boiling Point:	: Insol 10. S		VITY	
Odor Melting point/range Boiling Point: Water solubility	: Insol 10. S : S	STABILITY AND REACTIV	VITY	



MATERIAL SAFETY DATA SHEET

BRONZE TRANS (SAN) V1

ersion Number 1.0 evision Date 06/03/2002			Page 4 of Print Date 11/4/20	
Incompatible Materials	: Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposition products			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11. TOXICOLOG	ICAL INFORMATIO	ON	
health data for the individ <u>Toxicity Overview</u>	ual components which co	mprise the mixture.	are effects listed are based on existing have the following characteristics:	
CAS-No.	Chemical Name	Effect	Target Organ	
	ron oxide	Systemic effects	Respiratory system.	
	Aica	Systemic effects	Respiratory system.	
		Systemic circets	respiratory system.	
	12. ECOLOGIC	AL INFORMATION	1	
Persistence and degradabi	ility : Not readily bio	odegradable.		
Environmental Toxicity		not readily available a	s they are bound within the matrix	
Bioaccumulation Potentia		not readily available a	s they are bound within the matrix	
Additional advice	: No data availa	ble.		
	13. DISPOSAL	CONSIDERATIONS		
Product	possible, recyc generator of w classification,	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	has the respon	sibility for proper was accordance with app	e. The generator of waste material te classification, transportation licable federal, state/provincial	
	14. TRANSPOR	RT INFORMATION		
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	for transportation.		
ICAO/IATA	: Not regulated	for transportation.		
		4/6		



MATERIAL SAFETY DATA SHEET

BRONZE TRANS (SAN) V1

sion Number 1.0 ision Date 06/03/2002		Page 5 Print Date 11/4/2
IMO / IMDG	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
WHMIS Ingredient Disc	losu	ire List
CAS-No.		
1309-37-1 12001-26-2		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

BRONZE TRANS (SAN) V1

Version Number 1.0 Revision Date 06/03/2002 Page 6 of 6 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.