

MATERIAL SAFETY DATA SHEET

METALLIC PINK

Version Number 1.0 Revision Date 06/07/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	METALLIC PINK
Product code	:	CC10017328
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

METALLIC PINK

ion Number 1.0 sion Date 06/07/2002	Page 2 Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	contaminants. : None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

METALLIC PINK

sion Number 1.0 ision Date 06/07/2002					Print	Page 3 Date 11/4/2
	aı	nd contamination. Ke	ep in a dr	y, cool place	2.	
8. E	XPOSURE	CONTROLS / PERS	SONAL I	PROTECTI	ON	
Respiratory protection	: N	o personal respiratory	, protectiv	e equipmen	t normally	required.
Eye/Face Protection	: S	afety glasses with side	e-shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance w /ash hands before brea				safety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Components Mica	Value 3 mg/m3	Exposure time Time Weighted Av		Exposu Total		List: ACGIH
		(TWA):		m 1		0.011.4
Mica Titanium dioxide	20 mppcf 10 mg/m3	PEL: Time Weighted Av		Total Total		OSHA ACGIH
I namum dioxide	10 mg/m3	(TWA):	erage	Total	uust.	ACOIN
Titanium dioxide	15 mg/m3	PEL:		Total	dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	AL PRO	PERTIES		
Form	: Solid			ation rate		t applicable.
Appearance Color	: Pelle : PINF		Bulk de	c Gravity		t determined t established
Odor	: Very			pressure		t applicable
Melting point/range		letermined	Vapor c			t applicable
Boiling Point:		applicable	pH	lefisity		t applicable
Water solubility	: Insol		pm		. 110	applicable
water solubility						
	10. S	TABILITY AND R	EACTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : W	ill not occur.				
Conditions to avoid		eep away from oxidiz		s and open f	lame. To a	avoid thermal



MATERIAL SAFETY DATA SHEET

METALLIC PINK

Version Number 1.0		Page 4 of 6
Revision Date 06/07/2002		Print Date 11/4/2011
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



MATERIAL SAFETY DATA SHEET

N

METALLIC PINK	
Version Number 1.0 Revision Date 06/07/2002	Page 5 of 6 Print Date 11/4/2011
IMO / IMDG :	Not regulated for transportation.
15	5. REGULATORY INFORMATION
US Regulations:	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
Not applicable	
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification :	D2B
WHMIS Ingredient Disclosu	are List
CAS-No. 7429-90-5 12001-26-2 7631-86-9	
DSL :	Listed.
National Inventories:	
Australia AICS :	Not determined.
China IECS :	Not determined.
Europe EINECS :	Not determined.
Japan ENCS :	Not determined.
Korea KECI :	Not determined.
Philippines PICCS :	Not determined.



MATERIAL SAFETY DATA SHEET

METALLIC PINK

Version Number 1.0 Revision Date 06/07/2002 Page 6 of 6 Print Date 11/4/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.