

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 06/03/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10017361
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 06/03/2002	Print Date 11/4/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WHITE

ion Number 1.0 sion Date 06/03/2002			Print	Page 3 t Date 11/4/	
	a	nd contamination. Keep in a	a dry, cool place.		
8. I	EXPOSURE	CONTROLS / PERSONA	L PROTECTION		
Respiratory protection	: N	lo personal respiratory prote	ctive equipment normally	required.	
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		andle in accordance with go Vash hands before breaks an		safety practic	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z	
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES		
Form	: Solid	l Eva	poration rate : No	ot applicable.	
Appearance	: Pelle		-	ot determined	
Color	: WHI			ot established	
Odor	: Very	r faint Vap	or pressure : No	ot applicable	
Melting point/range				ot applicable	
Boiling Point:		applicable pH	: No	ot applicable	
Water solubility	: Insol	uble			
	10. 5	STABILITY AND REACT	TVITY		
Stability	: S	table.			
Stability					
Hazardous Polymerizatio	n : W	Vill not occur.			



MATERIAL SAFETY DATA SHEET

Incompatible Materials			Print Date 11/4/2	
	: Incompatible	with strong acids and	oxidizing agents.	
Hazardous decomposition products			noxide (CO), oxides of nitrogen and smoke are all possible.	
	11. TOXICOLOG	ICAL INFORMAT	ION	
This mixture has not been health data for the individ			sure effects listed are based on exi	
<u>Toxicity Overview</u> This product contains the	following components w	which in their pure form	n have the following characteristic	
CAS-No.	Chemical Name	Effect	Target Organ	
	Silica, amorphous	Irritant	Eyes, Respiratory system.	
13463-67-7	Fitanium dioxide	Systemic effects	Respiratory system.	
	12. ECOLOGIO	CAL INFORMATIO	N	
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound wit of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound wit of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS				
Product	possible, recy generator of v classification	cling is preferred to d waste material has the	uct can be recycled. Where lisposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.	
Contaminated packaging	has the respon- and disposal i	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPO	RT INFORMATION	N	
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)		for transportation.		
ICAO/IATA	: Not regulated	for transportation.		



MATERIAL SAFETY DATA SHEET

WHITE	

rsion Number 1.0 vision Date 06/03/2002		Page 5 of 6 Print Date 11/4/2011
IMO / IMDG	:	Not regulated for transportation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition	:	This product does not contain a substance listed by California Prop 65.
65	·	This product does not contain a substance listed by Camorina 110p 05.
Canadian Desculations		
Canadian Regulations:		
WHMIS Classification	:	
WHMIS Ingredient Disc	closu	re List
CAS-No. 7631-86-9		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 06/03/2002 Page 6 of 6 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.