

MATERIAL SAFETY DATA SHEET

# RED W/ HOLOFLAKE

Version Number 1.0 Revision Date 06/06/2002 Page 1 of 5 Print Date 11/4/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED W/ HOLOFLAKE
Product code	:	CC10017449
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	:	Inhalation, Ingestion, Skin contact	
Acute exposure			
Inhalation Ingestion Eyes Skin	:	Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	:	Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	:	None known.	
		A FIDST AID MEASUDES	T

#### 4. FIRST AID MEASURES



# MATERIAL SAFETY DATA SHEET

# RED W/ HOLOFLAKE

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP(	OSURE CONTROLS / PERSONAL PROTECTION



# MATERIAL SAFETY DATA SHEET

# RED W/ HOLOFLAKE

ision Date 06/06/2002		Pag Print Date 11			
Respiratory protection		bry protective equipment normally required. ur wear appropriate respiratory protection.	If		
Eye/Face Protection	: safety glasses				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothin	g.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		before breaks and immediately after handlin ccordance with good industrial hygiene and sa ics.			
Engineering measures		ith appropriate exhaust ventilation. Provide ventilation at machinery.			
Exposure limit(s)					
	PHYSICAL AND CHEM				
Form	: Solid	Evaporation rate : Not applicable			
Form Appearance	: Solid : flakes	Evaporation rate : Not applicabl Specific Gravity : Not determin	ed		
Form Appearance Color	: Solid : flakes : RED	Evaporation rate : Not applicabl Specific Gravity : Not determin Bulk density : Not determin	ed ed		
Form Appearance Color Odor	: Solid : flakes : RED : Very faint	Evaporation rate: Not applicableSpecific Gravity: Not determinBulk density: Not determinVapor pressure: Not determin	ed ed ed		
Form Appearance Color Odor Melting point/range	: Solid : flakes : RED : Very faint : Greater than 130 °C	Evaporation rate: Not applicableSpecific Gravity: Not determinBulk density: Not determinVapor pressure: Not determinVapor density: Not determin	ed ed ed ed		
Form Appearance Color Odor	: Solid : flakes : RED : Very faint	Evaporation rate: Not applicableSpecific Gravity: Not determinBulk density: Not determinVapor pressure: Not determin	ed ed ed ed		
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>flakes</li> <li>RED</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> </ul>	Evaporation rate: Not applicablSpecific Gravity: Not determinBulk density: Not determinVapor pressure: Not determinVapor density: Not determinpH: Not applicabl	ed ed ed ed		
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>flakes</li> <li>RED</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate: Not applicablSpecific Gravity: Not determinBulk density: Not determinVapor pressure: Not determinVapor density: Not determinpH: Not applicabl	ed ed ed ed		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>flakes</li> <li>RED</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND	Evaporation rate: Not applicablSpecific Gravity: Not determinBulk density: Not determinVapor pressure: Not determinVapor density: Not determinpH: Not applicabl	ed ed ed ed		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>flakes</li> <li>RED</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate: Not applicablSpecific Gravity: Not determinBulk density: Not determinVapor pressure: Not determinVapor density: Not determinpH: Not applicabl	ed ed ed ed		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>flakes</li> <li>RED</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal deal</li> </ul>	Evaporation rate : Not applicabl Specific Gravity : Not determin Bulk density : Not determin Vapor pressure : Not determin Vapor density : Not determin pH : Not applicabl	ed ed ed ed		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>Solid</li> <li>flakes</li> <li>RED</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal decompatible with stable</li> </ul>	Evaporation rate : Not applicabl Specific Gravity : Not determin Bulk density : Not determin Vapor pressure : Not determin Vapor density : Not determin pH : Not applicabl REACTIVITY composition, do not overheat. rong acids and oxidizing agents. 2), carbon monoxide (CO), oxides of nitrogen	ed ed ed le		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition	<ul> <li>Solid</li> <li>flakes</li> <li>RED</li> <li>Very faint</li> <li>Greater than 130 °C</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>To avoid thermal dealer</li> <li>Incompatible with stational context of the stational dealer</li> </ul>	Evaporation rate : Not applicabl Specific Gravity : Not determin Bulk density : Not determin Vapor pressure : Not determin Vapor density : Not determin pH : Not applicabl REACTIVITY composition, do not overheat. rong acids and oxidizing agents. 2), carbon monoxide (CO), oxides of nitrogen smoke.	ed ed ed le		



MATERIAL SAFETY DATA SHEET

# RED W/ HOLOFLAKE

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the matrix of the polymer.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

RED W/ HOLOFLAKE				
Version Number 1.0 Revision Date 06/06/2002		Page 5 of 5 Print Date 11/4/2011		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations:				
WHMIS Classification	:	Not controlled.		
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Not determined.		
China IECS	:	Not determined.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Not determined.		
Philippines PICCS	:	Not determined.		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.